

PageSpeed Insights

Mobile



71 / 100 Speed

 Should Fix:

Avoid landing page redirects

Your page has 2 redirects. Redirects introduce additional delays before the page can be loaded.

[Avoid landing page redirects](#) for the following chain of redirected URLs.

- <http://baiyewang.com/>
- <http://www.baiyewang.com/>
- <http://www.100ye.com/>

 Consider Fixing:

Mobile

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 59KiB (64% reduction).

- Compressing <http://www.100ye.com/js/jquery-1.9.1.min.js> could save 58.4KiB (64% reduction).
- Compressing <http://www.100ye.com/js/loginjs.js> could save 640B (46% reduction).

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 1 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Optimize CSS Delivery](#) of the following:

- http://www.100ye.com/css/top_2015.css

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 1.4KiB (18% reduction).

- Compressing http://www.100ye.com/images/logo_20160928.png could save 1.4KiB (18% reduction).

Mobile



6 Passed Rules

Leverage browser caching

You have enabled browser caching. Learn more about [browser caching recommendations](#).

Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

Minify CSS

Your CSS is minified. Learn more about [minifying CSS](#).

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

Minify JavaScript

Your JavaScript content is minified. Learn more about [minifying JavaScript](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).

57 / 100 User Experience



Should Fix:

Configure the viewport

Your page does not have a viewport specified. This causes mobile devices to render your page as it would appear on a desktop browser, scaling it down to fit on a mobile screen. Configure a viewport to allow your page to render properly on all devices.

[Configure a viewport](#) for this page.

Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider [making these tap targets larger](#) to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target `<li id="bydl">☐☐` is close to 1 other tap targets final.
- The tap target `☐☐` and 357 others are close to other tap targets final.
- The tap target `☐☐☐` and 7 others are close to other tap targets.

Use legible font sizes

The following text on your page renders in a way that may be difficult for some of your visitors to read. [Use legible font sizes](#) to provide a better user experience.

The following text fragments have a small font size. Increase the font size to make them more legible.

- ☐☐☐☐ and 372 others render only 6 pixels tall (15 CSS pixels) final.
- ☐☐ renders only 6 pixels tall (15 CSS pixels) final.

Mobile

- The element `<td class="blankT blankB2">...</td>` falls outside the viewport.
- The element `<td class="blankT blankB2">...</td>` falls outside the viewport.
- The element `<td class="blankT blankB2">...</td>` falls outside the viewport.
- The element `<td class="blankT blankB2">...</td>` falls outside the viewport.
- The element `<td class="blankT blankB2">...</td>` falls outside the viewport.
- The element `<td class="blankT blankB2">...</td>` falls outside the viewport.
- The element `<td class="blankT blankB2">...</td>` falls outside the viewport.
- The element `<td class="blankT blankB2">...</td>` falls outside the viewport.
- The element `<td class="blankT blankB2">...</td>` falls outside the viewport.
- The element `<td class="blankT blankB2">...</td>` falls outside the viewport.
- The element `<td class="blankT blankB2">...</td>` falls outside the viewport.
- The element `<td class="blankT blankB2">...</td>` falls outside the viewport.
- The element `<td class="blankT blankB2">...</td>` falls outside the viewport.
- The element `<td class="blankT blankB2">...</td>` falls outside the viewport.
- The element `<td class="blankT blankB2">...</td>` falls outside the viewport.
- The element `<td class="blankT blankB2">...</td>` falls outside the viewport.
- The element `<td class="blankT blankB2">...</td>` falls outside the viewport.
- The element `<td class="blankT blankB2">...</td>` falls outside the viewport.
- The element `<td class="blankT blankB2">...</td>` falls outside the viewport.
- The element `<div class="foot_title">... | ... | ... | ...</div>` falls outside the viewport.
- The element `<td>` falls outside the viewport.



2 Passed Rules

Avoid app install interstitials that hide content

Mobile

Your page does not appear to have any app install interstitials that hide a significant amount of content. Learn more about the importance of [avoiding the use of app install interstitials](#).

Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

Desktop



85 / 100 Speed

! Consider Fixing:

Avoid landing page redirects

Your page has 2 redirects. Redirects introduce additional delays before the page can be loaded.

[Avoid landing page redirects](#) for the following chain of redirected URLs.

- <http://baiyewang.com/>
- <http://www.baiyewang.com/>
- <http://www.100ye.com/>

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 59KiB (64% reduction).

- Compressing <http://www.100ye.com/js/jquery-1.9.1.min.js> could save 58.4KiB (64% reduction).
- Compressing <http://www.100ye.com/js/loginjs.js> could save 640B (46% reduction).

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 1 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Optimize CSS Delivery](#) of the following:

- http://www.100ye.com/css/top_2015.css

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 1.4KiB (18% reduction).

- Compressing http://www.100ye.com/images/logo_20160928.png could save 1.4KiB (18% reduction).



6 Passed Rules

Leverage browser caching

You have enabled browser caching. Learn more about [browser caching recommendations](#).

Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

Minify CSS

Your CSS is minified. Learn more about [minifying CSS](#).

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

Minify JavaScript

Your JavaScript content is minified. Learn more about [minifying JavaScript](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).