
PageSpeed Insights

Mobile





Should Fix:

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

Leverage browser caching for the following cacheable resources:

- http://cdn.liberty.edu/templates/edu/svg/build/svg/defs-svg/360Tour.svg (expiration not specified)
- http://cdn.liberty.edu/templates/edu/svg/build/svg/defs-svg/BackArrow.svg (expiration not specified)
- http://cdn.liberty.edu/templates/edu/svg/build/svg/defs-svg/DropdownArrow.svg (expiration not specified)
- http://cdn.liberty.edu/templates/edu/svg/build/svg/defs-svg/LinkArrow.svg (expiration not specified)

- http://cdn.liberty.edu/templates/edu/svg/build/svg/defs-svg/MobileMenuArrow.svg (expiration not specified)
- http://cdn.liberty.edu/templates/edu/svg/build/svg/defs-svg/MobileSearch.svg (expiration not specified)
- http://cdn.liberty.edu/templates/edu/svg/build/svg/defs-svg/PlayButton.svg (expiration not specified)
- http://www.liberty.edu/archives/public/photos/524.jpg (expiration not specified)
- http://www.liberty.edu/archives/public/photos/Liberty-Journal-Spotlight.jpeg (expiration not specified)
- http://www.liberty.edu/media/14140/templates/edu/css/additions.css (expiration not specified)
- http://www.liberty.edu/media/14140/templates/edu/img/LibertyAcademics.jpg (expiration not specified)
- http://www.liberty.edu/media/14140/templates/edu/img/MoreThanAMajor.jpg (expiration not specified)
- http://www.liberty.edu/media/14140/templates/edu/img/WeBelieveInLiberty.jpg (expiration not specified)
- http://www.liberty.edu/media/14140/templates/edu/js/footer-scripts.js (expiration not specified)
- http://www.liberty.edu/media/14140/templates/edu/js/header-scripts.js (expiration not specified)
- http://www.liberty.edu/media/1971/assets/FindYourDegree.jpg (expiration not specified)
- http://www.liberty.edu/media/1971/main_slideshow_img/sizes/Scuba-class_960.jpg (expiration not specified)
- http://www.liberty.edu/templates/edu/css/min/common.min.css (expiration not specified)
- http://www.liberty.edu/templates/edu/css/min/homepage.min.css (expiration not specified)
- http://www.liberty.edu/templates/edu/img/videoPlaceholder.JPG (expiration not specified)
- http://www.liberty.edu/templates/edu/js/min/core.min.js (expiration not specified)
- http://www.liberty.edu/templates/edu/js/min/functions.js (expiration not specified)
- http://www.liberty.edu/templates/edu/js/moment.min.js (expiration not specified)
- http://www.liberty.edu/wwwadmin/globals/globalheader/dsp_globalheader_https.js (expiration not specified)
- http://www.liberty.edu/wwwadmin/globals/scripts/easyXDM-2.4.15.118/easyXDM.min.js (expiration not specified)
- http://www.liberty.edu/wwwadmin/images/v4template/news/Byron-No.-9-car-Liberty-color-

- scheme-20170124 240.jpg (expiration not specified)
- http://www.liberty.edu/wwwadmin/images/v4template/news/Eagle-Scholars_240.jpg (expiration not specified)
- http://www.liberty.edu/wwwadmin/images/v4template/news/falwellcarter_240.jpg (expiration not specified)
- http://www.liberty.edu/wwwadmin/images/v4template/news/jonathan-cain-journey-liberty-university-convocation-201701231135JEh2_240.jpg (expiration not specified)
- https://www.liberty.edu/wwwadmin/globals/globalheader/min/gh.min.css (expiration not specified)
- https://www.liberty.edu/wwwadmin/globals/globalheader/min/gh.min.js (expiration not specified)
- https://www.liberty.edu/wwwadmin/globals/globalheader/scripts/jquery.scrollbar.min.js (expiration not specified)
- https://www.liberty.edu/wwwadmin/globals/scripts/easyXDM-2.4.15.118/easyXDM.min.js (expiration not specified)
- https://www.liberty.edu/wwwadmin/globals/scripts/easyXDM-2.4.15.118/json2.js (expiration not specified)
- http://accdn.lpsnmedia.net/api/account/38240396/configuration/le-campaigns/campaigns/50 3961512/engagements/509187512/revision/325?v=3.0&cb=lp509187512&flavor=dependency (33 seconds)
- http://accdn.lpsnmedia.net/api/account/38240396/configuration/lecampaigns/zones?fields=id&fields=zoneValue&cb=lpZonesStaticCB (33 seconds)
- http://cdn.liberty.edu/templates/edu/images/Freedom-Tower.jpg (3 minutes)
- http://lptag.liveperson.net/lptag/api/account/38240396/configuration/applications/taglets/.jsonp?df=2&b=1 (10.5 minutes)
- https://lptag.liveperson.net/lptag/api/account/38240396/configuration/applications/taglets/.js onp?df=2&wl=lpTransporter&b=1 (10.5 minutes)
- http://www.googletagmanager.com/gtm.js?id=GTM-PVPCL2 (15 minutes)
- http://www.google-analytics.com/plugins/ua/linkid.js (60 minutes)
- http://stats.g.doubleclick.net/dc.js (2 hours)
- http://www.google-analytics.com/analytics.js (2 hours)

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Mobile

Your page has 7 blocking script resources and 7 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

Remove render-blocking JavaScript:

- http://ajax.googleapis.com/ajax/libs/jquery/1.7.2/jquery.min.js
- http://www.liberty.edu/media/14140/templates/edu/js/header-scripts.js
- http://www.liberty.edu/wwwadmin/globals/globalheader/dsp globalheader https.js
- https://www.liberty.edu/wwwadmin/globals/scripts/easyXDM-2.4.15.118/easyXDM.min.js
- https://www.liberty.edu/wwwadmin/globals/scripts/easyXDM-2.4.15.118/json2.js
- https://www.liberty.edu/wwwadmin/globals/globalheader/min/gh.min.js
- https://www.liberty.edu/wwwadmin/globals/globalheader/scripts/jquery.scrollbar.min.js

Optimize CSS Delivery of the following:

- https://fonts.googleapis.com/css?family=PT+Serif:400,700|Roboto:400,500,700
- http://www.liberty.edu/templates/edu/css/min/common.min.css
- http://www.liberty.edu/templates/edu/css/min/homepage.min.css
- http://www.liberty.edu/media/14140/templates/edu/css/additions.css
- https://www.liberty.edu/wwwadmin/globals/globalheader/min/gh.min.css
- https://fonts.googleapis.com/css?family=Open+Sans:400,400italic,700,700italic
- https://fonts.googleapis.com/css?family=Roboto:400,700

Optimize images

Properly formatting and compressing images can save many bytes of data.

Optimize the following images to reduce their size by 247.5KiB (53% reduction).

- Compressing http://www.liberty.edu/archives/public/photos/Liberty-Journal-Spotlight.jpeg could save 101.3KiB (72% reduction).
- Compressing http://www.liberty.edu/media/14140/templates/edu/img/LibertyAcademics.jpg could save 57.7KiB (45% reduction).
- Compressing http://www.liberty.edu/media/14140/templates/edu/img/WeBelieveInLiberty.jpg could save 43.2KiB (48% reduction).
- Compressing http://www.liberty.edu/media/14140/templates/edu/img/MoreThanAMajor.jpg could save 43.2KiB (48% reduction).
- Compressing http://www.liberty.edu/wwwadmin/images/v4template/news/jonathan-cain-journey-liberty-university-convocation-201701231135JEh2_240.jpg could save 1.1KiB (14% reduction).
- Compressing http://www.liberty.edu/wwwadmin/images/v4template/news/Byron-No.-9-car-Liberty-color-scheme-20170124 240.jpg could save 969B (15% reduction).

Consider Fixing:

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

Minify CSS for the following resources to reduce their size by 593B (12% reduction).

• Minifying http://www.liberty.edu/media/14140/templates/edu/css/additions.css could save 593B (12% reduction) after compression.

Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

Minify HTML for the following resources to reduce their size by 1,009B (40% reduction).

Minifying http://www.liberty.edu/wwwadmin/globals/globalheader/includes/cors.init.html?xd

m e=http%3A%2F%2Fwww.liberty.edu%2F&xdm c=default4667&xdm p=4 could save 1,009B (40% reduction) after compression.

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

Minify JavaScript for the following resources to reduce their size by 4.5KiB (58% reduction).

- Minifying https://www.liberty.edu/wwwadmin/globals/scripts/easyXDM-2.4.15.118/json2.js could save 4KiB (75% reduction) after compression.
- Minifying http://www.liberty.edu/media/14140/templates/edu/js/footer-scripts.js could save 580B (23% reduction) after compression.



4 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about avoiding landing page redirects.

Enable compression

You have compression enabled. Learn more about enabling compression.

Reduce server response time

Your server responded quickly. Learn more about server response time optimization.

Prioritize visible content

Mobile

You have the above-the-fold content properly prioritized. Learn more about prioritizing visible content.

99 / 100 User Experience



Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider making these tap targets larger to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target Sign In is close to 1 other tap targets final.
- The tap target is close to 1 other tap targets final.
- The tap target is close to 1 other tap targets final.
- The tap target is close to 2 other tap targets.
- The tap target Contact Information is close to 2 other tap targets.
- The tap target <div id="LPMcontainer-1485319194620-0" class="LPMcontainer LPMoverlay">Chat Live</div> is close to 1 other tap targets.
- The tap target <div id="LPMcontainer-1485319194620-0" class="LPMcontainer LPMoverlay">Chat Live</div> is close to 1 other tap targets.



4 Passed Rules

Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of <u>avoiding plugins</u>.

Configure the viewport

Your page specifies a viewport matching the device's size, which allows it to render properly on all devices. Learn more about <u>configuring viewports</u>.


Size content to viewport

The contents of your page fit within the viewport. Learn more about sizing content to the viewport.

Use legible font sizes

The text on your page is legible. Learn more about using legible font sizes.

Desktop



57 / 100 Speed

Should Fix:

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

<u>Leverage browser caching</u> for the following cacheable resources:

- http://cdn.liberty.edu/templates/edu/svg/build/svg/defs-svg/360Tour.svg (expiration not specified)
- http://cdn.liberty.edu/templates/edu/svg/build/svg/defs-svg/BackArrow.svg (expiration not specified)
- http://cdn.liberty.edu/templates/edu/svg/build/svg/defs-svg/DropdownArrow.svg (expiration not specified)
- http://cdn.liberty.edu/templates/edu/svg/build/svg/defs-svg/LinkArrow.svg (expiration not specified)
- http://cdn.liberty.edu/templates/edu/svg/build/svg/defs-svg/MobileMenuArrow.svg (expiration not specified)
- http://cdn.liberty.edu/templates/edu/svg/build/svg/defs-svg/MobileSearch.svg (expiration not specified)
- http://cdn.liberty.edu/templates/edu/svg/build/svg/defs-svg/PlayButton.svg (expiration not specified)
- http://www.liberty.edu/archives/public/photos/524.jpg (expiration not specified)
- http://www.liberty.edu/archives/public/photos/Liberty-Journal-Spotlight.jpeg (expiration not specified)
- http://www.liberty.edu/media/14140/templates/edu/css/additions.css (expiration not specified)
- http://www.liberty.edu/media/14140/templates/edu/img/LibertyAcademics.jpg (expiration not specified)
- http://www.liberty.edu/media/14140/templates/edu/img/MoreThanAMajor.jpg (expiration not specified)
- http://www.liberty.edu/media/14140/templates/edu/img/WeBelieveInLiberty.jpg (expiration not specified)
- http://www.liberty.edu/media/14140/templates/edu/js/footer-scripts.js (expiration not specified)
- http://www.liberty.edu/media/14140/templates/edu/js/header-scripts.js (expiration not specified)
- http://www.liberty.edu/media/1971/assets/FindYourDegree.jpg (expiration not specified)
- http://www.liberty.edu/media/1971/main_slideshow_img/sizes/Scuba-class_1024.jpg (expiration not specified)
- http://www.liberty.edu/templates/edu/css/min/common.min.css (expiration not specified)
- http://www.liberty.edu/templates/edu/css/min/homepage.min.css (expiration not specified)

- http://www.liberty.edu/templates/edu/img/videoPlaceholder.JPG (expiration not specified)
- http://www.liberty.edu/templates/edu/js/min/core.min.js (expiration not specified)
- http://www.liberty.edu/templates/edu/js/min/functions.js (expiration not specified)
- http://www.liberty.edu/templates/edu/js/moment.min.js (expiration not specified)
- http://www.liberty.edu/wwwadmin/globals/globalheader/dsp_globalheader_https.js (expiration not specified)
- http://www.liberty.edu/wwwadmin/globals/scripts/easyXDM-2.4.15.118/easyXDM.min.js (expiration not specified)
- http://www.liberty.edu/wwwadmin/images/v4template/news/Byron-No.-9-car-Liberty-color-scheme-20170124_240.jpg (expiration not specified)
- http://www.liberty.edu/wwwadmin/images/v4template/news/Eagle-Scholars_240.jpg (expiration not specified)
- http://www.liberty.edu/wwwadmin/images/v4template/news/falwellcarter_240.jpg (expiration not specified)
- http://www.liberty.edu/wwwadmin/images/v4template/news/jonathan-cain-journey-liberty-university-convocation-201701231135JEh2 240.jpg (expiration not specified)
- https://www.liberty.edu/wwwadmin/globals/globalheader/min/gh.min.css (expiration not specified)
- https://www.liberty.edu/wwwadmin/globals/globalheader/min/gh.min.js (expiration not specified)
- https://www.liberty.edu/wwwadmin/globals/globalheader/scripts/jquery.scrollbar.min.js (expiration not specified)
- https://www.liberty.edu/wwwadmin/globals/scripts/easyXDM-2.4.15.118/easyXDM.min.js (expiration not specified)
- https://www.liberty.edu/wwwadmin/globals/scripts/easyXDM-2.4.15.118/json2.js (expiration not specified)
- http://accdn.lpsnmedia.net/api/account/38240396/configuration/lecampaigns/zones?fields=id&fields=zoneValue&cb=lpZonesStaticCB (22 seconds)
- http://accdn.lpsnmedia.net/api/account/38240396/configuration/le-campaigns/campaigns/50 3961512/engagements/509187512/revision/325?v=3.0&cb=lp509187512&flavor=dependency (28 seconds)
- http://cdn.liberty.edu/templates/edu/images/Freedom-Tower.jpg (2.8 minutes)
- http://lptag.liveperson.net/lptag/api/account/38240396/configuration/applications/taglets/.jso np?df=0&b=1 (10.5 minutes)
- https://lptag.liveperson.net/lptag/api/account/38240396/configuration/applications/taglets/.js onp?df=0&wl=lpTransporter&b=1 (10.5 minutes)

Desktop

- http://www.googletagmanager.com/gtm.js?id=GTM-PVPCL2 (15 minutes)
- http://www.google-analytics.com/plugins/ua/linkid.js (60 minutes)
- http://stats.g.doubleclick.net/dc.js (2 hours)
- http://www.google-analytics.com/analytics.js (2 hours)

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 7 blocking script resources and 7 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

Remove render-blocking JavaScript:

- http://ajax.googleapis.com/ajax/libs/jquery/1.7.2/jquery.min.js
- http://www.liberty.edu/media/14140/templates/edu/js/header-scripts.js
- http://www.liberty.edu/wwwadmin/globals/globalheader/dsp globalheader https.js
- https://www.liberty.edu/wwwadmin/globals/scripts/easyXDM-2.4.15.118/easyXDM.min.js
- https://www.liberty.edu/wwwadmin/globals/scripts/easyXDM-2.4.15.118/json2.js
- https://www.liberty.edu/wwwadmin/globals/globalheader/min/gh.min.js
- https://www.liberty.edu/wwwadmin/globals/globalheader/scripts/jguery.scrollbar.min.js

Optimize CSS Delivery of the following:

- https://fonts.googleapis.com/css?family=PT+Serif:400,700|Roboto:400,500,700
- http://www.liberty.edu/templates/edu/css/min/common.min.css
- http://www.liberty.edu/templates/edu/css/min/homepage.min.css
- http://www.liberty.edu/media/14140/templates/edu/css/additions.css
- https://www.liberty.edu/wwwadmin/globals/globalheader/min/gh.min.css
- https://fonts.googleapis.com/css?family=Open+Sans:400,400italic,700,700italic

https://fonts.googleapis.com/css?family=Roboto:400,700

Optimize images

Properly formatting and compressing images can save many bytes of data.

Optimize the following images to reduce their size by 380.8KiB (61% reduction).

- Compressing and resizing http://www.liberty.edu/media/1971/assets/FindYourDegree.jpg could save 117.4KiB (83% reduction).
- Compressing http://www.liberty.edu/archives/public/photos/Liberty-Journal-Spotlight.jpeg could save 101.3KiB (72% reduction).
- Compressing http://www.liberty.edu/media/14140/templates/edu/img/LibertyAcademics.jpg could save 57.7KiB (45% reduction).
- Compressing http://www.liberty.edu/media/14140/templates/edu/img/WeBelieveInLiberty.jpg could save 43.2KiB (48% reduction).
- Compressing http://www.liberty.edu/media/14140/templates/edu/img/MoreThanAMajor.jpg could save 43.2KiB (48% reduction).
- Compressing and resizing http://cdn.liberty.edu/templates/edu/images/Freedom-Tower.jpg could save 15.9KiB (91% reduction).
- Compressing http://www.liberty.edu/wwwadmin/images/v4template/news/jonathan-cain-journey-liberty-university-convocation-201701231135JEh2_240.jpg could save 1.1KiB (14% reduction).
- Compressing http://www.liberty.edu/wwwadmin/images/v4template/news/Byron-No.-9-car-Liberty-color-scheme-20170124 240.jpg could save 969B (15% reduction).

Consider Fixing:

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

Minify CSS for the following resources to reduce their size by 593B (12% reduction).

• Minifying http://www.liberty.edu/media/14140/templates/edu/css/additions.css could save 593B (12% reduction) after compression.

Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

Minify HTML for the following resources to reduce their size by 1,009B (40% reduction).

• Minifying http://www.liberty.edu/wwwadmin/globals/globalheader/includes/cors.init.html?xd m_e=http%3A%2F%2Fwww.liberty.edu%2F&xdm_c=default6234&xdm_p=4 could save 1,009B (40% reduction) after compression.

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

Minify JavaScript for the following resources to reduce their size by 4.5KiB (58% reduction).

- Minifying https://www.liberty.edu/wwwadmin/globals/scripts/easyXDM-2.4.15.118/json2.js could save 4KiB (75% reduction) after compression.
- Minifying http://www.liberty.edu/media/14140/templates/edu/js/footer-scripts.js could save 580B (23% reduction) after compression.



Desktop

Avoid landing page redirects

Your page has no redirects. Learn more about avoiding landing page redirects.

Enable compression

You have compression enabled. Learn more about enabling compression.

Reduce server response time

Your server responded quickly. Learn more about server response time optimization.

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about <u>prioritizing visible</u> <u>content</u>.