

PageSpeed Insights

Mobile



61 / 100 Speed

 Should Fix:

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 10 blocking script resources and 9 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <https://c0.wp.com/c/5.0.3/wp-includes/js/jquery/jquery.js>
- <https://c0.wp.com/c/5.0.3/wp-includes/js/jquery/jquery-migrate.min.js>
- <http://s3.amazonaws.com/downloads.mailchimp.com/js/mc-validate.js>
- https://c0.wp.com/p/jetpack/7.0/_inc/build/photom/photom.min.js

Mobile

- <https://s0.wp.com/wp-content/js/devicepx-jetpack.js?ver=201906>
- <https://secure.gravatar.com/js/gprofiles.js?ver=2019Febaa>
- <https://c0.wp.com/p/jetpack/7.0/modules/wpgroho.js>
- <https://c0.wp.com/c/5.0.3/wp-includes/js/imagesloaded.min.js>
- https://c0.wp.com/p/jetpack/7.0/_inc/build/lazy-images/js/lazy-images.min.js
- <https://c0.wp.com/c/5.0.3/wp-includes/js/wp-embed.min.js>

[Optimize CSS Delivery](#) of the following:

- <https://c0.wp.com/c/5.0.3/wp-includes/css/dist/block-library/style.min.css>
- <https://c0.wp.com/c/5.0.3/wp-includes/css/dist/block-library/theme.min.css>
- <http://fonts.googleapis.com/css?family=Montserrat%3A100%2C200%2C300%2C400%2C500%2C600%2C700%2C800%2C900%2C100i%2C200i%2C300i%2C400i%2C500i%2C600i%2C700i%2C800i%2C900i&subset=latin&ver=5.0.3>
- <http://fonts.googleapis.com/css?family=Josefin+Sans%3A100%2C200%2C300%2C400%2C500%2C600%2C700%2C800%2C900%2C100i%2C200i%2C300i%2C400i%2C500i%2C600i%2C700i%2C800i%2C900i&subset=latin&ver=5.0.3>
- <https://c0.wp.com/p/jetpack/7.0/css/jetpack.css>
- http://cdn-images.mailchimp.com/embedcode/classic-10_7.css
- <http://a.mailmunch.co/app/v1/styles.css>
- http://moneycareer.in/wp-content/cache/autoptimize/css/autoptimize_5d65c27abb6047def7a4406b071feaff.css
- http://moneycareer.in/wp-content/cache/autoptimize/css/autoptimize_5d65c27abb6047def7a4406b071feaff.css



Consider Fixing:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 92.7KiB (66%

Mobile

reduction).

- Compressing <http://s3.amazonaws.com/downloads.mailchimp.com/js/mc-validate.js> could save 92.7KiB (66% reduction).

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- http://cdn-images.mailchimp.com/embedcode/classic-10_7.css (expiration not specified)
- <http://forms.mailmunch.co/sites/528594> (expiration not specified)
- <https://www.googletagmanager.com/gtag/js?id=UA-104413964-3> (15 minutes)
- <https://www.google-analytics.com/analytics.js> (2 hours)

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 146B (12% reduction).

- Minifying http://cdn-images.mailchimp.com/embedcode/classic-10_7.css could save 146B (12% reduction) after compression.

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

Mobile

[Minify JavaScript](#) for the following resources to reduce their size by 318B (11% reduction).

- Minifying https://c0.wp.com/p/jetpack/7.0/_inc/build/lazy-images/js/lazy-images.min.js could save 318B (11% reduction) after compression.

Prioritize visible content

Your page requires additional network round trips to render the above-the-fold content. For best performance, reduce the amount of HTML needed to render above-the-fold content.

The entire HTML response was not sufficient to render the above-the-fold content. This usually indicates that additional resources, loaded after HTML parsing, were required to render above-the-fold content. [Prioritize visible content](#) that is needed for rendering above-the-fold by including it directly in the HTML response.

- Only about 5% of the final above-the-fold content could be rendered with the full HTML response.
- Click to see the screenshot with only the HTML response: [snapshot:17](#)



4 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

Optimize images

Your images are optimized. Learn more about [optimizing images](#).

98 / 100 User Experience

Consider Fixing:

Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider [making these tap targets larger](#) to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target `Sadhana Pal` and 10 others are close to other tap targets final.
- The tap target `Contact Us` and 2 others are close to other tap targets.

4 Passed Rules

Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

Configure the viewport

Mobile

Your page specifies a viewport matching the device's size, which allows it to render properly on all devices. Learn more about [configuring viewports](#).

Size content to viewport

The contents of your page fit within the viewport. Learn more about [sizing content to the viewport](#).

Use legible font sizes

The text on your page is legible. Learn more about [using legible font sizes](#).

Desktop



71 / 100 Speed

Should Fix:

Reduce server response time

In our test, your server responded in 1.6 seconds.

There are many factors that can slow down your server response time. [Please read our recommendations](#) to learn how you can monitor and measure where your server is spending the most time.

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 10 blocking script resources and 9 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <https://c0.wp.com/c/5.0.3/wp-includes/js/jquery/jquery.js>
- <https://c0.wp.com/c/5.0.3/wp-includes/js/jquery/jquery-migrate.min.js>
- <http://s3.amazonaws.com/downloads.mailchimp.com/js/mc-validate.js>
- https://c0.wp.com/p/jetpack/7.0/_inc/build/photom/photom.min.js
- <https://s0.wp.com/wp-content/js/devicepx-jetpack.js?ver=201906>
- <https://secure.gravatar.com/js/gprofiles.js?ver=2019Febaa>
- <https://c0.wp.com/p/jetpack/7.0/modules/wpgroho.js>
- <https://c0.wp.com/c/5.0.3/wp-includes/js/imagesloaded.min.js>
- https://c0.wp.com/p/jetpack/7.0/_inc/build/lazy-images/js/lazy-images.min.js
- <https://c0.wp.com/c/5.0.3/wp-includes/js/wp-embed.min.js>

[Optimize CSS Delivery](#) of the following:

- <https://c0.wp.com/c/5.0.3/wp-includes/css/dist/block-library/style.min.css>
- <https://c0.wp.com/c/5.0.3/wp-includes/css/dist/block-library/theme.min.css>
- <http://fonts.googleapis.com/css?family=Montserrat%3A100%2C200%2C300%2C400%2C500%2C600%2C700%2C800%2C900%2C100i%2C200i%2C300i%2C400i%2C500i%2C600i%2C700i%2C800i%2C900i&subset=latin&ver=5.0.3>
- <http://fonts.googleapis.com/css?family=Josefin+Sans%3A100%2C200%2C300%2C400%2C500%2C600%2C700%2C800%2C900%2C100i%2C200i%2C300i%2C400i%2C500i%2C600i%2C700i%2C800i%2C900i&subset=latin&ver=5.0.3>
- <https://c0.wp.com/p/jetpack/7.0/css/jetpack.css>
- http://cdn-images.mailchimp.com/embedcode/classic-10_7.css

Desktop

- <http://a.mailmunch.co/app/v1/styles.css>
- http://moneycareer.in/wp-content/cache/autoptimize/css/autoptimize_5d65c27abb6047def7a4406b071feaff.css
- http://moneycareer.in/wp-content/cache/autoptimize/css/autoptimize_5d65c27abb6047def7a4406b071feaff.css

Consider Fixing:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 92.7KiB (66% reduction).

- Compressing <http://s3.amazonaws.com/downloads.mailchimp.com/js/mc-validate.js> could save 92.7KiB (66% reduction).

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- http://cdn-images.mailchimp.com/embedcode/classic-10_7.css (expiration not specified)
- <http://forms.mailmunch.co/sites/528594> (expiration not specified)
- <https://www.googletagmanager.com/gtag/js?id=UA-104413964-3> (15 minutes)
- <https://www.google-analytics.com/analytics.js> (2 hours)

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 146B (12% reduction).

- Minifying http://cdn-images.mailchimp.com/embedcode/classic-10_7.css could save 146B (12% reduction) after compression.

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 318B (11% reduction).

- Minifying https://c0.wp.com/p/jetpack/7.0/_inc/build/lazy-images/js/lazy-images.min.js could save 318B (11% reduction) after compression.

Prioritize visible content

Your page requires additional network round trips to render the above-the-fold content. For best performance, reduce the amount of HTML needed to render above-the-fold content.

The entire HTML response was not sufficient to render the above-the-fold content. This usually indicates that additional resources, loaded after HTML parsing, were required to render above-the-fold content. [Prioritize visible content](#) that is needed for rendering above-the-fold by including it directly in the HTML response.

- Only about 2% of the final above-the-fold content could be rendered with the full HTML response.
- [Click to see the screenshot with only the HTML response: snapshot:16](#)



3 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

Optimize images

Your images are optimized. Learn more about [optimizing images](#).