

PageSpeed Insights

Mobile

1-888-758-2018 (USA) 014-1416-1007 (UK)

We provide support for all brand printers.



Printer Support Contact Phone Number | Printer Customer Care

We are independent support provider for all printer brands, our printer support contact phone number UK and USA always there to assist you with all your printer problems. Now day's printers are necessity for all like small, large business, home and student users. It is very easy to take printouts from printer but it is very difficult to troubleshoot printer problems for that we started toll-free printer support contact phone number. Few common printer problems are print spooler service not running, printer showing offline, printer not working and many more problems to fix that look for Printer customer care phone number. A printer is turning into a most imperative gadget for a man in the

76 / 100 Speed

Should Fix:

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 2 blocking script resources and 9 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <http://www.printers-setup.com/wp-includes/js/jquery/jquery.js?ver=1.12.4>
- <http://www.printers-setup.com/wp-includes/js/jquery/jquery-migrate.min.js?ver=1.4.1>

[Optimize CSS Delivery](#) of the following:

- <http://www.printers-setup.com/wp-content/plugins/contact->

Mobile

form-7/includes/css/styles.css?ver=5.0.1

- <http://fonts.googleapis.com/css?family=Raleway%3A300%2C400%2C600%2C700&subset=latin%2Clatin-ext>
- <http://www.printers-setup.com/wp-content/themes/harest/lib/extentions/prettyPhoto/css/prettyPhoto.css?ver=3.1.6>
- <http://www.printers-setup.com/wp-content/themes/harest/lib/extentions/bootstrap/css/bootstrap.min.css?ver=2.3.2>
- <http://www.printers-setup.com/wp-includes/css/dashicons.min.css?ver=4.9.8>
- <http://www.printers-setup.com/wp-content/themes/harest/lib/extentions/font-awesome/css/font-awesome.min.css?ver=4.7.0>
- <http://www.printers-setup.com/wp-content/themes/harest/styles/style-shortcodes.css?ver=1.3.15>
- <http://www.printers-setup.com/wp-content/themes/harest/style.css?ver=1.3.15>
- <http://www.printers-setup.com/wp-content/themes/harest/styles/style-responsive.css?ver=1.3.15>

Consider Fixing:

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <http://www.printers-setup.com/wp-content/plugins/wp-content-copy-protector/images/warning.png> (expiration not specified)
- <http://www.printers-setup.com/wp-content/uploads/2018/03/Printer-Support-Contact-Phone-Number.png> (expiration not specified)

Minify CSS

Mobile

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 6.7KiB (22% reduction).

- Minifying <http://www.printers-setup.com/wp-content/themes/harest/style.css?ver=1.3.15> could save 4KiB (23% reduction) after compression.
- Minifying <http://www.printers-setup.com/wp-content/themes/harest/styles/style-shortcodes.css?ver=1.3.15> could save 1.6KiB (21% reduction) after compression.
- Minifying <http://www.printers-setup.com/wp-content/themes/harest/lib/extentions/prettyPhoto/css/prettyPhoto.css?ver=3.1.6> could save 620B (19% reduction) after compression.
- Minifying <http://www.printers-setup.com/wp-content/themes/harest/styles/style-responsive.css?ver=1.3.15> could save 513B (21% reduction) after compression.

Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

[Minify HTML](#) for the following resources to reduce their size by 771B (11% reduction).

- Minifying <http://www.printers-setup.com/> could save 771B (11% reduction) after compression.

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 19.6KiB (42% reduction).

- Minifying <http://www.printers-setup.com/wp-content/themes/harest/lib/scripts/modernizr.js?ver=2.6.2> could save 10.2KiB (66% reduction) after compression.

Mobile

- Minifying <http://www.printers-setup.com/wp-content/themes/harest/lib/extentions/prettyPhoto/js/jquery.prettyPhoto.js?ver=3.1.6> could save 2.9KiB (33% reduction) after compression.
- Minifying <http://www.printers-setup.com/wp-content/themes/harest/lib/extentions/bootstrap/js/bootstrap.js?ver=2.3.2> could save 2.9KiB (27% reduction) after compression.
- Minifying <http://www.printers-setup.com/wp-content/themes/harest/lib/scripts/main-frontend.js?ver=1.3.15> could save 2KiB (41% reduction) after compression.
- Minifying <http://www.printers-setup.com/wp-content/themes/harest/lib/scripts/plugins/ResponsiveSlides/responsiveslides-call.js?ver=1.3.15> could save 787B (51% reduction) after compression.
- Minifying <http://www.printers-setup.com/wp-content/plugins/contact-form-7/includes/js/scripts.js?ver=5.0.1> could save 670B (17% reduction) after compression.
- Minifying <http://www.printers-setup.com/wp-content/themes/harest/lib/scripts/plugins/scrollup/jquery.scrollUp.min.js?ver=2.4.1> could save 101B (11% reduction) after compression.



4 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Enable compression

You have compression enabled. Learn more about [enabling compression](#).

Optimize images

Your images are optimized. Learn more about [optimizing images](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).

100 / 100 User Experience

 5 Passed Rules

Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

Configure the viewport

Your page specifies a viewport matching the device's size, which allows it to render properly on all devices. Learn more about [configuring viewports](#).

Size content to viewport

The contents of your page fit within the viewport. Learn more about [sizing content to the viewport](#).

Size tap targets appropriately

All of your page's links/buttons are large enough for a user to easily tap on a touchscreen. Learn more about [sizing tap targets appropriately](#).

Use legible font sizes

The text on your page is legible. Learn more about [using legible font sizes](#).

Desktop



87 / 100 Speed

! Consider Fixing:

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <http://www.printers-setup.com/wp-content/plugins/wp-content-copy-protector/images/warning.png> (expiration not specified)
- <http://www.printers-setup.com/wp-content/uploads/2018/03/Printer-Support-Contact-Phone-Number.png> (expiration not specified)

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 6.7KiB (22% reduction).

- Minifying <http://www.printers-setup.com/wp-content/themes/harest/style.css?ver=1.3.15> could save 4KiB (23% reduction) after compression.
- Minifying <http://www.printers-setup.com/wp-content/themes/harest/styles/style-shortcodes.css?ver=1.3.15> could save 1.6KiB (21% reduction) after compression.

Desktop

- Minifying <http://www.printers-setup.com/wp-content/themes/harest/lib/extentions/prettyPhoto/css/prettyPhoto.css?ver=3.1.6> could save 620B (19% reduction) after compression.
- Minifying <http://www.printers-setup.com/wp-content/themes/harest/styles/style-responsive.css?ver=1.3.15> could save 513B (21% reduction) after compression.

Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

[Minify HTML](#) for the following resources to reduce their size by 771B (11% reduction).

- Minifying <http://www.printers-setup.com/> could save 771B (11% reduction) after compression.

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 19.6KiB (42% reduction).

- Minifying <http://www.printers-setup.com/wp-content/themes/harest/lib/scripts/modernizr.js?ver=2.6.2> could save 10.2KiB (66% reduction) after compression.
- Minifying <http://www.printers-setup.com/wp-content/themes/harest/lib/extentions/prettyPhoto/js/jquery.prettyPhoto.js?ver=3.1.6> could save 2.9KiB (33% reduction) after compression.
- Minifying <http://www.printers-setup.com/wp-content/themes/harest/lib/extentions/bootstrap/js/bootstrap.js?ver=2.3.2> could save 2.9KiB (27% reduction) after compression.
- Minifying <http://www.printers-setup.com/wp-content/themes/harest/lib/scripts/main-frontend.js?ver=1.3.15> could save 2KiB (41% reduction) after compression.

Desktop

- Minifying <http://www.printers-setup.com/wp-content/themes/harest/lib/scripts/plugins/ResponsiveSlides/responsiveslides-call.js?ver=1.3.15> could save 787B (51% reduction) after compression.
- Minifying <http://www.printers-setup.com/wp-content/plugins/contact-form-7/includes/js/scripts.js?ver=5.0.1> could save 670B (17% reduction) after compression.
- Minifying <http://www.printers-setup.com/wp-content/themes/harest/lib/scripts/plugins/scrollup/jquery.scrollUp.min.js?ver=2.4.1> could save 101B (11% reduction) after compression.

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 12 blocking script resources and 9 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <http://www.printers-setup.com/wp-includes/js/jquery/jquery.js?ver=1.12.4>
- <http://www.printers-setup.com/wp-includes/js/jquery/jquery-migrate.min.js?ver=1.4.1>
- <http://www.printers-setup.com/wp-content/plugins/contact-form-7/includes/js/scripts.js?ver=5.0.1>
- <http://www.printers-setup.com/wp-includes/js/imagesloaded.min.js?ver=3.2.0>
- <http://www.printers-setup.com/wp-content/themes/harest/lib/extensions/prettyPhoto/js/jquery.prettyPhoto.js?ver=3.1.6>
- <http://www.printers-setup.com/wp-content/themes/harest/lib/scripts/modernizr.js?ver=2.6.2>
- <http://www.printers-setup.com/wp-content/themes/harest/lib/scripts/plugins/scrollup/jquery.scrollUp.min.js?ver=2.4.1>
- <http://www.printers-setup.com/wp-content/themes/harest/lib/extensions/bootstrap/js/bootstrap.js?ver=2.3.2>
- <http://www.printers-setup.com/wp-content/themes/harest/lib/scripts/main-frontend.js?ver=1.3.15>
- <http://www.printers-setup.com/wp-content/themes/harest/lib/scripts/plugins/ResponsiveSlides/responsiveslides.min.js?ver=1.54>

Desktop

- <http://www.printers-setup.com/wp-content/themes/harest/lib/scripts/plugins/ResponsiveSlides/responsiveslides-call.js?ver=1.3.15>
- <http://www.printers-setup.com/wp-includes/js/wp-embed.min.js?ver=4.9.8>

[Optimize CSS Delivery](#) of the following:

- <http://www.printers-setup.com/wp-content/plugins/contact-form-7/includes/css/styles.css?ver=5.0.1>
- <http://fonts.googleapis.com/css?family=Raleway%3A300%2C400%2C600%2C700&subset=latin%2Clatin-ext>
- <http://www.printers-setup.com/wp-content/themes/harest/lib/extentions/prettyPhoto/css/prettyPhoto.css?ver=3.1.6>
- <http://www.printers-setup.com/wp-content/themes/harest/lib/extentions/bootstrap/css/bootstrap.min.css?ver=2.3.2>
- <http://www.printers-setup.com/wp-includes/css/dashicons.min.css?ver=4.9.8>
- <http://www.printers-setup.com/wp-content/themes/harest/lib/extentions/font-awesome/css/font-awesome.min.css?ver=4.7.0>
- <http://www.printers-setup.com/wp-content/themes/harest/styles/style-shortcodes.css?ver=1.3.15>
- <http://www.printers-setup.com/wp-content/themes/harest/style.css?ver=1.3.15>
- <http://www.printers-setup.com/wp-content/themes/harest/styles/style-responsive.css?ver=1.3.15>

Prioritize visible content

Your page requires additional network round trips to render the above-the-fold content. For best performance, reduce the amount of HTML needed to render above-the-fold content.

The entire HTML response was not sufficient to render the above-the-fold content. This usually indicates that additional resources, loaded after HTML parsing, were required to render above-the-fold content. [Prioritize visible content](#) that is needed for rendering above-the-fold by including it directly in the HTML response.

- Only about 60% of the final above-the-fold content could be rendered with the full HTML response.
- [Click to see the screenshot with only the HTML response: snapshot:21](#)



3 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Enable compression

You have compression enabled. Learn more about [enabling compression](#).

Optimize images

Your images are optimized. Learn more about [optimizing images](#).