


PageSpeed Insights

Mobile



54 / 100 Speed

Should Fix:

Avoid landing page redirects

Your page has 2 redirects. Redirects introduce additional delays before the page can be loaded.

[Avoid landing page redirects](#) for the following chain of redirected URLs.

- <http://webroot-comsafe.org/>
- <https://webroot-comsafe.org/>
- <https://www.webroot-comsafe.org/>

Leverage browser caching

Mobile

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/extentions/bootstrap/js/bootstrap.js> (3 minutes)
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/extentions/prettyPhoto/js/jquery.prettyPhoto.js> (3 minutes)
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/scripts/main-frontend.js> (3 minutes)
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/scripts/modernizr.js> (3 minutes)
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/scripts/plugins/ResponsiveSlides/responsiveslides-call.js> (3 minutes)
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/scripts/plugins/ResponsiveSlides/responsiveslides.min.js> (3 minutes)
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/scripts/plugins/scrollup/jquery.scrollUp.min.js> (3 minutes)
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/scripts/plugins/sticky/jquery.sticky.js> (3 minutes)
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/scripts/plugins/waypoints/waypoints-sticky.min.js> (3 minutes)
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/scripts/plugins/waypoints/waypoints.min.js> (3 minutes)
- <https://www.webroot-comsafe.org/wp-includes/js/imagesloaded.min.js> (3 minutes)
- <https://www.webroot-comsafe.org/wp-includes/js/jquery/jquery-migrate.min.js> (3 minutes)
- <https://www.webroot-comsafe.org/wp-includes/js/jquery/jquery.js> (3 minutes)
- <https://www.webroot-comsafe.org/wp-includes/js/wp-embed.min.js> (3 minutes)
- <https://www.webroot-comsafe.org/wp-includes/js/wp-emoji-release.min.js> (3 minutes)
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/extentions/bootstrap/css/bootstrap.min.css> (5 minutes)
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/extentions/font-awesome/css/font-awesome.min.css> (5 minutes)
- <https://www.webroot-comsafe.org/wp->

Mobile

- content/themes/consulting/lib/extentions/prettyPhoto/css/prettyPhoto.css (5 minutes)
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/style.css> (5 minutes)
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/styles/style-responsive.css> (5 minutes)
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/styles/style-shortcodes.css> (5 minutes)
- <https://www.webroot-comsafe.org/wp-content/uploads/2018/01/cropped-Webroot-header-3.png> (5 minutes)
- <https://www.webroot-comsafe.org/wp-content/uploads/2018/01/green-w.png> (5 minutes)
- <https://www.webroot-comsafe.org/wp-content/uploads/2018/01/key-code.png> (5 minutes)
- <https://www.webroot-comsafe.org/wp-includes/css/dashicons.min.css> (5 minutes)

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 1 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Optimize CSS Delivery](#) of the following:

- <https://fonts.googleapis.com/css?family=Raleway%3A300%2C400%2C600%2C700%7COpen+Sans%3A300%2C400%2C600%2C700&subset=latin%2Clatin-ext>

Consider Fixing:

Reduce server response time

In our test, your server responded in 0.30 seconds.

Mobile

There are many factors that can slow down your server response time. [Please read our recommendations](#) to learn how you can monitor and measure where your server is spending the most time.

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 8.1KiB (22% reduction).

- Minifying <https://www.webroot-comsafe.org/wp-content/themes/consulting/style.css> could save 5.3KiB (22% reduction) after compression.
- Minifying <https://www.webroot-comsafe.org/wp-content/themes/consulting/styles/style-shortcodes.css> could save 1.6KiB (21% reduction) after compression.
- Minifying <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/extentions/prettyPhoto/css/prettyPhoto.css> could save 620B (19% reduction) after compression.
- Minifying <https://www.webroot-comsafe.org/wp-content/themes/consulting/styles/style-responsive.css> could save 585B (20% reduction) after compression.

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 19.8KiB (44% reduction).

- Minifying <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/scripts/modernizr.js> could save 10.2KiB (66% reduction) after compression.
- Minifying <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/extentions/prettyPhoto/js/jquery.prettyPhoto.js> could save 2.9KiB (33% reduction) after compression.
- Minifying <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/extentions/bootstrap/js/bootstrap.js> could save 2.9KiB (27%

Mobile

reduction) after compression.

- Minifying <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/scripts/main-frontend.js> could save 2.2KiB (40% reduction) after compression.
- Minifying <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/scripts/plugins/ResponsiveSlides/responsiveslides-call.js> could save 787B (51% reduction) after compression.
- Minifying <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/scripts/plugins/sticky/jquery.sticky.js> could save 491B (34% reduction) after compression.
- Minifying <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/scripts/plugins/waypoints/waypoints-sticky.min.js> could save 187B (31% reduction) after compression.
- Minifying <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/scripts/plugins/scrollup/jquery.scrollUp.min.js> could save 101B (11% reduction) after compression.

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 16.8KiB (89% reduction).

- Compressing and resizing <https://www.webroot-comsafe.org/wp-content/uploads/2018/01/green-w.png> could save 16.8KiB (89% reduction).



3 Passed Rules

Enable compression

You have compression enabled. Learn more about [enabling compression](#).

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).

67 / 100 User Experience

Should Fix:

Size content to viewport

The page content is too wide for the viewport, forcing the user to scroll horizontally. [Size the page content to the viewport](#) to provide a better user experience.

The page content is 1,140 CSS pixels wide, but the viewport is only 412 CSS pixels wide. The following elements fall outside the viewport:

- The element `` falls outside the viewport.
- The element `<div id="pre-header"></div>` falls outside the viewport.
- The element `` falls outside the viewport.
- The element `` falls outside the viewport.
- The element `` falls outside the viewport.
- The element `<h3>www.webroot.co...t by an Expert</h3>` falls outside the viewport.
- The element `<p>After purchasi...here key code.</p>` falls outside the viewport.
- The element `Get Started` falls outside the viewport.
- The element `<i class="fa fa-check-circle fa-2x">` falls outside the viewport.
- The element `<h3>Identify your...root Key Code.</h3>` falls outside the viewport.
- The element `<p>Wondering how...xxxx-xxxx-xxxx</p>` falls outside the viewport.
- The element `Read More` falls outside the viewport.

Mobile

- The element `<i class="fa fa-chain fa-2x">` falls outside the viewport.
- The element `<h3>Go to www.webroot.com/safe</h3>` falls outside the viewport.
- The element `<p>Once you ready...l Information.</p>` falls outside the viewport.
- The element `Read More` falls outside the viewport.
- The element `<i class="fa fa-arrow-down fa-2x">` falls outside the viewport.
- The element `<h3>Time to Run Webroot .exe File</h3>` falls outside the viewport.
- The element `<p>After adding u...re good to go.</p>` falls outside the viewport.
- The element `Read More` falls outside the viewport.
- The element `<h1>Visit www.webr...root Installer</h1>` falls outside the viewport.
- The element `<p>www.webroot.co...ed assistance.</p>` falls outside the viewport.
- The element `<p></p>` falls outside the viewport.
- The element `Where to seek...root Key Code?` falls outside the viewport.
- The element `You can find y...the following:` falls outside the viewport.
- The element `<h5># Product CD o...ailer's Card :</h5>` falls outside the viewport.
- The element `The Webroot se...ou understand:` falls outside the viewport.
- The element `
` falls outside the viewport.
- The element `` falls outside the viewport.
- The element `<h5># Webroot Online Store:</h5>` falls outside the viewport.
- The element `If you bought...rmation email.` falls outside the viewport.
- The element `<h5># Third-party website:</h5>` falls outside the viewport.
- The element `Look for the k...filter folder.` falls outside the viewport.
- The element `<h5># Internet Service provider:</h5>` falls outside the viewport.
- The element `You may have a...your Webroot.` falls outside the viewport.
- The element `You have to lo...broot product.` falls outside the viewport.
- The element `<p></p>` falls outside the viewport.
- The element `<h2>What is Webroo...l for devices?</h2>` falls outside the viewport.

Mobile

- The element `<p>Webroot Safe i...tware program.</p>` falls outside the viewport.
- The element `<p>Virus or any r...and so forth.</p>` falls outside the viewport.
- The element `<p>Earlier than y...fe to your pc.</p>` falls outside the viewport.
- The element `<p></p>` falls outside the viewport.
- The element `Steps To Downl...root.com/safe:` falls outside the viewport.
- The element `
` falls outside the viewport.
- The element `
` falls outside the viewport.
- The element `
` falls outside the viewport.
- The element `<p></p>` falls outside the viewport.
- The element `<p></p>` falls outside the viewport.
- The element `<p></p>` falls outside the viewport.
- The element `How can I inst...other devices?` falls outside the viewport.
- The element `<p></p>` falls outside the viewport.
- The element `<h2>#Wanted to Ins...PC (Windows)?</h2>` falls outside the viewport.
- The element `<h2>#Looking to Do...puter (Apple)?</h2>` falls outside the viewport.
- The element `<h2># Webroot.com/...Installation.</h2>` falls outside the viewport.
- The element `<p></p>` falls outside the viewport.
- The element `www.webroot.co...hical Support` falls outside the viewport.
- The element `For users in t...s how we work:` falls outside the viewport.
- The element `1. Every Webro...pline number.` falls outside the viewport.
- The element `2. Webroot ant...Safe Download.` falls outside the viewport.
- The element `3. Post instal...he first time.` falls outside the viewport.
- The element `4. Spyware and...s carried out.` falls outside the viewport.
- The element `5. Every issue...ecked as well.` falls outside the viewport.
- The element `<p></p>` falls outside the viewport.
- The element `<p></p>` falls outside the viewport.
- The element `<p>Disclaimer: we...e brand owner.</p>` falls outside the viewport.
- The element `<p>Webroot Secure...ndroid & I-OS.</p>` falls outside the viewport.

Mobile

- The element `<p>Get Webroot.ex...root.com/safe.</p>` falls outside the viewport.
- The element `Think Up Themes Ltd` falls outside the viewport.
- The element `WordPress` falls outside the viewport.



4 Passed Rules

Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

Configure the viewport

Your page specifies a viewport matching the device's size, which allows it to render properly on all devices. Learn more about [configuring viewports](#).

Size tap targets appropriately

All of your page's links/buttons are large enough for a user to easily tap on a touchscreen. Learn more about [sizing tap targets appropriately](#).

Use legible font sizes

The text on your page is legible. Learn more about [using legible font sizes](#).

Desktop

Desktop



73 / 100 Speed

! Should Fix:

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/extentions/bootstrap/js/bootstrap.js> (3 minutes)
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/extentions/prettyPhoto/js/jquery.prettyPhoto.js> (3 minutes)
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/scripts/main-frontend.js> (3 minutes)
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/scripts/modernizr.js> (3 minutes)
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/scripts/plugins/ResponsiveSlides/responsiveslides-call.js> (3 minutes)
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/scripts/plugins/ResponsiveSlides/responsiveslides.min.js> (3 minutes)
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/scripts/plugins/scrollup/jquery.scrollUp.min.js> (3 minutes)
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/scripts/plugins/sticky/jquery.sticky.js> (3 minutes)

Desktop

- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/scripts/plugins/waypoints/waypoints-sticky.min.js> (3 minutes)
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/scripts/plugins/waypoints/waypoints.min.js> (3 minutes)
- <https://www.webroot-comsafe.org/wp-includes/js/imagesloaded.min.js> (3 minutes)
- <https://www.webroot-comsafe.org/wp-includes/js/jquery/jquery-migrate.min.js> (3 minutes)
- <https://www.webroot-comsafe.org/wp-includes/js/jquery/jquery.js> (3 minutes)
- <https://www.webroot-comsafe.org/wp-includes/js/wp-embed.min.js> (3 minutes)
- <https://www.webroot-comsafe.org/wp-includes/js/wp-emoji-release.min.js> (3 minutes)
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/extentions/bootstrap/css/bootstrap.min.css> (5 minutes)
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/extentions/font-awesome/css/font-awesome.min.css> (5 minutes)
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/extentions/prettyPhoto/css/prettyPhoto.css> (5 minutes)
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/style.css> (5 minutes)
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/styles/style-responsive.css> (5 minutes)
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/styles/style-shortcodes.css> (5 minutes)
- <https://www.webroot-comsafe.org/wp-content/uploads/2018/01/cropped-Webroot-header-3.png> (5 minutes)
- <https://www.webroot-comsafe.org/wp-content/uploads/2018/01/green-w.png> (5 minutes)
- <https://www.webroot-comsafe.org/wp-content/uploads/2018/01/key-code.png> (5 minutes)
- <https://www.webroot-comsafe.org/wp-includes/css/dashicons.min.css> (5 minutes)



Consider Fixing:

Avoid landing page redirects

Your page has 2 redirects. Redirects introduce additional delays before the page can be loaded.

[Avoid landing page redirects](#) for the following chain of redirected URLs.

- <http://webroot-comsafe.org/>
- <https://webroot-comsafe.org/>
- <https://www.webroot-comsafe.org/>

Reduce server response time

In our test, your server responded in 0.31 seconds.

There are many factors that can slow down your server response time. [Please read our recommendations](#) to learn how you can monitor and measure where your server is spending the most time.

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 8.1KiB (22% reduction).

- Minifying <https://www.webroot-comsafe.org/wp-content/themes/consulting/style.css> could save 5.3KiB (22% reduction) after compression.
- Minifying <https://www.webroot-comsafe.org/wp-content/themes/consulting/styles/style-shortcodes.css> could save 1.6KiB (21% reduction) after compression.
- Minifying <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/extentions/prettyPhoto/css/prettyPhoto.css> could save 620B (19% reduction) after compression.
- Minifying <https://www.webroot-comsafe.org/wp-content/themes/consulting/styles/style-responsive.css> could save 585B (20% reduction) after compression.

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 19.8KiB (44% reduction).

- Minifying <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/scripts/modernizr.js> could save 10.2KiB (66% reduction) after compression.
- Minifying <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/extentions/prettyPhoto/js/jquery.prettyPhoto.js> could save 2.9KiB (33% reduction) after compression.
- Minifying <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/extentions/bootstrap/js/bootstrap.js> could save 2.9KiB (27% reduction) after compression.
- Minifying <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/scripts/main-frontend.js> could save 2.2KiB (40% reduction) after compression.
- Minifying <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/scripts/plugins/ResponsiveSlides/responsiveslides-call.js> could save 787B (51% reduction) after compression.
- Minifying <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/scripts/plugins/sticky/jquery.sticky.js> could save 491B (34% reduction) after compression.
- Minifying <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/scripts/plugins/waypoints/waypoints-sticky.min.js> could save 187B (31% reduction) after compression.
- Minifying <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/scripts/plugins/scrollup/jquery.scrollUp.min.js> could save 101B (11% reduction) after compression.

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 14 blocking script resources and 8 blocking CSS resources. This causes a delay in rendering your page.

Desktop

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <https://www.webroot-comsafe.org/wp-includes/js/jquery/jquery.js>
- <https://www.webroot-comsafe.org/wp-includes/js/jquery/jquery-migrate.min.js>
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/scripts/plugins/sticky/jquery.sticky.js>
- <https://www.webroot-comsafe.org/wp-includes/js/imagesloaded.min.js>
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/extentions/prettyPhoto/js/jquery.prettyPhoto.js>
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/scripts/modernizr.js>
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/scripts/plugins/waypoints/waypoints.min.js>
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/scripts/plugins/waypoints/waypoints-sticky.min.js>
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/scripts/plugins/scrollup/jquery.scrollUp.min.js>
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/extentions/bootstrap/js/bootstrap.js>
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/scripts/main-frontend.js>
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/scripts/plugins/ResponsiveSlides/responsiveslides.min.js>
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/scripts/plugins/ResponsiveSlides/responsiveslides-call.js>
- <https://www.webroot-comsafe.org/wp-includes/js/wp-embed.min.js>

[Optimize CSS Delivery](#) of the following:

- <https://fonts.googleapis.com/css?family=Raleway%3A300%2C400%2C600%2C700%7COpen+Sans%3A300%2C400%2C600%2C700&subset=latin%2Clatin-ext>
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/extentions/prettyPhoto/css/prettyPhoto.css>
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/extentions/bootstrap/css/bootstrap.min.css>
- <https://www.webroot-comsafe.org/wp-includes/css/dashicons.min.css>

Desktop

- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/extentions/font-awesome/css/font-awesome.min.css>
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/styles/style-shortcodes.css>
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/style.css>
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/styles/style-responsive.css>

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 16KiB (84% reduction).

- Compressing and resizing <https://www.webroot-comsafe.org/wp-content/uploads/2018/01/green-w.png> could save 16KiB (84% reduction).

Prioritize visible content

Your page requires additional network round trips to render the above-the-fold content. For best performance, reduce the amount of HTML needed to render above-the-fold content.

The entire HTML response was not sufficient to render the above-the-fold content. This usually indicates that additional resources, loaded after HTML parsing, were required to render above-the-fold content. [Prioritize visible content](#) that is needed for rendering above-the-fold by including it directly in the HTML response.

- Only about 60% of the final above-the-fold content could be rendered with the full HTML response.
- Click to see the screenshot with only the HTML response: [snapshot:22](#)



2 Passed Rules

Enable compression

You have compression enabled. Learn more about [enabling compression](#).

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).