


PageSpeed Insights

Mobile



64 / 100 Speed

Should Fix:

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <http://www.webroot-comsafe.org/wp-includes/js/wp-emoji-release.min.js> (3 minutes)
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/extentions/bootstrap/js/bootstrap.js> (3 minutes)
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/extentions/font-awesome/fonts/fontawesome-webfont.woff?v=4.7.0> (3 minutes)
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/extentions/prettyPhoto/js/jquery.prettyPhoto.js> (3 minutes)
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/scripts/main-frontend.js>

Mobile

(3 minutes)

- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/scripts/modernizr.js> (3 minutes)
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/scripts/plugins/ResponsiveSlides/responsiveslides-call.js> (3 minutes)
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/scripts/plugins/ResponsiveSlides/responsiveslides.min.js> (3 minutes)
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/scripts/plugins/scrollup/jquery.scrollUp.min.js> (3 minutes)
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/scripts/plugins/sticky/jquery.sticky.js> (3 minutes)
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/scripts/plugins/waypoints/waypoints-sticky.min.js> (3 minutes)
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/scripts/plugins/waypoints/waypoints.min.js> (3 minutes)
- <https://www.webroot-comsafe.org/wp-includes/js/imagesloaded.min.js> (3 minutes)
- <https://www.webroot-comsafe.org/wp-includes/js/jquery/jquery-migrate.min.js> (3 minutes)
- <https://www.webroot-comsafe.org/wp-includes/js/jquery/jquery.js> (3 minutes)
- <https://www.webroot-comsafe.org/wp-includes/js/wp-embed.min.js> (3 minutes)
- <https://webroot-comsafe.org/wp-content/uploads/2018/01/cropped-cropped-Webroot-header.png> (5 minutes)
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/extentions/bootstrap/css/bootstrap.min.css> (5 minutes)
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/extentions/font-awesome/css/font-awesome.min.css> (5 minutes)
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/extentions/prettyPhoto/css/prettyPhoto.css> (5 minutes)
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/style.css> (5 minutes)
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/styles/style-responsive.css> (5 minutes)
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/styles/style-shortcodes.css> (5 minutes)
- <https://www.webroot-comsafe.org/wp-content/uploads/2018/01/Install-Step-byStep-guide-1140x285.jpg> (5 minutes)

Mobile

- <https://www.webroot-comsafe.org/wp-content/uploads/2018/01/Webroot-header.png> (5 minutes)
- <https://www.webroot-comsafe.org/wp-content/uploads/2018/01/green-w.png> (5 minutes)
- <https://www.webroot-comsafe.org/wp-content/uploads/2018/01/key-code.png> (5 minutes)
- <https://www.webroot-comsafe.org/wp-includes/css/dashicons.min.css> (5 minutes)

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 1 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Optimize CSS Delivery](#) of the following:

- <https://fonts.googleapis.com/css?family=Raleway%3A300%2C400%2C600%2C700%7COpen+Sans%3A300%2C400%2C600%2C700&subset=latin%2Clatin-ext>

Consider Fixing:

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 8.1KiB (22% reduction).

- Minifying <https://www.webroot-comsafe.org/wp-content/themes/consulting/style.css> could save 5.3KiB (22% reduction) after compression.
- Minifying <https://www.webroot-comsafe.org/wp-content/themes/consulting/styles/style-shortcodes.css> could save 1.6KiB (21% reduction) after compression.
- Minifying <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/extentions/prettyPhoto/css/prettyPhoto.css> could save 620B

(19% reduction) after compression.

- Minifying <https://www.webroot-comsafe.org/wp-content/themes/consulting/styles/style-responsive.css> could save 585B (20% reduction) after compression.

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 19.8KiB (44% reduction).

- Minifying <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/scripts/modernizr.js> could save 10.2KiB (66% reduction) after compression.
- Minifying <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/extentions/prettyPhoto/js/jquery.prettyPhoto.js> could save 2.9KiB (33% reduction) after compression.
- Minifying <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/extentions/bootstrap/js/bootstrap.js> could save 2.9KiB (27% reduction) after compression.
- Minifying <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/scripts/main-frontend.js> could save 2.2KiB (40% reduction) after compression.
- Minifying <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/scripts/plugins/ResponsiveSlides/responsiveslides-call.js> could save 787B (51% reduction) after compression.
- Minifying <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/scripts/plugins/sticky/jquery.sticky.js> could save 491B (34% reduction) after compression.
- Minifying <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/scripts/plugins/waypoints/waypoints-sticky.min.js> could save 187B (31% reduction) after compression.
- Minifying <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/scripts/plugins/scrollup/jquery.scrollUp.min.js> could save 101B (11% reduction) after compression.

Mobile

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 36KiB (23% reduction).

- Compressing <https://www.webroot-comsafe.org/wp-content/uploads/2018/01/Webroot-header.png> could save 18.9KiB (14% reduction).
- Compressing and resizing <https://www.webroot-comsafe.org/wp-content/uploads/2018/01/green-w.png> could save 16.8KiB (89% reduction).
- Compressing <https://smartsupp-widget-161959.c.cdn77.org/assets/avatar.png> could save 288B (15% reduction).



5 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Enable compression

You have compression enabled. Learn more about [enabling compression](#).

Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

Mobile

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).

67 / 100 User Experience

Should Fix:

Size content to viewport

The page content is too wide for the viewport, forcing the user to scroll horizontally. [Size the page content to the viewport](#) to provide a better user experience.

The page content is 1,140 CSS pixels wide, but the viewport is only 412 CSS pixels wide. The following elements fall outside the viewport:

- The element `` falls outside the viewport.
- The element `<div id="pre-header"></div>` falls outside the viewport.
- The element `` falls outside the viewport.
- The element `` falls outside the viewport.
- The element `` falls outside the viewport.
- The element `<h3>www.webroot.co...t by an Expert</h3>` falls outside the viewport.
- The element `<p>After purchasi...here key code.</p>` falls outside the viewport.
- The element `Get Started` falls outside the viewport.
- The element `<i class="fa fa-check-circle fa-2x">` falls outside the viewport.
- The element `<h3>Identify your...root Key Code.</h3>` falls outside the viewport.
- The element `<p>Wondering how...xxxx-xxxx-xxxx</p>` falls outside the viewport.
- The element `Read More` falls outside the viewport.
- The element `<i class="fa fa-chain fa-2x">` falls outside the viewport.

Mobile

- The element `<h3>Go to www.webroot.com/safe</h3>` falls outside the viewport.
- The element `<p>Once you ready...l Information.</p>` falls outside the viewport.
- The element `Read More` falls outside the viewport.
- The element `<i class="fa fa-arrow-down fa-2x">` falls outside the viewport.
- The element `<h3>Time to Run Webroot .exe File</h3>` falls outside the viewport.
- The element `<p>After adding u...re good to go.</p>` falls outside the viewport.
- The element `Read More` falls outside the viewport.
- The element `<h1>Visit www.webr...root Installer</h1>` falls outside the viewport.
- The element `<p>Thank you for...ed assistance.</p>` falls outside the viewport.
- The element `<p></p>` falls outside the viewport.
- The element `Where to seek...root Key Code?` falls outside the viewport.
- The element `You can find y...the following:` falls outside the viewport.
- The element `<h5># Product CD o...ailer's Card :</h5>` falls outside the viewport.
- The element `The Webroot se...ou understand:` falls outside the viewport.
- The element `
` falls outside the viewport.
- The element `` falls outside the viewport.
- The element `<h5># Webroot Online Store:</h5>` falls outside the viewport.
- The element `If you bought...rmation email.` falls outside the viewport.
- The element `<h5># Third-party website:</h5>` falls outside the viewport.
- The element `Look for the k...filter folder.` falls outside the viewport.
- The element `<h5># Internet Service provider:</h5>` falls outside the viewport.
- The element `You may have a...your Webroot.` falls outside the viewport.
- The element `You have to lo...broot product.` falls outside the viewport.
- The element `<p></p>` falls outside the viewport.
- The element `PREREQUISITES...EBROOT SETUP ?` falls outside the viewport.
- The element `Make sure your...successfully.` falls outside the viewport.

Mobile

- The element `Take a look th...requirements.` falls outside the viewport.
- The element `<p>Remove first i...ram installed.</p>` falls outside the viewport.
- The element `For quick and...f your system.` falls outside the viewport.
- The element `Make sure you...irus Security.` falls outside the viewport.
- The element `` falls outside the viewport.
- The element `<p></p>` falls outside the viewport.
- The element `Step by Step I...safe Antivirus` falls outside the viewport.
- The element `When you buy a...eed to follow.` falls outside the viewport.
- The element `webroot.com/safe` falls outside the viewport.
- The element `2. Next step i...unt and login.` falls outside the viewport.
- The element `3. Now Install...ubmit' button.` falls outside the viewport.
- The element `The Webroot.co...tips for help.` falls outside the viewport.
- The element `Check your int...tivirus files.` falls outside the viewport.
- The element `In case you ha...root com Safe.` falls outside the viewport.
- The element `Check for upda...re installing.` falls outside the viewport.
- The element `<p></p>` falls outside the viewport.
- The element `www.webroot.com/safe` falls outside the viewport.
- The element `This is very i...ter Security .` falls outside the viewport.
- The element `1. Users and B...broot.com/safe` falls outside the viewport.
- The element `<p>2. Protect ema...edia Accounts.</p>` falls outside the viewport.
- The element `<p>3. Protect ban...portant files.</p>` falls outside the viewport.
- The element `<p>4 .Protect all...the computers.</p>` falls outside the viewport.
- The element `<p>5. Protect it...nfections etc.</p>` falls outside the viewport.
- The element `<p>6 Protect the IP address.</p>` falls outside the viewport.
- The element `<p>7. Web Protections.</p>` falls outside the viewport.
- The element `<p>8. Internal Th...ts Protection.</p>` falls outside the viewport.
- The element `<p>9. Webroot Fil...ng Extension .</p>` falls outside the viewport.

Mobile

- The element `<p>10. Webroot Password Manager.</p>` falls outside the viewport.
- The element `Comprehensive...n with webroot` falls outside the viewport.
- The element `Webroot aims t...that include:` falls outside the viewport.
- The element `Webroot.com/Sa...-installation.` falls outside the viewport.
- The element `<p class="wb-stl-normal">Antivirus re-installation.</p>` falls outside the viewport.
- The element `<p class="wb-stl-normal">Antivirus up-gradation.</p>` falls outside the viewport.
- The element `webroot antivirus software.` falls outside the viewport.
- The element `Webroot Setup...requirements.` falls outside the viewport.
- The element `Scan the syste...e your device.` falls outside the viewport.
- The element `Webroot com Safe.` falls outside the viewport.
- The element `www.webroot.com/safe` falls outside the viewport.
- The element `<p></p>` falls outside the viewport.
- The element `Webroot Safe H...d Home Offices` falls outside the viewport.
- The element `Antivirus - Id...root com safe.` falls outside the viewport.
- The element `Internet Secur...ar for $44.99.` falls outside the viewport.
- The element `Internet Secur...ur own device.` falls outside the viewport.
- The element `Home users can...root.com/safe.` falls outside the viewport.
- The element `With Webroot p...rious malware.` falls outside the viewport.
- The element `<p></p>` falls outside the viewport.
- The element `` falls outside the viewport.
- The element `<p></p>` falls outside the viewport.
- The element `How can i inst...ther devices ?` falls outside the viewport.
- The element `<p></p>` falls outside the viewport.
- The element `<h2>#Wanted to Ins...PC (Windows) ?</h2>` falls outside the viewport.
- The element `<p></p>` falls outside the viewport.

Mobile

- The element `<h3>Complete Guide...top or Laptop:</h3>` falls outside the viewport.
- The element `To Install web...safe account.` falls outside the viewport.
- The element `Once you logge...ick on Add PC.` falls outside the viewport.
- The element `Save webroot w...webroot safe.` falls outside the viewport.
- The element `<p></p>` falls outside the viewport.
- The element `<h2>#Looking to Do...uter (Apple) ?</h2>` falls outside the viewport.
- The element `<p></p>` falls outside the viewport.
- The element `<h3>Check below in...t on your Mac:</h3>` falls outside the viewport.
- The element `For easy insta...ere Installer.` falls outside the viewport.
- The element `Access the web...cation folder.` falls outside the viewport.
- The element `Next step is t...g key code in.` falls outside the viewport.
- The element `As Mac user kn...u are all set.` falls outside the viewport.
- The element `<p></p>` falls outside the viewport.
- The element `<h2># Webroot.com/...Installation.</h2>` falls outside the viewport.
- The element `<p></p>` falls outside the viewport.
- The element `<h3>Read out for e...droid Devices.</h3>` falls outside the viewport.
- The element `For Android de...broot account.` falls outside the viewport.
- The element `Open play stor...broot account.` falls outside the viewport.
- The element `If do not have...broot account.` falls outside the viewport.
- The element `<h4>Note: Follow a...ure any where.</h4>` falls outside the viewport.
- The element `<p></p>` falls outside the viewport.
- The element `www.webroot.co...hnical Support` falls outside the viewport.
- The element `For users in U...s how we work:` falls outside the viewport.
- The element `1. Every Webro...pline number.` falls outside the viewport.
- The element `2. Webroot ant...Safe Download.` falls outside the viewport.
- The element `3. Post instal...he first time.` falls outside the viewport.
- The element `4. Spyware and...s carried out.` falls outside the viewport.
- The element `5. Every issue...ecked as well.` falls outside the viewport.

Mobile

- The element `<p></p>` falls outside the viewport.
- The element `<h6>Disclaimer: we...e brand owner.</h6>` falls outside the viewport.
- The element `<p>Webroot Secure...ndroid & I-OS.</p>` falls outside the viewport.
- The element `<p>Get Webroot.ex...root.com/safe.</p>` falls outside the viewport.
- The element `Think Up Themes Ltd` falls outside the viewport.
- The element `WordPress` falls outside the viewport.



4 Passed Rules

Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

Configure the viewport

Your page specifies a viewport matching the device's size, which allows it to render properly on all devices. Learn more about [configuring viewports](#).

Size tap targets appropriately

All of your page's links/buttons are large enough for a user to easily tap on a touchscreen. Learn more about [sizing tap targets appropriately](#).

Use legible font sizes

The text on your page is legible. Learn more about [using legible font sizes](#).

Desktop



76 / 100 Speed

! Should Fix:

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <http://www.webroot-comsafe.org/wp-includes/js/wp-emoji-release.min.js> (3 minutes)
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/extentions/bootstrap/js/bootstrap.js> (3 minutes)
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/extentions/font-awesome/fonts/fontawesome-webfont.woff?v=4.7.0> (3 minutes)
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/extentions/prettyPhoto/js/jquery.prettyPhoto.js> (3 minutes)
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/scripts/main-frontend.js> (3 minutes)
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/scripts/modernizr.js> (3 minutes)
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/scripts/plugins/ResponsiveSlides/responsiveslides-call.js> (3 minutes)
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/scripts/plugins/ResponsiveSlides/responsiveslides.min.js> (3 minutes)
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/scripts/plugins/ResponsiveSlides/responsiveslides.min.js> (3 minutes)

Desktop

- content/themes/consulting/lib/scripts/plugins/scrollup/jquery.scrollUp.min.js (3 minutes)
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/scripts/plugins/sticky/jquery.sticky.js> (3 minutes)
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/scripts/plugins/waypoints/waypoints-sticky.min.js> (3 minutes)
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/scripts/plugins/waypoints/waypoints.min.js> (3 minutes)
- <https://www.webroot-comsafe.org/wp-includes/js/imagesloaded.min.js> (3 minutes)
- <https://www.webroot-comsafe.org/wp-includes/js/jquery/jquery-migrate.min.js> (3 minutes)
- <https://www.webroot-comsafe.org/wp-includes/js/jquery/jquery.js> (3 minutes)
- <https://www.webroot-comsafe.org/wp-includes/js/wp-embed.min.js> (3 minutes)
- <https://webroot-comsafe.org/wp-content/uploads/2018/01/cropped-cropped-Webroot-header.png> (5 minutes)
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/extentions/bootstrap/css/bootstrap.min.css> (5 minutes)
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/extentions/font-awesome/css/font-awesome.min.css> (5 minutes)
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/extentions/prettyPhoto/css/prettyPhoto.css> (5 minutes)
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/style.css> (5 minutes)
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/styles/style-responsive.css> (5 minutes)
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/styles/style-shortcodes.css> (5 minutes)
- <https://www.webroot-comsafe.org/wp-content/uploads/2018/01/Install-Step-byStep-guide-1024x256.jpg> (5 minutes)
- <https://www.webroot-comsafe.org/wp-content/uploads/2018/01/Webroot-header.png> (5 minutes)
- <https://www.webroot-comsafe.org/wp-content/uploads/2018/01/green-w.png> (5 minutes)
- <https://www.webroot-comsafe.org/wp-content/uploads/2018/01/key-code.png> (5 minutes)
- <https://www.webroot-comsafe.org/wp-includes/css/dashicons.min.css> (5 minutes)

Desktop

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 3 blocking script resources and 8 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <https://www.webroot-comsafe.org/wp-includes/js/jquery/jquery.js>
- <https://www.webroot-comsafe.org/wp-includes/js/jquery/jquery-migrate.min.js>
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/scripts/plugins/sticky/jquery.sticky.js>

[Optimize CSS Delivery](#) of the following:

- <https://fonts.googleapis.com/css?family=Raleway%3A300%2C400%2C600%2C700%7COpen+Sans%3A300%2C400%2C600%2C700&subset=latin%2Clatin-ext>
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/extentions/prettyPhoto/css/prettyPhoto.css>
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/extentions/bootstrap/css/bootstrap.min.css>
- <https://www.webroot-comsafe.org/wp-includes/css/dashicons.min.css>
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/extentions/font-awesome/css/font-awesome.min.css>
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/styles/style-shortcodes.css>
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/style.css>
- <https://www.webroot-comsafe.org/wp-content/themes/consulting/styles/style-responsive.css>

Consider Fixing:

Minify CSS

Desktop

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 8.1KiB (22% reduction).

- Minifying <https://www.webroot-comsafe.org/wp-content/themes/consulting/style.css> could save 5.3KiB (22% reduction) after compression.
- Minifying <https://www.webroot-comsafe.org/wp-content/themes/consulting/styles/style-shortcodes.css> could save 1.6KiB (21% reduction) after compression.
- Minifying <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/extentions/prettyPhoto/css/prettyPhoto.css> could save 620B (19% reduction) after compression.
- Minifying <https://www.webroot-comsafe.org/wp-content/themes/consulting/styles/style-responsive.css> could save 585B (20% reduction) after compression.

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 19.8KiB (44% reduction).

- Minifying <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/scripts/modernizr.js> could save 10.2KiB (66% reduction) after compression.
- Minifying <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/extentions/prettyPhoto/js/jquery.prettyPhoto.js> could save 2.9KiB (33% reduction) after compression.
- Minifying <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/extentions/bootstrap/js/bootstrap.js> could save 2.9KiB (27% reduction) after compression.
- Minifying <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/scripts/main-frontend.js> could save 2.2KiB (40% reduction) after compression.
- Minifying <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/scripts/plugins/ResponsiveSlides/responsiveslides-call.js> could save 787B (51% reduction) after compression.
- Minifying <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/scripts/plugins/sticky/jquery.sticky.js> could save 491B (34% reduction) after compression.

Desktop

- Minifying <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/scripts/plugins/waypoints/waypoints-sticky.min.js> could save 187B (31% reduction) after compression.
- Minifying <https://www.webroot-comsafe.org/wp-content/themes/consulting/lib/scripts/plugins/scrollup/jquery.scrollUp.min.js> could save 101B (11% reduction) after compression.

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 34.9KiB (22% reduction).

- Compressing <https://www.webroot-comsafe.org/wp-content/uploads/2018/01/Webroot-header.png> could save 18.9KiB (14% reduction).
- Compressing and resizing <https://www.webroot-comsafe.org/wp-content/uploads/2018/01/green-w.png> could save 16KiB (84% reduction).



5 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Enable compression

You have compression enabled. Learn more about [enabling compression](#).

Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).