PageSpeed Insights

Mobile



84 / 100 Speed

Should Fix:

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 1 blocking script resources and 2 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

Remove render-blocking JavaScript:

http://blog.ir/media/script/main.js?a34AbG

Optimize CSS Delivery of the following:

- http://blog.ir/media/css/sharedrtl.css?GX3q1s
- http://blog.ir/media/css/mainrtl.css?EYAm8p



Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

Leverage browser caching for the following cacheable resources:

https://www.google-analytics.com/analytics.js (2 hours)

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

Minify CSS for the following resources to reduce their size by 2KiB (15% reduction).

- Minifying http://blog.ir/media/css/mainrtl.css?EYAm8p could save 1.4KiB (14% reduction)
 after compression.
- Minifying http://blog.ir/media/css/sharedrtl.css?GX3q1s could save 632B (18% reduction) after compression.

Optimize images

Properly formatting and compressing images can save many bytes of data.

Optimize the following images to reduce their size by 3.8KiB (32% reduction).

Mobile

- Compressing http://blog.ir/media/images/dash-c.png?jylSxr could save 1.6KiB (33%) reduction).
- Compressing http://blog.ir/media/images/facThis.gif?jvwOdW could save 1.5KiB (86%) reduction).
- Compressing http://blog.ir/media/images/event.png?DtDqGh could save 694B (13%) reduction).



6 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about avoiding landing page redirects.

Enable compression

You have compression enabled. Learn more about enabling compression.

Reduce server response time

Your server responded quickly. Learn more about server response time optimization.

Minify HTML

Your HTML is minified. Learn more about minifying HTML.

Minify JavaScript

Your JavaScript content is minified. Learn more about minifying JavaScript.

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about <u>prioritizing visible</u> <u>content</u>.

67 / 100 User Experience



Configure the viewport

Your page does not have a viewport specified. This causes mobile devices to render your page as it would appear on a desktop browser, scaling it down to fit on a mobile screen. Configure a viewport to allow your page to render properly on all devices.

Configure a viewport for this page.

Use legible font sizes

The following text on your page renders in a way that may be difficult for some of your visitors to read. <u>Use legible font sizes</u> to provide a better user experience.

The following text fragments have a small font size. Increase the font size to make them more legible.

- .final (pixels CSS 11) tall pixels 4 only render others 4 and وبلاگهای به روز شده
- بستجو در وبلاگها final (pixels CSS 15) tall pixels 6 only renders.
- درباره بلاگ final (pixels CSS 15) tall pixels 6 only renders. .final
- بلاگ بیان رسان...ود تمرکز کنند. final (pixels CSS 11) tall pixels 4 only renders.
- فهرست امكانات بلاگ final (pixels CSS 15) tall pixels 6 only render others 1 and.
- امكان محافظت ا...هم يا اختصاصي final (pixels CSS 14) tall pixels 5 only render others 7 and.
- .final (pixels CSS 11) tall pixels 4 only renders ... بيشتر
- ز كات علم، نشر...وبلاگ ها است. final (pixels CSS 10) tall pixels 4 only renders.
- .final (pixels CSS 11) tall pixels 4 only render others 1 and کلیه حقوق برای



Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider <u>making these tap targets larger</u> to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target نام ثبت is close to 2 other tap targets final.
- The tap target <input type="submit" class="searchBtn"> is close to 1 other tap targets final.
- The tap target <div class="featureSliderPrev"> is close to 1 other tap targets final.
- The tap target <div class="featureSliderNext"> is close to 1 other tap targets final.



Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of <u>avoiding plugins</u>.

Size content to viewport

The contents of your page fit within the viewport. Learn more about sizing content to the viewport.

Desktop



94 / 100 Speed

Consider Fixing:

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

<u>Leverage browser caching</u> for the following cacheable resources:

https://www.google-analytics.com/analytics.js (2 hours)

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

Minify CSS for the following resources to reduce their size by 2KiB (15% reduction).

- Minifying http://blog.ir/media/css/mainrtl.css?EYAm8p could save 1.4KiB (14% reduction) after compression.
- Minifying http://blog.ir/media/css/sharedrtl.css?GX3q1s could save 632B (18% reduction) after compression.

Desktop

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 1 blocking script resources and 2 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

Remove render-blocking JavaScript:

http://blog.ir/media/script/main.js?a34AbG

Optimize CSS Delivery of the following:

- http://blog.ir/media/css/sharedrtl.css?GX3q1s
- http://blog.ir/media/css/mainrtl.css?EYAm8p

Optimize images

Properly formatting and compressing images can save many bytes of data.

Optimize the following images to reduce their size by 3.8KiB (32% reduction).

- Compressing http://blog.ir/media/images/dash-c.png?jylSxr could save 1.6KiB (33% reduction).
- Compressing http://blog.ir/media/images/facThis.gif?jvwOdW could save 1.5KiB (86% reduction).
- Compressing http://blog.ir/media/images/event.png?DtDqGh could save 694B (13% reduction).



Desktop

Avoid landing page redirects

Your page has no redirects. Learn more about avoiding landing page redirects.

Enable compression

You have compression enabled. Learn more about enabling compression.

Reduce server response time

Your server responded quickly. Learn more about server response time optimization.

Minify HTML

Your HTML is minified. Learn more about minifying HTML.

Minify JavaScript

Your JavaScript content is minified. Learn more about minifying JavaScript.

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about <u>prioritizing visible</u> <u>content</u>.