

PageSpeed Insights

Mobile

DAVID DUAYENI

Writing That Outshines Forever

≡ MENU



SHARING INTERESTING THOUGHTS



63 / 100 Speed

! Should Fix:

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- http://duayeni.org/wp-content/plugins/genesis-responsive-slider/images/bg_control_nav.png (expiration not specified)
- <http://duayeni.org/wp-content/plugins/simple-social-icons/symbol-defs.svg> (expiration not specified)
- <http://duayeni.org/wp-content/themes/daily-dish-pro/images/bg.png> (expiration not specified)
- <http://duayeni.org/wp-content/uploads/aw1.png> (expiration not specified)
- <http://duayeni.org/wp-content/uploads/aw2.png> (expiration not specified)

Mobile

- <http://duayeni.org/wp-content/uploads/aw3-1.png> (expiration not specified)
- <http://duayeni.org/wp-content/uploads/big-and-tall-office-chairs.jpg> (expiration not specified)
- <http://duayeni.org/wp-content/uploads/david-logo.png> (expiration not specified)
- <http://duayeni.org/wp-content/uploads/image-1.png> (expiration not specified)
- <http://duayeni.org/wp-content/uploads/pexels-photo-26721-1024x682.jpg> (expiration not specified)
- <http://duayeni.org/wp-content/uploads/pexels-photo-26721-720x400.jpg> (expiration not specified)
- <http://duayeni.org/wp-content/uploads/pexels-photo-26721-720x470.jpg> (expiration not specified)
- <http://duayeni.org/wp-content/uploads/pexels-photo-26721-768x512.jpg> (expiration not specified)
- <http://duayeni.org/wp-content/uploads/pexels-photo-305239-1024x683.jpeg> (expiration not specified)
- <http://duayeni.org/wp-content/uploads/pexels-photo-305239-720x400.jpeg> (expiration not specified)
- <http://duayeni.org/wp-content/uploads/pexels-photo-305239-720x470.jpeg> (expiration not specified)
- <http://duayeni.org/wp-content/uploads/pexels-photo-305239-768x512.jpeg> (expiration not specified)
- <http://duayeni.org/wp-content/uploads/pexels-photo-58599-1024x768.jpeg> (expiration not specified)
- <http://duayeni.org/wp-content/uploads/pexels-photo-58599-720x400.jpeg> (expiration not specified)
- <http://duayeni.org/wp-content/uploads/pexels-photo-58599-768x576.jpeg> (expiration not specified)
- <http://duayeni.org/wp-content/uploads/topographical-survey.jpg> (expiration not specified)

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 4 blocking script resources and 12 blocking CSS resources. This causes a delay in rendering your page.

Mobile

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <http://duayeni.org/wp-includes/js/jquery/jquery.js?ver=1.12.4>
- <http://duayeni.org/wp-includes/js/jquery/jquery-migrate.min.js?ver=1.4.1>
- <http://duayeni.org/wp-content/plugins/wp-date-remover/public/js/wp-date-remover-public.js?ver=1.0.0>
- <http://duayeni.org/wp-content/plugins/simple-social-icons/svgxuse.js?ver=1.1.21>

[Optimize CSS Delivery](#) of the following:

- <http://duayeni.org/wp-content/plugins/yet-another-related-posts-plugin/style/widget.css?ver=4.7.4>
- <http://duayeni.org/wp-content/themes/daily-dish-pro/style.css?ver=1.1.1>
- <http://duayeni.org/wp-content/plugins/contact-form-7/includes/css/styles.css?ver=4.7>
- <http://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.5.0/css/font-awesome.min.css?ver=4.0.8>
- <http://fonts.googleapis.com/css?family=Open+Sans&ver=4.7.4>
- <http://duayeni.org/wp-content/plugins/cross-device-social-share/css/frontend.css?ver=4.0.8>
- <http://duayeni.org/wp-content/plugins/wp-date-remover/public/css/wp-date-remover-public.css?ver=1.0.0>
- <http://duayeni.org/wp-includes/css/dashicons.min.css?ver=4.7.4>
- <http://fonts.googleapis.com/css?family=Alice%7CLato%3A400%2C700%2C900&ver=1.1.1>
- <http://duayeni.org/wp-content/plugins/simple-social-icons/css/style.css?ver=2.0.1>
- <http://duayeni.org/wp-content/plugins/genesis-tabs/style.css?ver=4.7.4>
- <http://duayeni.org/wp-content/plugins/genesis-responsive-slider/style.css?ver=0.9.5>

Optimize images

Properly formatting and compressing images can save many bytes of data.

Mobile

[Optimize the following images](#) to reduce their size by 180.8KiB (28% reduction).

- Compressing <http://duayeni.org/wp-content/uploads/topographical-survey.jpg> could save 79.5KiB (23% reduction).
- Compressing <http://duayeni.org/wp-content/uploads/aw1.png> could save 33.3KiB (39% reduction).
- Compressing <http://duayeni.org/wp-content/uploads/david-logo.png> could save 19.6KiB (82% reduction).
- Compressing <http://duayeni.org/wp-content/themes/daily-dish-pro/images/bg.png> could save 16.1KiB (30% reduction).
- Compressing <http://duayeni.org/wp-content/uploads/aw2.png> could save 14.2KiB (24% reduction).
- Compressing <http://duayeni.org/wp-content/uploads/aw3-1.png> could save 12.7KiB (41% reduction).
- Compressing <http://duayeni.org/wp-content/uploads/image-1.png> could save 5.5KiB (14% reduction).

Consider Fixing:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 11.4KiB (59% reduction).

- Compressing <http://duayeni.org/wp-content/plugins/simple-social-icons/symbol-defs.svg> could save 11.4KiB (59% reduction).

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

Mobile

[Minify CSS](#) for the following resources to reduce their size by 2.9KiB (23% reduction).

- Minifying <http://duayeni.org/wp-content/themes/daily-dish-pro/style.css?ver=1.1.1> could save 1.7KiB (22% reduction) after compression.
- Minifying <http://duayeni.org/wp-content/plugins/cross-device-social-share/css/frontend.css?ver=4.0.8> could save 675B (19% reduction) after compression.
- Minifying <http://duayeni.org/wp-content/plugins/genesis-responsive-slider/style.css?ver=0.9.5> could save 560B (38% reduction) after compression.

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 3.5KiB (45% reduction).

- Minifying <http://duayeni.org/wp-content/plugins/genesis-responsive-slider/js/jquery.flexslider.js?ver=0.9.5> could save 2.5KiB (45% reduction) after compression.
- Minifying <http://duayeni.org/wp-content/plugins/simple-social-icons/svgxuse.js?ver=1.1.21> could save 1KiB (44% reduction) after compression.



4 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

Mobile

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).

100 / 100 User Experience

 5 Passed Rules

Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

Configure the viewport

Your page specifies a viewport matching the device's size, which allows it to render properly on all devices. Learn more about [configuring viewports](#).

Size content to viewport

The contents of your page fit within the viewport. Learn more about [sizing content to the viewport](#).

Size tap targets appropriately


All of your page's links/buttons are large enough for a user to easily tap on a touchscreen. Learn more about [sizing tap targets appropriately](#).

Mobile

Use legible font sizes

The text on your page is legible. Learn more about [using legible font sizes](#).

Desktop



49 / 100 Speed

! Should Fix:

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- http://duayeni.org/wp-content/plugins/genesis-responsive-slider/images/bg_control_nav.png (expiration not specified)
- <http://duayeni.org/wp-content/plugins/simple-social-icons/symbol-defs.svg> (expiration not specified)
- <http://duayeni.org/wp-content/themes/daily-dish-pro/images/bg.png> (expiration not specified)
- <http://duayeni.org/wp-content/uploads/aw1.png> (expiration not specified)
- <http://duayeni.org/wp-content/uploads/aw2.png> (expiration not specified)

Desktop

- <http://duayeni.org/wp-content/uploads/aw3-1.png> (expiration not specified)
- <http://duayeni.org/wp-content/uploads/big-and-tall-office-chairs.jpg> (expiration not specified)
- <http://duayeni.org/wp-content/uploads/david-logo.png> (expiration not specified)
- <http://duayeni.org/wp-content/uploads/image-1.png> (expiration not specified)
- <http://duayeni.org/wp-content/uploads/pexels-photo-26721-1024x682.jpg> (expiration not specified)
- <http://duayeni.org/wp-content/uploads/pexels-photo-26721-300x200.jpg> (expiration not specified)
- <http://duayeni.org/wp-content/uploads/pexels-photo-26721-720x400.jpg> (expiration not specified)
- <http://duayeni.org/wp-content/uploads/pexels-photo-26721-720x470.jpg> (expiration not specified)
- <http://duayeni.org/wp-content/uploads/pexels-photo-305239-1024x683.jpeg> (expiration not specified)
- <http://duayeni.org/wp-content/uploads/pexels-photo-305239-300x200.jpeg> (expiration not specified)
- <http://duayeni.org/wp-content/uploads/pexels-photo-305239-720x400.jpeg> (expiration not specified)
- <http://duayeni.org/wp-content/uploads/pexels-photo-305239-720x470.jpeg> (expiration not specified)
- <http://duayeni.org/wp-content/uploads/pexels-photo-58599-1024x768.jpeg> (expiration not specified)
- <http://duayeni.org/wp-content/uploads/pexels-photo-58599-300x225.jpeg> (expiration not specified)
- <http://duayeni.org/wp-content/uploads/pexels-photo-58599-720x400.jpeg> (expiration not specified)
- <http://duayeni.org/wp-content/uploads/topographical-survey.jpg> (expiration not specified)

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 914.5KiB (82% reduction).

Desktop

- Compressing and resizing <http://duayeni.org/wp-content/uploads/topographical-survey.jpg> could save 315.2KiB (90% reduction).
- Compressing and resizing <http://duayeni.org/wp-content/uploads/big-and-tall-office-chairs.jpg> could save 314.4KiB (87% reduction).
- Compressing and resizing <http://duayeni.org/wp-content/uploads/aw1.png> could save 75.6KiB (86% reduction).
- Compressing and resizing <http://duayeni.org/wp-content/uploads/pexels-photo-305239-720x470.jpeg> could save 53.2KiB (88% reduction).
- Compressing and resizing <http://duayeni.org/wp-content/uploads/aw2.png> could save 48KiB (78% reduction).
- Compressing and resizing <http://duayeni.org/wp-content/uploads/pexels-photo-26721-720x470.jpg> could save 39.8KiB (89% reduction).
- Compressing and resizing <http://duayeni.org/wp-content/uploads/aw3-1.png> could save 27.1KiB (86% reduction).
- Compressing <http://duayeni.org/wp-content/uploads/david-logo.png> could save 19.6KiB (82% reduction).
- Compressing <http://duayeni.org/wp-content/themes/daily-dish-pro/images/bg.png> could save 16.1KiB (30% reduction).
- Compressing <http://duayeni.org/wp-content/uploads/image-1.png> could save 5.5KiB (14% reduction).

Consider Fixing:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 11.4KiB (59% reduction).

- Compressing <http://duayeni.org/wp-content/plugins/simple-social-icons/symbol-defs.svg> could save 11.4KiB (59% reduction).

Desktop

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 2.9KiB (23% reduction).

- Minifying <http://duayeni.org/wp-content/themes/daily-dish-pro/style.css?ver=1.1.1> could save 1.7KiB (22% reduction) after compression.
- Minifying <http://duayeni.org/wp-content/plugins/cross-device-social-share/css/frontend.css?ver=4.0.8> could save 675B (19% reduction) after compression.
- Minifying <http://duayeni.org/wp-content/plugins/genesis-responsive-slider/style.css?ver=0.9.5> could save 560B (38% reduction) after compression.

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 3.5KiB (45% reduction).

- Minifying <http://duayeni.org/wp-content/plugins/genesis-responsive-slider/js/jquery.flexslider.js?ver=0.9.5> could save 2.5KiB (45% reduction) after compression.
- Minifying <http://duayeni.org/wp-content/plugins/simple-social-icons/svgxuse.js?ver=1.1.21> could save 1KiB (44% reduction) after compression.

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 4 blocking script resources and 12 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

Desktop

[Remove render-blocking JavaScript:](#)

- <http://duayeni.org/wp-includes/js/jquery/jquery.js?ver=1.12.4>
- <http://duayeni.org/wp-includes/js/jquery/jquery-migrate.min.js?ver=1.4.1>
- <http://duayeni.org/wp-content/plugins/wp-date-remover/public/js/wp-date-remover-public.js?ver=1.0.0>
- <http://duayeni.org/wp-content/plugins/simple-social-icons/svgxuse.js?ver=1.1.21>

[Optimize CSS Delivery](#) of the following:

- <http://duayeni.org/wp-content/plugins/yet-another-related-posts-plugin/style/widget.css?ver=4.7.4>
- <http://duayeni.org/wp-content/themes/daily-dish-pro/style.css?ver=1.1.1>
- <http://duayeni.org/wp-content/plugins/contact-form-7/includes/css/styles.css?ver=4.7>
- <http://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.5.0/css/font-awesome.min.css?ver=4.0.8>
- <http://fonts.googleapis.com/css?family=Open+Sans&ver=4.7.4>
- <http://duayeni.org/wp-content/plugins/cross-device-social-share/css/frontend.css?ver=4.0.8>
- <http://duayeni.org/wp-content/plugins/wp-date-remover/public/css/wp-date-remover-public.css?ver=1.0.0>
- <http://duayeni.org/wp-includes/css/dashicons.min.css?ver=4.7.4>
- <http://fonts.googleapis.com/css?family=Alice%7CLato%3A400%2C700%2C900&ver=1.1.1>
- <http://duayeni.org/wp-content/plugins/simple-social-icons/css/style.css?ver=2.0.1>
- <http://duayeni.org/wp-content/plugins/genesis-tabs/style.css?ver=4.7.4>
- <http://duayeni.org/wp-content/plugins/genesis-responsive-slider/style.css?ver=0.9.5>



4 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Desktop

Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).