
PageSpeed Insights

Mobile



59 / 100 Speed

Should Fix:

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 6 blocking script resources and 10 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

Remove render-blocking JavaScript:

- https://emlakilanlari.org/ekobi-temalar/04-speedup/js/jquery-1.11.0.min.js
- https://emlakilanlari.org/ekobi-temalar/04-speedup/js/lightbox.min.js
- https://emlakilanlari.org/ekobi-temalar/04-speedup/js/bootstrap.min.js
- https://emlakilanlari.org/ekobi-temalar/04-speedup/js/hover.min.js

- https://emlakilanlari.org/ekobi-temalar/04-speedup/js/ajax.js
- https://emlakilanlari.org/js/jquery.newsTicker.min.js

Optimize CSS Delivery of the following:

- https://emlakilanlari.org/ekobi-temalar/04-speedup/css/style.css?v=15062017
- https://emlakilanlari.org/ekobi-temalar/04-speedup/css/genel.css
- https://emlakilanlari.org/css/diller.css
- https://emlakilanlari.org/css/lightbox.css
- https://emlakilanlari.org/css/animasyon.css
- https://emlakilanlari.org/ekobi-temalar/04-speedup/css/bootstrap.min.css
- https://emlakilanlari.org/ekobi-temalar/04-speedup/css/bootstrap-theme.min.css
- https://emlakilanlari.org/ekobi-temalar/04-speedup/css/font-awesome.min.css
- https://fonts.googleapis.com/css?family=Titillium+Web:400,700,900&subset=latin-ext
- https://fonts.googleapis.com/css?family=Jockey+One&subset=latin,latin-ext

Optimize images

Properly formatting and compressing images can save many bytes of data.

Optimize the following images to reduce their size by 251.2KiB (44% reduction).

- Compressing https://emlakilanlari.org/upload/resim/0b935321fe2ad6c61277f56cebe2fe3852268c5c-0.jpg could save 81.5KiB (79% reduction).
- Compressing https://emlakilanlari.org/resimler/map.png could save 59.9KiB (23% reduction).
- Compressing https://emlakilanlari.org/upload/resim/bbbc5c448f1a588cf21a1d0d22b8d5ef0bfcfc55-0.jpg could save 43.2KiB (48% reduction).
- Compressing https://emlakilanlari.org/upload/resim/89f2894deb75611b315cac40590cd5ab8537cf0c-0.jpg could save 26.5KiB (43% reduction).
- Compressing https://emlakilanlari.org/resimler/haritada-ara.jpg could save 19KiB (68%)

reduction).

- Compressing https://emlakilanlari.org/upload/resim/sitelogob39e8031255d5a6edfc903ca38c431be790a4123.jpg could save 13.7KiB (75% reduction).
- Compressing https://emlakilanlari.org/resimler/speedly-yesil-footer.png could save 2.8KiB (58% reduction).
- Compressing https://emlakilanlari.org/resimler/emlakkobi.png could save 2.7KiB (61% reduction).
- Compressing https://emlakilanlari.org/upload/resim/mini-o_1du0hangfsfg1jmjeqhltt180ea.jpg could save 1.2KiB (13% reduction).
- Compressing https://emlakilanlari.org/resimler/arrow16.png could save 756B (47% reduction).

Consider Fixing:

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

<u>Leverage browser caching</u> for the following cacheable resources:

- https://www.google.com/recaptcha/api.js?hl=tr (5 minutes)
- https://www.googletagmanager.com/gtag/js?id=UA-122809990-1 (15 minutes)
- https://mc.yandex.ru/metrika/advert.gif (60 minutes)
- https://mc.yandex.ru/metrika/tag.js (60 minutes)
- https://translate.googleapis.com/translate static/css/translateelement.css (60 minutes)
- https://translate.googleapis.com/translate static/js/element/main.js (60 minutes)
- https://cdn2.admatic.com.tr/showad/showad.js (2 hours)
- https://www.google-analytics.com/analytics.js (2 hours)

Mobile

Reduce server response time

In our test, your server responded in 0.83 seconds.

There are many factors that can slow down your server response time. Please read our recommendations to learn how you can monitor and measure where your server is spending the most time.

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

Minify CSS for the following resources to reduce their size by 2.2KiB (16% reduction).

- Minifying https://emlakilanlari.org/css/animasyon.css could save 1.1KiB (26% reduction) after compression.
- Minifying https://emlakilanlari.org/ekobi-temalar/04-speedup/css/style.css?v=15062017 could save 652B (12% reduction) after compression.
- Minifying https://emlakilanlari.org/ekobi-temalar/04-speedup/css/genel.css could save 329B (12% reduction) after compression.
- Minifying https://emlakilanlari.org/css/lightbox.css could save 162B (14% reduction) after compression.

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

Minify JavaScript for the following resources to reduce their size by 1.5KiB (27% reduction).

- Minifying https://emlakilanlari.org/js/arrow16.js could save 686B (43% reduction) after compression.
- Minifying https://emlakilanlari.org/js/sehir.js could save 341B (26% reduction) after

Mobile

compression.

- Minifying https://emlakilanlari.org/ekobi-temalar/04-speedup/js/hover.min.js could save 231B (32% reduction) after compression.
- Minifying https://emlakilanlari.org/js/kh.js could save 190B (17% reduction) after compression.
- Minifying https://emlakilanlari.org/js/echo.js could save 122B (12% reduction) after compression.



4 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about avoiding landing page redirects.

Enable compression

You have compression enabled. Learn more about enabling compression.

Minify HTML

Your HTML is minified. Learn more about minifying HTML.

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about prioritizing visible content.

99 / 100 User Experience



Mobile

Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider making these tap targets larger to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

• The tap target Previous and 1 others are close to other tap targets final.



4 Passed Rules

Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of avoiding plugins.

Configure the viewport

Your page specifies a viewport matching the device's size, which allows it to render properly on all devices. Learn more about configuring viewports.

Size content to viewport

The contents of your page fit within the viewport. Learn more about sizing content to the viewport.

Use legible font sizes

The text on your page is legible. Learn more about using legible font sizes.



63 / 100 Speed

Should Fix:

Optimize images

Properly formatting and compressing images can save many bytes of data.

Optimize the following images to reduce their size by 389.2KiB (52% reduction).

- Compressing https://emlakilanlari.org/upload/resim/0b935321fe2ad6c61277f56cebe2fe3852268c5c-0.jpg could save 81.5KiB (79% reduction).
- Compressing https://emlakilanlari.org/upload/resim/reklam-ec17bb3ee29ce53b407853a6cc16ea1494164a12-0.png could save 63.7KiB (88% reduction).
- Compressing https://emlakilanlari.org/resimler/map.png could save 59.9KiB (23% reduction).
- Compressing https://emlakilanlari.org/upload/resim/bbbc5c448f1a588cf21a1d0d22b8d5ef0bfcfc55-0.jpg could save 43.2KiB (48% reduction).
- Compressing and resizing https://emlakilanlari.org/upload/resim/minio_1dui6d8uivts1pp58b1sqh1nv2a.jpg could save 30.9KiB (87% reduction).
- Compressing https://emlakilanlari.org/upload/resim/89f2894deb75611b315cac40590cd5ab8537cf0c-0.jpg could save 26.5KiB (43% reduction).
- Compressing and resizing https://emlakilanlari.org/upload/resim/minio_1dsug6jcr1god15eq7gpstk19e3c.jpg could save 23.5KiB (82% reduction).
- Compressing https://emlakilanlari.org/resimler/haritada-ara.jpg could save 19KiB (68% reduction).
- Compressing and resizing https://emlakilanlari.org/upload/resim/mini-

- o 1dui47bd4avd1n6usftuuo1gk3a.jpg could save 14KiB (85% reduction).
- Compressing https://emlakilanlari.org/upload/resim/sitelogo-b39e8031255d5a6edfc903ca38c431be790a4123.jpg could save 13.7KiB (75% reduction).
- Compressing and resizing https://emlakilanlari.org/upload/resim/minio 1du0hangfsfg1jmjeghltt180ea.jpg could save 7.2KiB (73% reduction).
- Compressing https://emlakilanlari.org/resimler/speedly-yesil-footer.png could save 2.8KiB (58% reduction).
- Compressing https://emlakilanlari.org/resimler/emlakkobi.png could save 2.7KiB (61% reduction).
- Compressing https://emlakilanlari.org/resimler/arrow16.png could save 756B (47% reduction).

Consider Fixing:

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

<u>Leverage browser caching</u> for the following cacheable resources:

- https://www.google.com/recaptcha/api.js?hl=tr (5 minutes)
- https://www.googletagmanager.com/gtag/js?id=UA-122809990-1 (15 minutes)
- https://mc.yandex.ru/metrika/advert.gif (60 minutes)
- https://mc.yandex.ru/metrika/tag.js (60 minutes)
- https://translate.googleapis.com/translate static/css/translateelement.css (60 minutes)
- https://translate.googleapis.com/translate static/js/element/main.js (60 minutes)
- https://cdn2.admatic.com.tr/showad/showad.js (2 hours)
- https://www.google-analytics.com/analytics.js (2 hours)

Reduce server response time

In our test, your server responded in 0.98 seconds.

There are many factors that can slow down your server response time. Please read our recommendations to learn how you can monitor and measure where your server is spending the most time.

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

Minify CSS for the following resources to reduce their size by 2.2KiB (16% reduction).

- Minifying https://emlakilanlari.org/css/animasyon.css could save 1.1KiB (26% reduction)
 after compression.
- Minifying https://emlakilanlari.org/ekobi-temalar/04-speedup/css/style.css?v=15062017 could save 652B (12% reduction) after compression.
- Minifying https://emlakilanlari.org/ekobi-temalar/04-speedup/css/genel.css could save 329B (12% reduction) after compression.
- Minifying https://emlakilanlari.org/css/lightbox.css could save 162B (14% reduction) after compression.

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

Minify JavaScript for the following resources to reduce their size by 1.5KiB (27% reduction).

- Minifying https://emlakilanlari.org/js/arrow16.js could save 686B (43% reduction) after compression.
- Minifying https://emlakilanlari.org/js/sehir.js could save 341B (26% reduction) after

compression.

- Minifying https://emlakilanlari.org/ekobi-temalar/04-speedup/js/hover.min.js could save 231B (32% reduction) after compression.
- Minifying https://emlakilanlari.org/js/kh.js could save 190B (17% reduction) after compression.
- Minifying https://emlakilanlari.org/js/echo.js could save 122B (12% reduction) after compression.

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 6 blocking script resources and 10 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

Remove render-blocking JavaScript:

- https://emlakilanlari.org/ekobi-temalar/04-speedup/js/jquery-1.11.0.min.js
- https://emlakilanlari.org/ekobi-temalar/04-speedup/js/lightbox.min.js
- https://emlakilanlari.org/ekobi-temalar/04-speedup/js/bootstrap.min.js
- https://emlakilanlari.org/ekobi-temalar/04-speedup/js/hover.min.js
- https://emlakilanlari.org/ekobi-temalar/04-speedup/js/ajax.js
- https://emlakilanlari.org/js/jquery.newsTicker.min.js

Optimize CSS Delivery of the following:

- https://emlakilanlari.org/ekobi-temalar/04-speedup/css/style.css?v=15062017
- https://emlakilanlari.org/ekobi-temalar/04-speedup/css/genel.css
- https://emlakilanlari.org/css/diller.css
- https://emlakilanlari.org/css/lightbox.css
- https://emlakilanlari.org/css/animasyon.css
- https://emlakilanlari.org/ekobi-temalar/04-speedup/css/bootstrap.min.css

- https://emlakilanlari.org/ekobi-temalar/04-speedup/css/bootstrap-theme.min.css
- https://emlakilanlari.org/ekobi-temalar/04-speedup/css/font-awesome.min.css
- https://fonts.googleapis.com/css?family=Titillium+Web:400,700,900&subset=latin-ext
- https://fonts.googleapis.com/css?family=Jockey+One&subset=latin,latin-ext



4 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about avoiding landing page redirects.

Enable compression

You have compression enabled. Learn more about enabling compression.

Minify HTML

Your HTML is minified. Learn more about minifying HTML.

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about prioritizing visible content.