PageSpeed Insights

Mobile

	The best blog 4638
	Saturday, 19 October 2019
1.1.1.1	Saturday, 19 October 2019 The 12 Best meat thermometer review Accounts to Pellow on Twitter
	How to Find Meat Thermometer Reviews on the Web
Tagen.	
	One reason and desire a must thermometer to that any function the must of the politicities it's Musted cooking. As a result of this, it has by cook that must to a specific temperature. Such a thermometer can be utilized to took at the atmenets of temper cuts in addition to thirmed
4	Rods, Red Surgers, elestes, and chops.
	202 thermumeters are utilitied to exercise the flower and number advantages of these flow. It's a very useful two for assessing your best is cooked through. Thermometers aren with it life of flows generally require under 10 seconds to give a precise reading, and therefore aren't
	made to stay in the bard while it's collera. Evaluational two-momentums and to assist pice structure bard apply to require and requires of over and fixed thermometer area one to company.
	parties and presidential in their in the first first first material is address of their and and periparation and the distances
ar farmer	A thermumater to a great titles, if you do not easily to reduce your statele to find out your own sook includes a unspectfoughts of part when the
	Interpretative to, or if they have been fronted, this intermediate and audity and you with an azero transition statil which you'll be atten to view if is time to alminate the mean out of the heating source. More the true to correct, it is actually a multipurpose thermometer
400	which may be used below freedeng and previously bailing.
A negative.	When you'rs in the balanty for a thermonisten it within head to be pathoded for exempte analog thermonisten. Done thermonisters have meet hereparatures that are pre-per ables some assist one to program a particular temperature. Session nead thermonisters analos so
	research the mast for trans who wish and require just a few excession to suggify an accountermoding. UNIXPOOL voltions the high-grade polymer which maters it least resoluted and anti-material. The picelic stream may be put to use as a
	sAlkE2003, volves the tight grade polymer which makes it heat resident and unlocalable. The plastic sizes may be put to use as a protracted holder to your over semister. Even before, it includes a 8 probes, letting you nonhor an different please of meal.
	Contraction of Contra
	The second se
	And a state of the second
	and the second se
	Whatever They Told You About Meat Thermometer Reviews Is Dead WrongAnd Here's Why
	It is people to get not when when assessing the early of feed, the trins, and was the appear of desensess? There is a synthesized and appeared of desenses and with the guadances. The trinch is take a synthesized deservation appeared and the trins and the trins appeared and the trins and the trins appeared and the trins and the trins appeared to the synthesized deservation and the trins appeared and the trins appeared to the synthesized deservation appeared and the trins and trins and the trins and trins and the trins and the trins and trins and the trins a
	It is possible to get not adversarial allocations (to and if lead, the tot), and all the largest of determined from a surprisingly association of the second
	It is people to get not when when assessing the early of feed, the trins, and was the appear of desensess? There is a synthesized and appeared of desenses and with the guadances. The trinch is take a synthesized deservation appeared and the trins and the trins appeared and the trins and the trins appeared and the trins and the trins appeared to the synthesized deservation and the trins appeared and the trins appeared to the synthesized deservation appeared and the trins and trins and the trins and trins and the trins and the trins and trins and the trins a
	A second spectra distribution intervent is and if balance is the spectra of the spectra of the second true is a subsequence of the second spectra of the spe
	Can substate tape into determine sectores in the off-back beings, and has due to determine the set of experiments from the set of experiments of of experim
	A substrate of the device instance to the of the device is and the device of the devic
	A second test is determined and the first facts from the second s
	A superior bar in the frame is assumed by the 1 bars is the property of the superior bars is a superior bars in the superior bars is a super
	A second test is determined and the first facts from the second s
	A sum of a prior download in a sum of a fact, the set is a single and a single of download here is a sum of a single of the sing
	A sum of a prior download in a sum of a fact, the set is a single and a single of download here is a sum of a single of the sing
	A sum of a prior download in a sum of a fact, the set is a single and a single of download here is a sum of a single of the sing
	<text><text><text><text><text><section-header></section-header></text></text></text></text></text>
	<text><text><text><text><text><section-header></section-header></text></text></text></text></text>
	<text><text><text><text><text><section-header><text><text></text></text></section-header></text></text></text></text></text>
	<text><text><text><text><text><section-header><text><text></text></text></section-header></text></text></text></text></text>
	<text><text><text><text><text><section-header><section-header></section-header></section-header></text></text></text></text></text>
	<text><text><text><text><text><section-header><section-header></section-header></section-header></text></text></text></text></text>



Should Fix:

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 19 blocking script resources and 2 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

Remove render-blocking JavaScript:

- http://garrettnljk305.angelfire.com/adm/common/js/prototype.js
- http://garrettnljk305.angelfire.com/adm/blog/js/blogtools.js
- http://scripts.lycos.com/catman/init.js
- http://scripts.lycos.com/catman3/code/angelfire.lycos.com/memberembedded.js

- http://garrettnljk305.angelfire.com/adm/common/js/tiny_mce/tiny_mce.js
- http://garrettnljk305.angelfire.com/adm/common/js/tiny_mce/themes/advanced/editor_templ ate.js
- http://garrettnljk305.angelfire.com/adm/common/js/tiny_mce/themes/advanced/langs/en.js
- http://garrettnljk305.angelfire.com/adm/common/js/tiny_mce/langs/en.js
- http://garrettnljk305.angelfire.com/adm/common/js/tiny_mce/plugins/emotions/editor_plugin. js
- http://garrettnljk305.angelfire.com/adm/common/js/tiny_mce/plugins/emotions/langs/en.js
- http://garrettnljk305.angelfire.com/adm/common/js/tiny_mce/plugins/spellchecker/editor_plu gin.js
- http://garrettnljk305.angelfire.com/adm/common/js/tiny_mce/plugins/spellchecker/langs/en.j s
- http://garrettnljk305.angelfire.com/adm/common/js/tiny_mce/plugins/noneditable/editor_plu gin.js
- http://garrettnljk305.angelfire.com/adm/common/js/tiny_mce/plugins/paste/editor_plugin.js
- http://garrettnljk305.angelfire.com/adm/common/js/tiny_mce/plugins/paste/langs/en.js
- http://garrettnljk305.angelfire.com/adm/common/js/tiny_mce/plugins/fullscreen/editor_plugin .js
- http://garrettnljk305.angelfire.com/adm/common/js/tiny_mce/plugins/fullscreen/langs/en.js
- http://garrettnljk305.angelfire.com/adm/common/js/tiny_mce/plugins/insertdatetime/editor_p lugin.js
- http://garrettnljk305.angelfire.com/adm/common/js/tiny_mce/plugins/insertdatetime/langs/e n.js

Optimize CSS Delivery of the following:

- http://garrettnljk305.angelfire.com/style.css
- http://garrettnljk305.angelfire.com/adm/common/js/tiny_mce/themes/advanced/css/editor_ui .css

Consider Fixing:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

Enable compression for the following resources to reduce their transfer size by 18.4KiB (66% reduction).

- Compressing http://garrettnljk305.angelfire.com/ could save 17.9KiB (68% reduction).
- Compressing http://garrettnljk305.angelfire.com/adm/common/js/tiny_mce/plugins/spellchecker/langs/en.j s could save 173B (43% reduction).
- Compressing http://garrettnljk305.angelfire.com/adm/common/js/tiny_mce/plugins/emotions/langs/en.js could save 171B (39% reduction).
- Compressing http://garrettnljk305.angelfire.com/adm/common/js/tiny_mce/plugins/paste/langs/en.js could save 159B (43% reduction).

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

<u>Leverage browser caching</u> for the following cacheable resources:

- http://garrettnljk305.angelfire.com/adm/ad/angelfire-freeAd.jpg (expiration not specified)
- http://garrettnljk305.angelfire.com/adm/ad/angelfire-freeAd2.jpg (expiration not specified)
- http://ly.lygo.com/ly/s.gif (expiration not specified)
- http://ly.lygo.net/ly/tripod/lotto/Freelotto-300x250_1.jpg (expiration not specified)
- http://ly.lygo.net/ly/tripod/lotto/ground_1.jpg (expiration not specified)
- http://ly.lygo.net/ly/tripod/lotto/pic1.jpg (expiration not specified)
- http://ly.lygo.net/ly/tripod/lotto/pic2.jpg (expiration not specified)
- http://sp-log.lycos.com/af_cm.gif (expiration not specified)
- http://www.googletagservices.com/tag/js/gpt.js (15 minutes)
- https://s0.2mdn.net/ads/studio/Enabler.js (15 minutes)

- http://www.google-analytics.com/ga.js (2 hours)
- https://i.ytimg.com/vi/7G-kx_V-gm4/hqdefault.jpg (2 hours)
- http://scripts.lycos.com/catman/init.js (6 hours)
- http://scripts.lycos.com/catman3/code/angelfire.lycos.com/memberembedded.js (6 hours)

Reduce server response time

In our test, your server responded in 0.24 seconds.

There are many factors that can slow down your server response time. <u>Please read our</u> <u>recommendations</u> to learn how you can monitor and measure where your server is spending the most time.

Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

Minify HTML for the following resources to reduce their size by 4.3KiB (16% reduction).

- Minifying http://garrettnljk305.angelfire.com/ could save 4.1KiB (16% reduction).
- Minifying http://garrettnljk305.angelfire.com/adm/ad/footerAd.iframe.html could save 138B (11% reduction) after compression.

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

<u>Mobile</u>

Minify JavaScript for the following resources to reduce their size by 16.1KiB (25% reduction).


- Minifying http://garrettnljk305.angelfire.com/adm/common/js/tiny_mce/tiny_mce.js could save 13KiB (26% reduction) after compression.
- Minifying http://garrettnljk305.angelfire.com/adm/common/js/prototype.js could save 2.1KiB (21% reduction) after compression.
- Minifying http://garrettnljk305.angelfire.com/adm/common/js/dialog.js?cachebust=1578735726661& could save 748B (33% reduction) after compression.
- Minifying http://garrettnljk305.angelfire.com/adm/blog/js/blogtools.js could save 275B (24% reduction) after compression.

Optimize images

Properly formatting and compressing images can save many bytes of data.

Optimize the following images to reduce their size by 95.5KiB (61% reduction).

- Compressing http://ly.lygo.net/ly/tripod/lotto/ground_1.jpg could save 56.1KiB (72% reduction).
- Compressing http://ly.lygo.net/ly/tripod/lotto/Freelotto-300x250_1.jpg could save 11.9KiB (52% reduction).
- Compressing http://ly.lygo.net/ly/tripod/lotto/pic2.jpg could save 11.1KiB (54% reduction).
- Compressing http://ly.lygo.net/ly/tripod/lotto/pic1.jpg could save 8.4KiB (51% reduction).
- Compressing http://garrettnljk305.angelfire.com/adm/ad/angelfire-freeAd.jpg could save 4.3KiB (40% reduction).
- Compressing http://garrettnljk305.angelfire.com/adm/ad/angelfire-freeAd2.jpg could save 3.6KiB (42% reduction).



Avoid landing page redirects

Your page has no redirects. Learn more about avoiding landing page redirects.

Minify CSS

Your CSS is minified. Learn more about minifying CSS.

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about <u>prioritizing visible</u> <u>content</u>.

64 / 100 User Experience

Should Fix:

Configure the viewport

Your page does not have a viewport specified. This causes mobile devices to render your page as it would appear on a desktop browser, scaling it down to fit on a mobile screen. Configure a viewport to allow your page to render properly on all devices.

<u>Configure a viewport</u> for this page.

Use legible font sizes

The following text on your page renders in a way that may be difficult for some of your visitors to read. <u>Use legible font sizes</u> to provide a better user experience.

The following text fragments have a small font size. Increase the font size to make them more legible.

• FREE DAILY SWEEPSTAKES - renders only 5 pixels tall (12 CSS pixels) final.

- CLICK TO PLAY renders only 5 pixels tall (12 CSS pixels) final.
- ! renders only 5 pixels tall (12 CSS pixels) final.
- \$11 MILLION renders only 7 pixels tall (19 CSS pixels) final.
- + renders only 7 pixels tall (19 CSS pixels) final.
- DAILY PRIZES renders only 7 pixels tall (19 CSS pixels) final.
- undefined renders only 6 pixels tall (16 CSS pixels) final.
- « renders only 4 pixels tall (10 CSS pixels) final.
- January 2020 and 7 others render only 4 pixels tall (10 CSS pixels) final.
- » renders only 4 pixels tall (10 CSS pixels) final.
- 10 and 9 others render only 4 pixels tall (10 CSS pixels) final.
- 11 renders only 4 pixels tall (10 CSS pixels) final.
- 12 and 19 others render only 4 pixels tall (10 CSS pixels) final.
- Entries by Topic and 4 others render only 4 pixels tall (11 CSS pixels) final.
- https://en.sea...at thermometer and 15 others render only 4 pixels tall (11 CSS pixels) final.
- You are not logged in. renders only 4 pixels tall (11 CSS pixels) final.
- The best blog 4638 renders only 6 pixels tall (16 CSS pixels) final.
- Saturday, 19 October 2019 renders only 5 pixels tall (14 CSS pixels) final.
- The 12 Best me...low on Twitter renders only 4 pixels tall (11 CSS pixels) final.
- Whatever They...And Here's Why and 6 others render only 7 pixels tall (17 CSS pixels) final.
- Keep away from...nt durability. and 21 others render only 4 pixels tall (11 CSS pixels) final.
- Posted by garr...t 5:51 PM EDT and 2 others render only 3 pixels tall (9 CSS pixels).
- Share This Post and 2 others render only 3 pixels tall (9 CSS pixels).
- Newer | Latest | Older renders only 4 pixels tall (11 CSS pixels).
- FREE DAILY SWEEPSTAKES renders only 5 pixels tall (13 CSS pixels).
- CLICK TO PLAY renders only 5 pixels tall (13 CSS pixels).
- ! renders only 5 pixels tall (13 CSS pixels).
- \$11MILLION renders only 8 pixels tall (20 CSS pixels).
- + renders only 8 pixels tall (20 CSS pixels).

- DAILY PRIZES renders only 8 pixels tall (20 CSS pixels).
- FREE DAILY SWEEPSTAKES renders only 5 pixels tall (12 CSS pixels).
- CLICK TO PLAY renders only 5 pixels tall (12 CSS pixels).
- ! renders only 5 pixels tall (12 CSS pixels).
- \$11 MILLION renders only 7 pixels tall (19 CSS pixels).
- + renders only 7 pixels tall (19 CSS pixels).
- DAILY PRIZES renders only 7 pixels tall (19 CSS pixels).

Consider Fixing:

Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider <u>making these tap targets larger</u> to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target All topics and 13 others are close to other tap targets final.
- The tap target Permalink is close to 2 other tap targets.

2 Passed Rules

Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of <u>avoiding plugins</u>.

Size content to viewport

The contents of your page fit within the viewport. Learn more about sizing content to the viewport.

Desktop





Consider Fixing:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

Enable compression for the following resources to reduce their transfer size by 18.4KiB (66% reduction).

- Compressing http://garrettnljk305.angelfire.com/ could save 17.9KiB (68% reduction).
- Compressing http://garrettnljk305.angelfire.com/adm/common/js/tiny_mce/plugins/spellchecker/langs/en.j s could save 173B (43% reduction).
- Compressing http://garrettnljk305.angelfire.com/adm/common/js/tiny_mce/plugins/emotions/langs/en.js could save 171B (39% reduction).
- Compressing http://garrettnljk305.angelfire.com/adm/common/js/tiny_mce/plugins/paste/langs/en.js could save 159B (43% reduction).

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

<u>Leverage browser caching</u> for the following cacheable resources:

- http://garrettnljk305.angelfire.com/adm/ad/angelfire-freeAd.jpg (expiration not specified)
- http://garrettnljk305.angelfire.com/adm/ad/angelfire-freeAd2.jpg (expiration not specified)
- http://ly.lygo.com/ly/s.gif (expiration not specified)
- http://ly.lygo.net/ly/tripod/lotto/Freelotto-300x250_1.jpg (expiration not specified)
- http://ly.lygo.net/ly/tripod/lotto/ground_1.jpg (expiration not specified)
- http://ly.lygo.net/ly/tripod/lotto/pic1.jpg (expiration not specified)
- http://ly.lygo.net/ly/tripod/lotto/pic2.jpg (expiration not specified)
- http://sp-log.lycos.com/af_cm.gif (expiration not specified)
- http://www.googletagservices.com/tag/js/gpt.js (15 minutes)
- https://s0.2mdn.net/ads/studio/Enabler.js (15 minutes)
- http://www.google-analytics.com/ga.js (2 hours)
- https://i.ytimg.com/vi/7G-kx_V-gm4/hqdefault.jpg (2 hours)
- http://scripts.lycos.com/catman/init.js (6 hours)
- http://scripts.lycos.com/catman3/code/angelfire.lycos.com/memberembedded.js (6 hours)

Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

Minify HTML for the following resources to reduce their size by 4.3KiB (16% reduction).

- Minifying http://garrettnljk305.angelfire.com/ could save 4.1KiB (16% reduction).
- Minifying http://garrettnljk305.angelfire.com/adm/ad/footerAd.iframe.html could save 138B (11% reduction) after compression.

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

<u>Minify JavaScript</u> for the following resources to reduce their size by 16.1KiB (25% reduction).

- Minifying http://garrettnljk305.angelfire.com/adm/common/js/tiny_mce/tiny_mce.js could save 13KiB (26% reduction) after compression.
- Minifying http://garrettnljk305.angelfire.com/adm/common/js/prototype.js could save 2.1KiB (21% reduction) after compression.
- Minifying http://garrettnljk305.angelfire.com/adm/common/js/dialog.js?cachebust=1578735730847& could save 748B (33% reduction) after compression.
- Minifying http://garrettnljk305.angelfire.com/adm/blog/js/blogtools.js could save 275B (24% reduction) after compression.

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 19 blocking script resources and 2 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

Remove render-blocking JavaScript:

- http://garrettnljk305.angelfire.com/adm/common/js/prototype.js
- http://garrettnljk305.angelfire.com/adm/blog/js/blogtools.js
- http://scripts.lycos.com/catman/init.js
- http://scripts.lycos.com/catman3/code/angelfire.lycos.com/memberembedded.js
- http://garrettnljk305.angelfire.com/adm/common/js/tiny_mce/tiny_mce.js
- http://garrettnljk305.angelfire.com/adm/common/js/tiny_mce/themes/advanced/editor_templ ate.js
- http://garrettnljk305.angelfire.com/adm/common/js/tiny_mce/themes/advanced/langs/en.js
- http://garrettnljk305.angelfire.com/adm/common/js/tiny_mce/langs/en.js
- http://garrettnljk305.angelfire.com/adm/common/js/tiny_mce/plugins/emotions/editor_plugin. js
- http://garrettnljk305.angelfire.com/adm/common/js/tiny_mce/plugins/emotions/langs/en.js
- http://garrettnljk305.angelfire.com/adm/common/js/tiny_mce/plugins/spellchecker/editor_plu gin.js
- http://garrettnljk305.angelfire.com/adm/common/js/tiny_mce/plugins/spellchecker/langs/en.j
 s
- http://garrettnljk305.angelfire.com/adm/common/js/tiny_mce/plugins/noneditable/editor_plu gin.js
- http://garrettnljk305.angelfire.com/adm/common/js/tiny_mce/plugins/paste/editor_plugin.js
- http://garrettnljk305.angelfire.com/adm/common/js/tiny_mce/plugins/paste/langs/en.js
- http://garrettnljk305.angelfire.com/adm/common/js/tiny_mce/plugins/fullscreen/editor_plugin .js
- http://garrettnljk305.angelfire.com/adm/common/js/tiny_mce/plugins/fullscreen/langs/en.js
- http://garrettnljk305.angelfire.com/adm/common/js/tiny_mce/plugins/insertdatetime/editor_p lugin.js
- http://garrettnljk305.angelfire.com/adm/common/js/tiny_mce/plugins/insertdatetime/langs/e n.js

Optimize CSS Delivery of the following:

- http://garrettnljk305.angelfire.com/style.css
- http://garrettnljk305.angelfire.com/adm/common/js/tiny_mce/themes/advanced/css/editor_ui .css

Optimize images

Properly formatting and compressing images can save many bytes of data.

Optimize the following images to reduce their size by 95.5KiB (61% reduction).

- Compressing http://ly.lygo.net/ly/tripod/lotto/ground_1.jpg could save 56.1KiB (72% reduction).
- Compressing http://ly.lygo.net/ly/tripod/lotto/Freelotto-300x250_1.jpg could save 11.9KiB (52% reduction).
- Compressing http://ly.lygo.net/ly/tripod/lotto/pic2.jpg could save 11.1KiB (54% reduction).
- Compressing http://ly.lygo.net/ly/tripod/lotto/pic1.jpg could save 8.4KiB (51% reduction).
- Compressing http://garrettnljk305.angelfire.com/adm/ad/angelfire-freeAd.jpg could save 4.3KiB (40% reduction).
- Compressing http://garrettnljk305.angelfire.com/adm/ad/angelfire-freeAd2.jpg could save 3.6KiB (42% reduction).

🗹 4 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about avoiding landing page redirects.

Reduce server response time

Your server responded quickly. Learn more about <u>server response time optimization</u>.

Minify CSS

Your CSS is minified. Learn more about minifying CSS.

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about <u>prioritizing visible</u> <u>content</u>.