

# PageSpeed Insights

Mobile



My master bo  
865

Russian marriage bureaus usually advertise the Russian girls on their own respective sites. In western nations, these portals are also referred to as online dating websites. The Russian word leaves no uncertainty about the aim of their bureaus. Anastasia is a Russian union site which was one of the services with this type. It's among the favorite and respectable on the web Russian bureaus that have over 1,000,000 members. Generally, the site is visited by over 80 million visitors. There are roughly half and one thousand letters which can be traded at the portal site.

™

Anastasia is on very top of Russian marriage agencies. This is because integrity degrees that are high are kept by it. Under [Get Your own FREE website. Click here!](#) • [Confidentiality is](#) • [fer superior](#) customer services which ensure they're

61 / 100 Speed

 Should Fix:

## Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <http://griffinwxm160.simplesite.com/Content/fontawesome-all.css> (expiration not specified)
- <http://griffinwxm160.simplesite.com/d/designs/base/footerlayout5.css> (30 seconds)
- <http://griffinwxm160.simplesite.com/d/designs/base/quilljs.css> (30 seconds)
- <http://griffinwxm160.simplesite.com/d/designs/base/rowsconcept.css> (30 seconds)
- <http://griffinwxm160.simplesite.com/d/designs/base/somelinks.css> (30 seconds)
- <https://www.google.com/recaptcha/api.js?render=explicit> (5 minutes)

## Mobile

- <https://www.googletagmanager.com/gtm.js?id=GTM-2MMH> (15 minutes)
- [http://connect.facebook.net/en\\_US/sdk.js](http://connect.facebook.net/en_US/sdk.js) (20 minutes)
- <http://griffinwxm160.simplesite.com/c/css/experiments/ionicons.css> (20 minutes)
- <http://griffinwxm160.simplesite.com/c/css/fonts/ionicons.ttf?v=2.0.1> (20 minutes)
- <http://griffinwxm160.simplesite.com/c/js/version3/libs/stickyheadernavbar.js> (20 minutes)
- <http://www.simplesite.com/c/js/jquery-1.10.2.min.js> (20 minutes)
- <http://griffinwxm160.simplesite.com/images/Version4/hamb.svg> (60 minutes)
- [https://www.google.com/jsapi?callback=gloader\\_ready](https://www.google.com/jsapi?callback=gloader_ready) (60 minutes)
- <http://www.google-analytics.com/analytics.js> (2 hours)

## Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 2 blocking script resources and 9 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

### [Remove render-blocking JavaScript:](#)

- <http://griffinwxm160.simplesite.com/userPages/pages/FrontendAppLocalePage.aspx?CultureKey=en-US>
- <http://www.simplesite.com/c/js/jquery-1.10.2.min.js>

### [Optimize CSS Delivery](#) of the following:

- <http://css.simplesite.com/e4/05/56119998.design.v1567000755.css?h=fad94e2df6d85542cd3618b92eed89516dba6497144e9c13ead845cb23ba319>
- <http://fonts.googleapis.com/css?family=Roboto:300,400:300italic,400italic&subset=latin,latin-ext,cyrillic,greek>
- <http://css.simplesite.com/d/1578909352/designs/base/base.css>
- <http://griffinwxm160.simplesite.com/d/designs/base/rowsconcept.css>
- <http://griffinwxm160.simplesite.com/d/designs/base/somelinks.css>

## Mobile

- <http://griffinwxm160.simplesite.com/d/designs/base/footerlayout5.css>
- <http://griffinwxm160.simplesite.com/d/designs/base/quilljs.css>
- <http://griffinwxm160.simplesite.com/Content/fontawesome-all.css>
- <http://griffinwxm160.simplesite.com/c/css/experiments/ionicons.css>

### Consider Fixing:

#### Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 4.1KiB (66% reduction).

- Compressing <http://griffinwxm160.simplesite.com/userPages/pages/FrontendAppLocalePage.aspx?CultureKey=en-US> could save 3.8KiB (69% reduction).
- Compressing <http://griffinwxm160.simplesite.com/images/Version4/hamb.svg> could save 366B (50% reduction).

#### Reduce server response time

In our test, your server responded in 0.22 seconds.

There are many factors that can slow down your server response time. [Please read our recommendations](#) to learn how you can monitor and measure where your server is spending the most time.

#### Minify CSS

## Mobile

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 2.8KiB (58% reduction).

- Minifying <http://css.simplesite.com/d/1578909352/designs/base/base.css> could save 2.8KiB (58% reduction) after compression.

## Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

[Minify HTML](#) for the following resources to reduce their size by 1.2KiB (11% reduction).

- Minifying <http://griffinfxm160.simplesite.com/> could save 1.2KiB (11% reduction) after compression.

## Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 674B (39% reduction).

- Minifying [http://connect.facebook.net/en\\_US/sdk.js](http://connect.facebook.net/en_US/sdk.js) could save 674B (39% reduction) after compression.



3 Passed Rules

Avoid landing page redirects

## Mobile

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

### Optimize images

Your images are optimized. Learn more about [optimizing images](#).

### Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).

## 96 / 100 User Experience

### Consider Fixing:

#### Avoid plugins

Your page uses plugins, which prevents portions of your page from being used on many platforms. [Find alternatives for plugin based content](#) to increase compatibility.

Find alternatives for the following Flash plugins.

- [http://griffinwxm160.simplesite.com/Images/sm297/soundmanager2\\_flash9.swf](http://griffinwxm160.simplesite.com/Images/sm297/soundmanager2_flash9.swf) (8 x 8) final.

### 4 Passed Rules

#### Configure the viewport

Your page specifies a viewport matching the device's size, which allows it to render properly on all devices. Learn more about [configuring viewports](#).

# Mobile

## Size content to viewport

The contents of your page fit within the viewport. Learn more about [sizing content to the viewport](#).

## Size tap targets appropriately

All of your page's links/buttons are large enough for a user to easily tap on a touchscreen. Learn more about [sizing tap targets appropriately](#).

## Use legible font sizes

The text on your page is legible. Learn more about [using legible font sizes](#).

# Desktop



81 / 100 Speed

Should Fix:

## Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 2 blocking script resources and 9 blocking CSS resources. This causes a delay in rendering your page.

## Desktop

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

### [Remove render-blocking JavaScript:](#)

- <http://griffinfxm160.simplesite.com/userPages/pages/FrontendAppLocalePage.aspx?CultureKey=en-US>
- <http://www.simplesite.com/c/js/jquery-1.10.2.min.js>

### [Optimize CSS Delivery](#) of the following:

- <http://css.simplesite.com/e4/05/56119998.design.v1567000755.css?h=fad94e2df6d85542cd3618b92eed89516dba6497144e9c13ead845cb23ba319>
- <http://fonts.googleapis.com/css?family=Roboto:300,400:300italic,400italic&subset=latin,latin-ext,cyrillic,greek>
- <http://css.simplesite.com/d/1578909352/designs/base/base.css>
- <http://griffinfxm160.simplesite.com/d/designs/base/rowsconcept.css>
- <http://griffinfxm160.simplesite.com/d/designs/base/somelinks.css>
- <http://griffinfxm160.simplesite.com/d/designs/base/footerlayout5.css>
- <http://griffinfxm160.simplesite.com/d/designs/base/quilljs.css>
- <http://griffinfxm160.simplesite.com/Content/fontawesome-all.css>
- <http://griffinfxm160.simplesite.com/c/css/experiments/ionicons.css>

## Consider Fixing:

### Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 3.8KiB (69% reduction).

- Compressing <http://griffinfxm160.simplesite.com/userPages/pages/FrontendAppLocalePage.aspx?CultureKey=en-US> could save 3.8KiB (69% reduction).

### Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <http://griffinfxm160.simplesite.com/Content/fontawesome-all.css> (expiration not specified)
- <http://griffinfxm160.simplesite.com/d/designs/base/footerlayout5.css> (30 seconds)
- <http://griffinfxm160.simplesite.com/d/designs/base/quilljs.css> (30 seconds)
- <http://griffinfxm160.simplesite.com/d/designs/base/rowsconcept.css> (30 seconds)
- <http://griffinfxm160.simplesite.com/d/designs/base/somelinks.css> (30 seconds)
- <https://www.google.com/recaptcha/api.js?render=explicit> (5 minutes)
- <https://www.googletagmanager.com/gtm.js?id=GTM-2MMH> (15 minutes)
- [http://connect.facebook.net/en\\_US/sdk.js](http://connect.facebook.net/en_US/sdk.js) (20 minutes)
- <http://griffinfxm160.simplesite.com/c/css/experiments/ionicons.css> (20 minutes)
- <http://griffinfxm160.simplesite.com/c/css/fonts/ionicons.ttf?v=2.0.1> (20 minutes)
- <http://griffinfxm160.simplesite.com/c/js/version3/libs/stickyheadernavbar.js> (20 minutes)
- <http://www.simplesite.com/c/js/jquery-1.10.2.min.js> (20 minutes)
- [https://www.google.com/jsapi?callback=gloader\\_ready](https://www.google.com/jsapi?callback=gloader_ready) (60 minutes)
- <http://www.google-analytics.com/analytics.js> (2 hours)

### Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 2.8KiB (58% reduction).



## Desktop

- Minifying <http://css.simplesite.com/d/1578909352/designs/base/base.css> could save 2.8KiB (58% reduction) after compression.

### Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

[Minify HTML](#) for the following resources to reduce their size by 1.2KiB (11% reduction).

- Minifying <http://griffinfxm160.simplesite.com/> could save 1.2KiB (11% reduction) after compression.

### Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 674B (39% reduction).

- Minifying [http://connect.facebook.net/en\\_US/sdk.js](http://connect.facebook.net/en_US/sdk.js) could save 674B (39% reduction) after compression.



4 Passed Rules

### Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

# Desktop

## Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

## Optimize images

Your images are optimized. Learn more about [optimizing images](#).

## Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).