PageSpeed Insights

Mobile





Should Fix:

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

Leverage browser caching for the following cacheable resources:

- http://griffinwwnh826.angelfire.com/adm/ad/angelfire-freeAd.jpg (expiration not specified)
- http://griffinwwnh826.angelfire.com/adm/ad/angelfire-freeAd2.jpg (expiration not specified)
- http://ly.lygo.com/ly/s.gif (expiration not specified)
- http://ly.lygo.net/ly/tripod/lotto/Freelotto-300x250_1.jpg (expiration not specified)
- http://ly.lygo.net/ly/tripod/lotto/ground_1.jpg (expiration not specified)
- http://ly.lygo.net/ly/tripod/lotto/pic1.jpg (expiration not specified)

- http://ly.lygo.net/ly/tripod/lotto/pic2.jpg (expiration not specified)
- http://sp-log.lycos.com/af_cm.gif (expiration not specified)
- http://www.googletagservices.com/tag/js/gpt.js (15 minutes)
- https://s0.2mdn.net/ads/studio/Enabler.js (15 minutes)
- http://www.google-analytics.com/ga.js (2 hours)
- https://i.ytimg.com/vi/4_NFutiFMaY/hqdefault.jpg (2 hours)
- https://i.ytimg.com/vi/a0AghPolLa0/hqdefault.jpg (2 hours)
- https://i.ytimg.com/vi/t31pXSW_qgs/hqdefault.jpg (2 hours)
- http://scripts.lycos.com/catman/init.js (6 hours)
- http://scripts.lycos.com/catman3/code/angelfire.lycos.com/memberembedded.js (6 hours)

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 19 blocking script resources and 2 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

Remove render-blocking JavaScript:

- http://griffinwwnh826.angelfire.com/adm/common/js/prototype.js
- http://griffinwwnh826.angelfire.com/adm/blog/js/blogtools.js
- http://scripts.lycos.com/catman/init.js
- http://scripts.lycos.com/catman3/code/angelfire.lycos.com/memberembedded.js
- http://griffinwwnh826.angelfire.com/adm/common/js/tiny_mce/tiny_mce.js
- http://griffinwwnh826.angelfire.com/adm/common/js/tiny_mce/themes/advanced/editor_tem plate.js
- http://griffinwwnh826.angelfire.com/adm/common/js/tiny_mce/themes/advanced/langs/en.js
- http://griffinwwnh826.angelfire.com/adm/common/js/tiny_mce/langs/en.js

- http://griffinwwnh826.angelfire.com/adm/common/js/tiny_mce/plugins/emotions/editor_plugi n.js
- http://griffinwwnh826.angelfire.com/adm/common/js/tiny_mce/plugins/emotions/langs/en.js
- http://griffinwwnh826.angelfire.com/adm/common/js/tiny_mce/plugins/spellchecker/editor_pl ugin.js
- http://griffinwwnh826.angelfire.com/adm/common/js/tiny_mce/plugins/spellchecker/langs/en. js
- http://griffinwwnh826.angelfire.com/adm/common/js/tiny_mce/plugins/noneditable/editor_plugin.js
- http://griffinwwnh826.angelfire.com/adm/common/js/tiny_mce/plugins/paste/editor_plugin.js
- http://griffinwwnh826.angelfire.com/adm/common/js/tiny_mce/plugins/paste/langs/en.js
- http://griffinwwnh826.angelfire.com/adm/common/js/tiny_mce/plugins/fullscreen/editor_plugi n.js
- http://griffinwwnh826.angelfire.com/adm/common/js/tiny_mce/plugins/fullscreen/langs/en.js
- http://griffinwwnh826.angelfire.com/adm/common/js/tiny_mce/plugins/insertdatetime/editor_ plugin.js
- http://griffinwwnh826.angelfire.com/adm/common/js/tiny_mce/plugins/insertdatetime/langs/ en.js

Optimize CSS Delivery of the following:

- http://griffinwwnh826.angelfire.com/style.css
- http://griffinwwnh826.angelfire.com/adm/common/js/tiny_mce/themes/advanced/css/editor_ ui.css

Consider Fixing:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

<u>Enable compression</u> for the following resources to reduce their transfer size by 21.4KiB (66% reduction).

- Compressing http://griffinwwnh826.angelfire.com/ could save 20.9KiB (67% reduction).
- Compressing http://griffinwwnh826.angelfire.com/adm/common/js/tiny_mce/plugins/spellche cker/langs/en.js could save 173B (43% reduction).
- Compressing http://griffinwwnh826.angelfire.com/adm/common/js/tiny_mce/plugins/emotions/langs/en.js could save 171B (39% reduction).
- Compressing http://griffinwwnh826.angelfire.com/adm/common/js/tiny_mce/plugins/paste/langs/en.js could save 159B (43% reduction).

Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

Minify HTML for the following resources to reduce their size by 4.3KiB (14% reduction).

- Minifying http://griffinwwnh826.angelfire.com/ could save 4.2KiB (14% reduction).
- Minifying http://griffinwwnh826.angelfire.com/adm/ad/footerAd.iframe.html could save 138B (11% reduction) after compression.

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

<u>Minify JavaScript</u> for the following resources to reduce their size by 16.1KiB (25% reduction).

- Minifying http://griffinwwnh826.angelfire.com/adm/common/js/tiny_mce/tiny_mce.js could save 13KiB (26% reduction) after compression.
- Minifying http://griffinwwnh826.angelfire.com/adm/common/js/prototype.js could save 2.1KiB (21% reduction) after compression.
- Minifying

http://griffinwwnh826.angelfire.com/adm/common/js/dialog.js?cachebust=1579078999423& could save 748B (33% reduction) after compression.

• Minifying http://griffinwwnh826.angelfire.com/adm/blog/js/blogtools.js could save 275B (24% reduction) after compression.

Optimize images

Properly formatting and compressing images can save many bytes of data.

Optimize the following images to reduce their size by 95.5KiB (61% reduction).

- Compressing http://ly.lygo.net/ly/tripod/lotto/ground_1.jpg could save 56.1KiB (72% reduction).
- Compressing http://ly.lygo.net/ly/tripod/lotto/Freelotto-300x250_1.jpg could save 11.9KiB (52% reduction).
- Compressing http://ly.lygo.net/ly/tripod/lotto/pic2.jpg could save 11.1KiB (54% reduction).
- Compressing http://ly.lygo.net/ly/tripod/lotto/pic1.jpg could save 8.4KiB (51% reduction).
- Compressing http://griffinwwnh826.angelfire.com/adm/ad/angelfire-freeAd.jpg could save 4.3KiB (40% reduction).
- Compressing http://griffinwwnh826.angelfire.com/adm/ad/angelfire-freeAd2.jpg could save 3.6KiB (42% reduction).

🛂 4 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about avoiding landing page redirects.

Reduce server response time

Your server responded quickly. Learn more about server response time optimization.

Minify CSS

Your CSS is minified. Learn more about minifying CSS.

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about <u>prioritizing visible</u> <u>content</u>.

64 / 100 User Experience

Should Fix:

Configure the viewport

Your page does not have a viewport specified. This causes mobile devices to render your page as it would appear on a desktop browser, scaling it down to fit on a mobile screen. Configure a viewport to allow your page to render properly on all devices.

Configure a viewport for this page.

Use legible font sizes

The following text on your page renders in a way that may be difficult for some of your visitors to read. <u>Use legible font sizes</u> to provide a better user experience.

The following text fragments have a small font size. Increase the font size to make them more legible.

- FREE DAILY SWEEPSTAKES renders only 5 pixels tall (12 CSS pixels) final.
- CLICK TO PLAY renders only 5 pixels tall (12 CSS pixels) final.

- ! renders only 5 pixels tall (12 CSS pixels) final.
- \$11 MILLION renders only 7 pixels tall (19 CSS pixels) final.
- + renders only 7 pixels tall (19 CSS pixels) final.
- DAILY PRIZES renders only 7 pixels tall (19 CSS pixels) final.
- undefined renders only 6 pixels tall (16 CSS pixels) final.
- « renders only 4 pixels tall (10 CSS pixels) final.
- November 2019 and 7 others render only 4 pixels tall (10 CSS pixels) final.
- » renders only 4 pixels tall (10 CSS pixels) final.
- 1 and 2 others render only 4 pixels tall (10 CSS pixels) final.
- 4 renders only 4 pixels tall (10 CSS pixels) final.
- 10 and 25 others render only 4 pixels tall (10 CSS pixels) final.
- Entries by Topic and 4 others render only 4 pixels tall (11 CSS pixels) final.
- http://query.n...eep fat fryers and 15 others render only 4 pixels tall (11 CSS pixels) final.
- You are not logged in. renders only 4 pixels tall (11 CSS pixels) final.
- The master blog 9753 renders only 6 pixels tall (16 CSS pixels) final.
- Tuesday, 29 October 2019 renders only 5 pixels tall (14 CSS pixels) final.
- How to Win Big...ryers Industry renders only 4 pixels tall (11 CSS pixels) final.
- What Everybody...oing Different and 11 others render only 7 pixels tall (17 CSS pixels) final.
- Regardless of...your cooking. and 32 others render only 4 pixels tall (11 CSS pixels) final.
- https://deep-f...essure-fryers/ renders only 4 pixels tall (11 CSS pixels) final.
- Posted by grif...t 10:17 PM EDT and 2 others render only 3 pixels tall (9 CSS pixels).
- Share This Post and 2 others render only 3 pixels tall (9 CSS pixels).
- Newer | Latest | Older renders only 4 pixels tall (11 CSS pixels).
- FREE DAILY SWEEPSTAKES renders only 5 pixels tall (13 CSS pixels).
- CLICK TO PLAY renders only 5 pixels tall (13 CSS pixels).
- ! renders only 5 pixels tall (13 CSS pixels).
- \$11MILLION renders only 8 pixels tall (20 CSS pixels).
- + renders only 8 pixels tall (20 CSS pixels).

- DAILY PRIZES renders only 8 pixels tall (20 CSS pixels).
- FREE DAILY SWEEPSTAKES renders only 5 pixels tall (12 CSS pixels).
- CLICK TO PLAY renders only 5 pixels tall (12 CSS pixels).
- ! renders only 5 pixels tall (12 CSS pixels).
- \$11 MILLION renders only 7 pixels tall (19 CSS pixels).
- + renders only 7 pixels tall (19 CSS pixels).
- DAILY PRIZES renders only 7 pixels tall (19 CSS pixels).

Consider Fixing:

Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider making these tap targets larger to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target All topics and 14 others are close to other tap targets final.
- The tap target Permalink is close to 2 other tap targets.

2 Passed Rules

Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of <u>avoiding plugins</u>.

Size content to viewport

The contents of your page fit within the viewport. Learn more about sizing content to the viewport.

Desktop





Consider Fixing:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

Enable compression for the following resources to reduce their transfer size by 21.4KiB (66% reduction).

- Compressing http://griffinwwnh826.angelfire.com/ could save 20.9KiB (67% reduction).
- Compressing http://griffinwwnh826.angelfire.com/adm/common/js/tiny_mce/plugins/spellche cker/langs/en.js could save 173B (43% reduction).
- Compressing http://griffinwwnh826.angelfire.com/adm/common/js/tiny_mce/plugins/emotions/langs/en.js could save 171B (39% reduction).
- Compressing http://griffinwwnh826.angelfire.com/adm/common/js/tiny_mce/plugins/paste/langs/en.js could save 159B (43% reduction).

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

<u>Leverage browser caching</u> for the following cacheable resources:

- http://griffinwwnh826.angelfire.com/adm/ad/angelfire-freeAd.jpg (expiration not specified)
- http://griffinwwnh826.angelfire.com/adm/ad/angelfire-freeAd2.jpg (expiration not specified)
- http://ly.lygo.com/ly/s.gif (expiration not specified)
- http://ly.lygo.net/ly/tripod/lotto/Freelotto-300x250_1.jpg (expiration not specified)
- http://ly.lygo.net/ly/tripod/lotto/ground_1.jpg (expiration not specified)
- http://ly.lygo.net/ly/tripod/lotto/pic1.jpg (expiration not specified)
- http://ly.lygo.net/ly/tripod/lotto/pic2.jpg (expiration not specified)
- http://sp-log.lycos.com/af_cm.gif (expiration not specified)
- http://www.googletagservices.com/tag/js/gpt.js (15 minutes)
- https://s0.2mdn.net/ads/studio/Enabler.js (15 minutes)
- http://www.google-analytics.com/ga.js (2 hours)
- https://i.ytimg.com/vi/4_NFutiFMaY/hqdefault.jpg (2 hours)
- https://i.ytimg.com/vi/a0AghPolLa0/hqdefault.jpg (2 hours)
- https://i.ytimg.com/vi/t31pXSW_qgs/hqdefault.jpg (2 hours)
- http://scripts.lycos.com/catman/init.js (6 hours)
- http://scripts.lycos.com/catman3/code/angelfire.lycos.com/memberembedded.js (6 hours)

Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many

bytes of data and speed up download and parse times.

Minify HTML for the following resources to reduce their size by 4.3KiB (14% reduction).

- Minifying http://griffinwwnh826.angelfire.com/ could save 4.2KiB (14% reduction).
- Minifying http://griffinwwnh826.angelfire.com/adm/ad/footerAd.iframe.html could save 138B (11% reduction) after compression.

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

Minify JavaScript for the following resources to reduce their size by 16.1KiB (25% reduction).

- Minifying http://griffinwwnh826.angelfire.com/adm/common/js/tiny_mce/tiny_mce.js could save 13KiB (26% reduction) after compression.
- Minifying http://griffinwwnh826.angelfire.com/adm/common/js/prototype.js could save 2.1KiB (21% reduction) after compression.
- Minifying http://griffinwwnh826.angelfire.com/adm/common/js/dialog.js?cachebust=1579079004086& could save 748B (33% reduction) after compression.
- Minifying http://griffinwwnh826.angelfire.com/adm/blog/js/blogtools.js could save 275B (24% reduction) after compression.

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 19 blocking script resources and 2 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

Remove render-blocking JavaScript:

- http://griffinwwnh826.angelfire.com/adm/common/js/prototype.js
- http://griffinwwnh826.angelfire.com/adm/blog/js/blogtools.js
- http://scripts.lycos.com/catman/init.js
- http://scripts.lycos.com/catman3/code/angelfire.lycos.com/memberembedded.js
- http://griffinwwnh826.angelfire.com/adm/common/js/tiny_mce/tiny_mce.js
- http://griffinwwnh826.angelfire.com/adm/common/js/tiny_mce/themes/advanced/editor_tem plate.js
- http://griffinwwnh826.angelfire.com/adm/common/js/tiny_mce/themes/advanced/langs/en.js
- http://griffinwwnh826.angelfire.com/adm/common/js/tiny_mce/langs/en.js
- http://griffinwwnh826.angelfire.com/adm/common/js/tiny_mce/plugins/emotions/editor_plugi n.js
- http://griffinwwnh826.angelfire.com/adm/common/js/tiny_mce/plugins/emotions/langs/en.js
- http://griffinwwnh826.angelfire.com/adm/common/js/tiny_mce/plugins/spellchecker/editor_plugin.js
- http://griffinwwnh826.angelfire.com/adm/common/js/tiny_mce/plugins/spellchecker/langs/en. js
- http://griffinwwnh826.angelfire.com/adm/common/js/tiny_mce/plugins/noneditable/editor_plugin.js
- http://griffinwwnh826.angelfire.com/adm/common/js/tiny_mce/plugins/paste/editor_plugin.js
- http://griffinwwnh826.angelfire.com/adm/common/js/tiny_mce/plugins/paste/langs/en.js
- http://griffinwwnh826.angelfire.com/adm/common/js/tiny_mce/plugins/fullscreen/editor_plugi n.js
- http://griffinwwnh826.angelfire.com/adm/common/js/tiny_mce/plugins/fullscreen/langs/en.js
- http://griffinwwnh826.angelfire.com/adm/common/js/tiny_mce/plugins/insertdatetime/editor_ plugin.js
- http://griffinwwnh826.angelfire.com/adm/common/js/tiny_mce/plugins/insertdatetime/langs/ en.js

Optimize CSS Delivery of the following:

- http://griffinwwnh826.angelfire.com/style.css
- http://griffinwwnh826.angelfire.com/adm/common/js/tiny_mce/themes/advanced/css/editor_ ui.css

Optimize images

Properly formatting and compressing images can save many bytes of data.

Optimize the following images to reduce their size by 95.5KiB (61% reduction).

- Compressing http://ly.lygo.net/ly/tripod/lotto/ground_1.jpg could save 56.1KiB (72% reduction).
- Compressing http://ly.lygo.net/ly/tripod/lotto/Freelotto-300x250_1.jpg could save 11.9KiB (52% reduction).
- Compressing http://ly.lygo.net/ly/tripod/lotto/pic2.jpg could save 11.1KiB (54% reduction).
- Compressing http://ly.lygo.net/ly/tripod/lotto/pic1.jpg could save 8.4KiB (51% reduction).
- Compressing http://griffinwwnh826.angelfire.com/adm/ad/angelfire-freeAd.jpg could save 4.3KiB (40% reduction).
- Compressing http://griffinwwnh826.angelfire.com/adm/ad/angelfire-freeAd2.jpg could save 3.6KiB (42% reduction).

🔽 4 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about avoiding landing page redirects.

Reduce server response time

Your server responded quickly. Learn more about <u>server response time optimization</u>.

Minify CSS

Your CSS is minified. Learn more about minifying CSS.

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about <u>prioritizing visible</u> <u>content</u>.