

PageSpeed Insights

Mobile



48 / 100 Speed

Should Fix:

Avoid landing page redirects

Your page has 2 redirects. Redirects introduce additional delays before the page can be loaded.

[Avoid landing page redirects](#) for the following chain of redirected URLs.

- <http://i2i.jp/>
- <http://www.i2i.jp/>
- <http://s.i2i.jp/>

Leverage browser caching

Mobile

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <http://s.i2i.jp/css/jquery.mobile.override.css> (expiration not specified)
- http://s.i2i.jp/img/i2i_icon_head.png (expiration not specified)
- <http://s.i2i.jp/img/toolBtn.png> (expiration not specified)
- <http://s.i2i.jp/img/toolBtnAfter.png> (expiration not specified)
- <http://s.i2i.jp/img/toolBtnBefore.png> (expiration not specified)
- <http://s.i2i.jp/img/toolBtnBeforeArr.png> (expiration not specified)
- http://s.i2i.jp/img/top_hajimete.png (expiration not specified)
- http://s.i2i.jp/img/top_sinkinew.png (expiration not specified)
- <http://s.i2i.jp/js/common.js> (expiration not specified)
- <http://s.i2i.jp/js/jquery.mobile.config.js> (expiration not specified)
- <http://www.i2i.jp/css/reset.css> (expiration not specified)
- http://ac8.i2i.jp/bin/2nd_gets.php?00710687 (10 minutes)
- http://img.i2i.jp/service/common/img/ac_icon150.png (60 minutes)
- http://img.i2i.jp/service/common/img/cc_icon150.png (60 minutes)
- http://img.i2i.jp/service/common/img/ch_icon150.png (60 minutes)
- http://img.i2i.jp/service/common/img/check_icon150.png (60 minutes)
- http://img.i2i.jp/service/common/img/flash_icon150.png (60 minutes)
- http://img.i2i.jp/service/common/img/rank_icon150.png (60 minutes)
- http://img.i2i.jp/service/common/img/rc_icon150.png (60 minutes)
- http://img.i2i.jp/service/common/img/setu_icon150.png (60 minutes)
- http://img.i2i.jp/service/common/img/sogo_icon150.png (60 minutes)
- http://img.i2i.jp/service/common/img/sr_icon150.png (60 minutes)
- <http://www.google.com/jsapi> (60 minutes)
- <http://www.google-analytics.com/ga.js> (2 hours)

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 8 blocking script resources and 3 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <http://www.google.com/jsapi>
- <http://ajax.googleapis.com/ajax/libs/jquery/1.7.1/jquery.min.js>
- <http://s.i2i.jp/js/common.js>
- <http://s.i2i.jp/js/jquery.mobile.config.js>
- <http://code.jquery.com/mobile/1.0a3/jquery.mobile-1.0a3.min.js>
- http://ac8.i2i.jp/bin/2nd_gets.php?00710687
- http://ac8.i2i.jp/bin/rows.php?idname=00710687&gid=66.249.88.158.1478516474&uq=1&ac=1&usra=Mozilla%2F5.0%20%28Linux%3B%20Android%206.0.1%3B%20Nexus%205X%20Build%2FMMB29P%29%20AppleWebKit%2F537.36%20%28KHTML%2C%20like%20Gecko%3B%20Google%20Page%20Speed%20Insights%29%20Chrome%2F27.0.1453%20Mobile%20Safari%2F537.36&reff=&url=http%3A%2F%2Fs.i2i.jp%2F&etitle=i2i%u7121%u6599%u30EC%u30F3%u30BF%u30EBweb%u30D1%u30FC%u30C4&rt=732:412&vd=no_date&vc=1

[Use asynchronous versions](#) of the following scripts:

- <http://www.google-analytics.com/ga.js>

[Optimize CSS Delivery](#) of the following:

- <http://www.i2i.jp/css/reset.css>
- <http://code.jquery.com/mobile/1.0a3/jquery.mobile-1.0a3.min.css>
- <http://s.i2i.jp/css/jquery.mobile.override.css>

Mobile

Consider Fixing:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 15.1KiB (74% reduction).

- Compressing <http://s.i2i.jp/css/jquery.mobile.override.css> could save 9.6KiB (77% reduction).
- Compressing <http://s.i2i.jp/> could save 5.5KiB (69% reduction).

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 2.9KiB (24% reduction).

- Minifying <http://s.i2i.jp/css/jquery.mobile.override.css> could save 2.9KiB (24% reduction).

Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

[Minify HTML](#) for the following resources to reduce their size by 1.5KiB (19% reduction).

- Minifying <http://s.i2i.jp/> could save 1.5KiB (19% reduction).

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 34.7KiB (25% reduction).

- Compressing http://s.i2i.jp/img/top_hajimete.png could save 5.3KiB (16% reduction).
- Compressing http://img.i2i.jp/service/common/img/ch_icon150.png could save 3.5KiB (27% reduction).
- Compressing http://img.i2i.jp/service/common/img/setu_icon150.png could save 3.4KiB (26% reduction).
- Compressing http://img.i2i.jp/service/common/img/ac_icon150.png could save 3.4KiB (29% reduction).
- Compressing http://img.i2i.jp/service/common/img/check_icon150.png could save 3.1KiB (29% reduction).
- Compressing http://img.i2i.jp/service/common/img/rank_icon150.png could save 2.8KiB (29% reduction).
- Compressing http://img.i2i.jp/service/common/img/sr_icon150.png could save 2.7KiB (27% reduction).
- Compressing http://img.i2i.jp/service/common/img/flash_icon150.png could save 2.7KiB (26% reduction).
- Compressing http://img.i2i.jp/service/common/img/rc_icon150.png could save 2.7KiB (29% reduction).
- Compressing http://img.i2i.jp/service/common/img/sogo_icon150.png could save 2.7KiB (26% reduction).
- Compressing http://img.i2i.jp/service/common/img/cc_icon150.png could save 2.5KiB (29% reduction).

Prioritize visible content

Your page requires additional network round trips to render the above-the-fold content. For best performance, reduce the amount of HTML needed to render above-the-fold content.

Mobile

The entire HTML response was not sufficient to render the above-the-fold content. This usually indicates that additional resources, loaded after HTML parsing, were required to render above-the-fold content. [Prioritize visible content](#) that is needed for rendering above-the-fold by including it directly in the HTML response.

- Only about 50% of the final above-the-fold content could be rendered with the full HTML response snapshot:11.



2 Passed Rules

Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

Minify JavaScript

Your JavaScript content is minified. Learn more about [minifying JavaScript](#).

100 / 100 User Experience



5 Passed Rules

Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

Configure the viewport

Your page specifies a viewport matching the device's size, which allows it to render properly on all devices. Learn more about [configuring viewports](#).

Mobile

Size content to viewport

The contents of your page fit within the viewport. Learn more about [sizing content to the viewport](#).

Size tap targets appropriately

All of your page's links/buttons are large enough for a user to easily tap on a touchscreen. Learn more about [sizing tap targets appropriately](#).

Use legible font sizes

The text on your page is legible. Learn more about [using legible font sizes](#).

Desktop



57 / 100 Speed

Should Fix:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Desktop](#)

[Enable compression](#) for the following resources to reduce their transfer size by 135.4KiB (70% reduction).

- Compressing <http://img.i2i.jp/service/common/js/jquery.js> could save 69.5KiB (64% reduction).
- Compressing http://img.i2i.jp/service/common/css/o_base.css could save 25.4KiB (81% reduction).
- Compressing <http://www.i2i.jp/> could save 22KiB (76% reduction).
- Compressing http://img.i2i.jp/service/common/js/o_base.js could save 8.8KiB (85% reduction).
- Compressing <http://raw.mobalyzer.net/sp/inc.js?> could save 7.4KiB (72% reduction).
- Compressing <http://img.i2i.jp/service/common/js/common.js> could save 1.2KiB (66% reduction).
- Compressing <http://img.i2i.jp/service/common/js/logincheck.js> could save 1.1KiB (62% reduction).

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- http://ac8.i2i.jp/bin/2nd_gets.php?00710687 (10 minutes)
- http://img.i2i.jp/service/common/css/o_base.css (30 minutes)
- <http://img.i2i.jp/service/common/js/common.js> (30 minutes)
- <http://img.i2i.jp/service/common/js/jquery.js> (30 minutes)
- <http://img.i2i.jp/service/common/js/logincheck.js> (30 minutes)
- http://img.i2i.jp/service/common/js/o_base.js (30 minutes)
- <https://apis.google.com/js/plusone.js> (30 minutes)
- http://img.i2i.jp/service/common/img/ac_icon100.png (60 minutes)
- http://img.i2i.jp/service/common/img/ac_icon150.png (60 minutes)
- http://img.i2i.jp/service/common/img/ads_icon100.png (60 minutes)

Desktop

- http://img.i2i.jp/service/common/img/b_back.png (60 minutes)
- http://img.i2i.jp/service/common/img/cc_icon100.png (60 minutes)
- http://img.i2i.jp/service/common/img/cc_icon150.png (60 minutes)
- http://img.i2i.jp/service/common/img/ch_icon100.png (60 minutes)
- http://img.i2i.jp/service/common/img/ch_icon150.png (60 minutes)
- http://img.i2i.jp/service/common/img/check_icon100.png (60 minutes)
- http://img.i2i.jp/service/common/img/check_icon150.png (60 minutes)
- http://img.i2i.jp/service/common/img/crowd_logo.png (60 minutes)
- http://img.i2i.jp/service/common/img/flash_icon100.png (60 minutes)
- http://img.i2i.jp/service/common/img/flash_icon150.png (60 minutes)
- http://img.i2i.jp/service/common/img/gamerch_logo.png (60 minutes)
- http://img.i2i.jp/service/common/img/head_haguruma.png (60 minutes)
- http://img.i2i.jp/service/common/img/head_hatena.png (60 minutes)
- http://img.i2i.jp/service/common/img/head_settei.png (60 minutes)
- http://img.i2i.jp/service/common/img/head_settei_out.png (60 minutes)
- http://img.i2i.jp/service/common/img/i2i_head.png (60 minutes)
- http://img.i2i.jp/service/common/img/i2i_head2.png (60 minutes)
- http://img.i2i.jp/service/common/img/i2i_icon.gif (60 minutes)
- http://img.i2i.jp/service/common/img/i2i_icon_footer.png (60 minutes)
- http://img.i2i.jp/service/common/img/i2i_icon_text.png (60 minutes)
- http://img.i2i.jp/service/common/img/i2ipoint_logo.png (60 minutes)
- http://img.i2i.jp/service/common/img/new_ban.png (60 minutes)
- http://img.i2i.jp/service/common/img/rank_icon100.png (60 minutes)
- http://img.i2i.jp/service/common/img/rank_icon150.png (60 minutes)
- http://img.i2i.jp/service/common/img/rc_icon100.png (60 minutes)
- http://img.i2i.jp/service/common/img/rc_icon150.png (60 minutes)
- http://img.i2i.jp/service/common/img/riyou_site.png (60 minutes)
- <http://img.i2i.jp/service/common/img/rss.png> (60 minutes)

Desktop

- http://img.i2i.jp/service/common/img/setu_icon100.png (60 minutes)
- http://img.i2i.jp/service/common/img/setu_icon150.png (60 minutes)
- <http://img.i2i.jp/service/common/img/smo.png> (60 minutes)
- http://img.i2i.jp/service/common/img/sogo_icon100.png (60 minutes)
- http://img.i2i.jp/service/common/img/sogo_icon150.png (60 minutes)
- http://img.i2i.jp/service/common/img/sr_icon100.png (60 minutes)
- http://img.i2i.jp/service/common/img/sr_icon150.png (60 minutes)
- <http://img.i2i.jp/service/common/img/titleback.png> (60 minutes)
- http://img.i2i.jp/service/common/img/top_hajimete.png (60 minutes)
- http://img.i2i.jp/service/common/img/top_sinkinew.png (60 minutes)
- http://img.i2i.jp/service/common/img/wazap_logo.png (60 minutes)
- http://img.i2i.jp/service/www/whats/top_ac.png (60 minutes)
- http://img.i2i.jp/service/www/whats/top_ar.png (60 minutes)
- http://img.i2i.jp/service/www/whats/top_cc.png (60 minutes)
- http://img.i2i.jp/service/www/whats/top_ch.png (60 minutes)
- http://img.i2i.jp/service/www/whats/top_flash.png (60 minutes)
- http://img.i2i.jp/service/www/whats/top_jun.png (60 minutes)
- http://img.i2i.jp/service/www/whats/top_seo.png (60 minutes)
- http://img.i2i.jp/service/www/whats/top_sogo.png (60 minutes)
- http://img.i2i.jp/service/www/whats/top_sr.png (60 minutes)
- http://img.i2i.jp/www/admin/top/rc_new.png (60 minutes)
- <http://img.i2i.jp/www/payment/chargebotton.png> (60 minutes)
- <http://img.i2i.jp/www/payment/topcharge.png> (60 minutes)
- <http://www.google-analytics.com/ga.js> (2 hours)

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Desktop

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 141.6KiB (40% reduction).

- Compressing and resizing http://img.i2i.jp/service/common/img/setu_icon150.png could save 10.1KiB (77% reduction).
- Compressing and resizing http://img.i2i.jp/service/common/img/ch_icon150.png could save 9.7KiB (75% reduction).
- Compressing and resizing http://img.i2i.jp/service/common/img/ac_icon150.png could save 9.3KiB (77% reduction).
- Compressing http://img.i2i.jp/www/admin/top/rc_new.png could save 9KiB (12% reduction).
- Compressing and resizing http://img.i2i.jp/service/common/img/check_icon150.png could save 8.5KiB (78% reduction).
- Compressing and resizing http://img.i2i.jp/service/common/img/flash_icon150.png could save 8.4KiB (79% reduction).
- Compressing and resizing http://img.i2i.jp/service/common/img/sr_icon150.png could save 8.2KiB (78% reduction).
- Compressing and resizing http://img.i2i.jp/service/common/img/sogo_icon150.png could save 8.1KiB (76% reduction).
- Compressing and resizing http://img.i2i.jp/service/common/img/rank_icon150.png could save 7.9KiB (78% reduction).
- Compressing and resizing http://img.i2i.jp/service/common/img/rc_icon150.png could save 7.6KiB (79% reduction).
- Compressing and resizing http://img.i2i.jp/service/common/img/cc_icon150.png could save 6.6KiB (75% reduction).
- Compressing <http://img.i2i.jp/www/payment/topcharge.png> could save 5.9KiB (43% reduction).
- Compressing http://img.i2i.jp/service/common/img/new_ban.png could save 5.6KiB (21% reduction).
- Compressing http://img.i2i.jp/service/www/whats/top_flash.png could save 3KiB (47% reduction).
- Compressing http://img.i2i.jp/service/common/img/riyou_site.png could save 3KiB (38% reduction).
- Compressing http://img.i2i.jp/service/www/whats/top_cc.png could save 2.8KiB (45% reduction).

Desktop

- Compressing http://img.i2i.jp/service/www/whats/top_jun.png could save 2.8KiB (15% reduction).
- Compressing <http://img.i2i.jp/service/common/img/smo.png> could save 2.7KiB (53% reduction).
- Compressing http://img.i2i.jp/service/common/img/ch_icon100.png could save 2.2KiB (30% reduction).
- Compressing http://img.i2i.jp/service/common/img/setu_icon100.png could save 2KiB (27% reduction).
- Compressing http://img.i2i.jp/service/common/img/ac_icon100.png could save 1.9KiB (30% reduction).
- Compressing http://img.i2i.jp/service/www/whats/top_seo.png could save 1.9KiB (11% reduction).
- Compressing http://img.i2i.jp/service/common/img/check_icon100.png could save 1.9KiB (32% reduction).
- Compressing http://img.i2i.jp/service/common/img/sogo_icon100.png could save 1.7KiB (29% reduction).
- Compressing http://img.i2i.jp/service/common/img/sr_icon100.png could save 1.6KiB (28% reduction).
- Compressing http://img.i2i.jp/service/common/img/flash_icon100.png could save 1.6KiB (28% reduction).
- Compressing http://img.i2i.jp/service/common/img/ads_icon100.png could save 1.5KiB (27% reduction).
- Compressing http://img.i2i.jp/service/common/img/rc_icon100.png could save 1.5KiB (28% reduction).
- Compressing http://img.i2i.jp/service/common/img/rank_icon100.png could save 1.5KiB (26% reduction).
- Compressing http://img.i2i.jp/service/common/img/cc_icon100.png could save 1.3KiB (24% reduction).
- Compressing http://img.i2i.jp/service/common/img/i2ipoint_logo.png could save 1.1KiB (45% reduction).
- Compressing http://img.i2i.jp/service/common/img/gamerch_logo.png could save 934B (37% reduction).

 Consider Fixing:

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 4.9KiB (16% reduction).

- Minifying http://img.i2i.jp/service/common/css/o_base.css could save 4.9KiB (16% reduction).

Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

[Minify HTML](#) for the following resources to reduce their size by 5.5KiB (20% reduction).

- Minifying <http://www.i2i.jp/> could save 5.5KiB (20% reduction).

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 7.8KiB (35% reduction).

- Minifying http://img.i2i.jp/service/common/js/o_base.js could save 3.5KiB (35% reduction).
- Minifying <http://raw.mobalyzer.net/sp/inc.js?> could save 3.4KiB (34% reduction).
- Minifying <http://img.i2i.jp/service/common/js/common.js> could save 858B (47% reduction).

Desktop



3 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).