


PageSpeed Insights

Mobile



53 / 100 Speed

Should Fix:

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 4 blocking script resources and 7 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <https://www.ibpsguide.com/wp-includes/js/jquery/jquery.js?ver=1.12.4>
- <https://www.ibpsguide.com/wp-includes/js/jquery/jquery-migrate.min.js?ver=1.4.1>
- <https://www.ibpsguide.com/wp-content/plugins/revslider/public/assets/js/jquery.themepunch.tools.min.js?ver=5.4.1>
- <https://www.ibpsguide.com/wp->

Mobile

content/plugins/revslider/public/assets/js/jquery.themepunch.revolution.min.js?ver=5.4.1

[Optimize CSS Delivery](#) of the following:

- <https://www.ibpsguide.com/wp-content/plugins/email-subscribers/widget/es-widget.css?ver=4.8.7>
- <https://www.ibpsguide.com/wp-content/plugins/revslider/public/assets/css/settings.css?ver=5.4.1>
- https://www.ibpsguide.com/wp-content/plugins/wp-pro-quiz/css/wpProQuiz_front.min.css?ver=0.38.1
- https://www.ibpsguide.com/wp-content/plugins/td-composer/css-live/assets/css/td_live_css_frontend.css?ver=4.8.7
- <https://fonts.googleapis.com/css?family=Open+Sans%3A300italic%2C400%2C400italic%2C600%2C600italic%2C700%7CRoboto%3A300%2C400%2C400italic%2C500%2C500italic%2C700%2C900&ver=8.0>
- <https://cdn.jsdelivrivr.net/fontawesome/4.7.0/css/font-awesome.min.css?ver=4.7.0>
- <https://www.ibpsguide.com/wp-content/themes/Newspaper/style.css?ver=8.0>

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 331.1KiB (52% reduction).

- Compressing and resizing <https://www.ibpsguide.com/wp-content/uploads/2018/04/Mobile-1024x278.png> could save 103.3KiB (93% reduction).
- Compressing <https://www.ibpsguide.com/wp-content/uploads/2018/05/300-x-300-copy.jpg> could save 75.6KiB (62% reduction).
- Compressing <https://www.ibpsguide.com/wp-content/uploads/2018/07/Header-copy.jpg> could save 51.7KiB (70% reduction).
- Compressing <https://www.ibpsguide.com/wp-content/uploads/2018/07/offer.jpg> could save 43.6KiB (61% reduction).
- Compressing https://tpc.googlesyndication.com/icore_images/10262962813227482637 could save 4.7KiB (23% reduction).
- Compressing https://tpc.googlesyndication.com/icore_images/5849709318186848464 could save 4.4KiB (26% reduction).

Mobile

- Compressing https://tpc.googlesyndication.com/icore_images/2045230300262425761 could save 4.2KiB (30% reduction).
- Compressing https://tpc.googlesyndication.com/icore_images/17948443103937243479 could save 3.9KiB (23% reduction).
- Compressing https://tpc.googlesyndication.com/icore_images/2470390783749735740 could save 3.9KiB (23% reduction).
- Compressing https://tpc.googlesyndication.com/icore_images/3602888635089957220 could save 3.5KiB (22% reduction).
- Compressing <https://www.ibpsguide.com/wp-content/uploads/2017/09/DI-218x150.jpg> could save 3.3KiB (32% reduction).
- Compressing https://tpc.googlesyndication.com/icore_images/7578606797345840574 could save 3.2KiB (23% reduction).
- Compressing https://tpc.googlesyndication.com/icore_images/7043195211612151891 could save 3.2KiB (18% reduction).
- Compressing <https://www.ibpsguide.com/wp-content/uploads/2018/07/JSLPS-Recruitment-218x150.jpg> could save 2KiB (25% reduction).
- Compressing <https://www.ibpsguide.com/wp-content/uploads/2018/06/Bol-218x150.jpg> could save 1.9KiB (25% reduction).
- Compressing https://tpc.googlesyndication.com/icore_images/12856757215605489631 could save 1.8KiB (16% reduction).
- Compressing <https://www.ibpsguide.com/wp-content/uploads/2018/07/TNMRB-Recruitment-218x150.jpg> could save 1.8KiB (24% reduction).
- Compressing <https://www.ibpsguide.com/wp-content/uploads/2018/07/APTET-Result-2018-218x150.jpg> could save 1.8KiB (22% reduction).
- Compressing https://tpc.googlesyndication.com/icore_images/10489489514878325099 could save 1.8KiB (25% reduction).
- Compressing <https://www.ibpsguide.com/wp-content/uploads/2018/07/Stenographer-218x150.jpg> could save 1.7KiB (22% reduction).
- Compressing <https://www.ibpsguide.com/wp-content/uploads/2018/07/UPSC-Preliminary-Result-2018-218x150.jpg> could save 1.7KiB (22% reduction).
- Compressing <https://www.ibpsguide.com/wp-content/uploads/2018/07/NABARD-Assistant-Result-218x150.jpg> could save 1.7KiB (22% reduction).
- Compressing https://tpc.googlesyndication.com/icore_images/17151500059237341051 could save 1.7KiB (25% reduction).
- Compressing <https://www.ibpsguide.com/wp-content/uploads/2017/10/A2Z-aps-1-copy-218x150.jpg> could save 1.5KiB (19% reduction).
- Compressing <https://www.ibpsguide.com/wp-content/uploads/2018/06/DMRC->

Mobile

Result-218x150.jpg could save 1.5KiB (14% reduction).

- Compressing <https://www.ibpsguide.com/wp-content/uploads/2018/07/cdac-recruitment-1-218x150.jpg> could save 1.3KiB (22% reduction).
- Compressing <https://tpc.googlesyndication.com/pagead/images/powered-by-google.png> could save 433B (30% reduction).

Consider Fixing:

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <https://widgets.getsitecontrol.com/128640/script.js> (5 seconds)
- <https://www.googletagmanager.com/gtag/js?id=UA-103559485-1> (15 minutes)
- <https://www.googletagmanager.com/gtm.js?id=GTM-TLXJKD7> (15 minutes)
- <https://pagead2.googlesyndication.com/pagead/js/adsbygoogle.js> (60 minutes)
- <https://www.googleadservices.com/pagead/conversion.js> (60 minutes)
- <https://www.google-analytics.com/analytics.js> (2 hours)
- <https://embed.tawk.to/5a9b60914b401e45400d625d/default> (3 hours)
- <https://www.ibpsguide.com/cdn-cgi/scripts/f2bf09f8/cloudflare-static/email-decode.min.js> (2 days)

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

Mobile

[Minify CSS](#) for the following resources to reduce their size by 563B (14% reduction).

- Minifying https://www.ibpsguide.com/wp-content/plugins/wp-pro-quiz/css/wpProQuiz_front.min.css?ver=0.38.1 could save 563B (14% reduction) after compression.

5 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Enable compression

You have compression enabled. Learn more about [enabling compression](#).

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

Minify JavaScript

Your JavaScript content is minified. Learn more about [minifying JavaScript](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).

99 / 100 User Experience

Consider Fixing:

Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider [making these tap targets larger](#) to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target `x` is close to 2 other tap targets final.
- The tap target `` is close to 1 other tap targets final.
- The tap target `` is close to 1 other tap targets final.
- The tap target `` is close to 1 other tap targets final.
- The tap target `AdChoices` is close to 1 other tap targets.



4 Passed Rules

Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

Configure the viewport

Your page specifies a viewport matching the device's size, which allows it to render properly on all devices. Learn more about [configuring viewports](#).

Size content to viewport


The contents of your page fit within the viewport. Learn more about [sizing content to the viewport](#).

Mobile

Use legible font sizes

The text on your page is legible. Learn more about [using legible font sizes](#).

Desktop



66 / 100 Speed

Should Fix:

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 4 blocking script resources and 7 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <https://www.ibpsguide.com/wp-includes/js/jquery/jquery.js?ver=1.12.4>
- <https://www.ibpsguide.com/wp-includes/js/jquery/jquery-migrate.min.js?ver=1.4.1>
- <https://www.ibpsguide.com/wp-content/plugins/revslider/public/assets/js/jquery.themepunch.tools.min.js?ver=5.4.1>

Desktop

- <https://www.ibpsguide.com/wp-content/plugins/revslider/public/assets/js/jquery.themepunch.revolution.min.js?ver=5.4.1>

[Optimize CSS Delivery](#) of the following:

- <https://www.ibpsguide.com/wp-content/plugins/email-subscribers/widget/es-widget.css?ver=4.8.7>
- <https://www.ibpsguide.com/wp-content/plugins/revslider/public/assets/css/settings.css?ver=5.4.1>
- https://www.ibpsguide.com/wp-content/plugins/wp-pro-quiz/css/wpProQuiz_front.min.css?ver=0.38.1
- https://www.ibpsguide.com/wp-content/plugins/td-composer/css-live/assets/css/td_live_css_frontend.css?ver=4.8.7
- <https://fonts.googleapis.com/css?family=Open+Sans%3A300italic%2C400%2C400italic%2C600%2C600italic%2C700%7CRoboto%3A300%2C400%2C400italic%2C500%2C500italic%2C700%2C900&ver=8.0>
- <https://cdn.jsdelivrivr.net/fontawesome/4.7.0/css/font-awesome.min.css?ver=4.7.0>
- <https://www.ibpsguide.com/wp-content/themes/Newspaper/style.css?ver=8.0>

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 274.1KiB (67% reduction).

- Compressing and resizing <https://www.ibpsguide.com/wp-content/uploads/2018/04/Mobile-1024x278.png> could save 96.3KiB (87% reduction).
- Compressing <https://www.ibpsguide.com/wp-content/uploads/2018/05/300-x-300-copy.jpg> could save 75.6KiB (62% reduction).
- Compressing <https://www.ibpsguide.com/wp-content/uploads/2018/07/Header-copy.jpg> could save 51.7KiB (70% reduction).
- Compressing <https://www.ibpsguide.com/wp-content/uploads/2018/07/offer.jpg> could save 43.6KiB (61% reduction).
- Compressing <https://www.ibpsguide.com/wp-content/uploads/2017/09/DI-100x70.jpg> could save 1.1KiB (31% reduction).
- Compressing <https://www.ibpsguide.com/wp-content/uploads/2018/07/JSLPS->

Desktop

Recruitment-100x70.jpg could save 751B (27% reduction).

- Compressing <https://www.ibpsguide.com/wp-content/uploads/2018/07/Stenographer-100x70.jpg> could save 725B (26% reduction).
- Compressing <https://www.ibpsguide.com/wp-content/uploads/2018/07/TNMRB-Recruitment-100x70.jpg> could save 690B (25% reduction).
- Compressing <https://www.ibpsguide.com/wp-content/uploads/2018/07/NABARD-Assistant-Result-100x70.jpg> could save 670B (25% reduction).
- Compressing <https://www.ibpsguide.com/wp-content/uploads/2018/07/APTET-Result-2018-100x70.jpg> could save 659B (24% reduction).
- Compressing <https://www.ibpsguide.com/wp-content/uploads/2018/07/UPSC-Preliminary-Result-2018-100x70.jpg> could save 639B (23% reduction).
- Compressing <https://www.ibpsguide.com/wp-content/uploads/2018/06/BoI-100x70.jpg> could save 554B (22% reduction).
- Compressing <https://www.ibpsguide.com/wp-content/uploads/2018/06/DMRC-Result-100x70.jpg> could save 481B (15% reduction).
- Compressing <https://www.ibpsguide.com/wp-content/uploads/2017/10/A2Z-aps-1-copy-100x70.jpg> could save 444B (17% reduction).
- Compressing <https://www.ibpsguide.com/wp-content/uploads/2018/07/cdac-recruitment-1-100x70.jpg> could save 342B (18% reduction).

Consider Fixing:

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <https://widgets.getsitecontrol.com/128640/script.js> (5 seconds)
- <https://www.googletagmanager.com/gtag/js?id=UA-103559485-1> (15 minutes)
- <https://www.googletagmanager.com/gtm.js?id=GTM-TLXJKD7> (15 minutes)
- <https://pagead2.googlesyndication.com/pagead/js/adsbygoogle.js> (60 minutes)

Desktop

- <https://www.googleadservices.com/pagead/conversion.js> (60 minutes)
- <https://www.google-analytics.com/analytics.js> (2 hours)
- <https://embed.tawk.to/5a9b60914b401e45400d625d/default> (3 hours)
- <https://www.ibpsguide.com/cdn-cgi/scripts/f2bf09f8/cloudflare-static/email-decode.min.js> (2 days)

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 563B (14% reduction).

- Minifying https://www.ibpsguide.com/wp-content/plugins/wp-pro-quiz/css/wpProQuiz_front.min.css?ver=0.38.1 could save 563B (14% reduction) after compression.



5 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Enable compression

You have compression enabled. Learn more about [enabling compression](#).

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

Desktop

Minify JavaScript

Your JavaScript content is minified. Learn more about [minifying JavaScript](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).