

PageSpeed Insights

Mobile

www.office.com/setup
OFFICE SETUP & SUPPORT

www.Office.com/setu
p in UK



www.Office.com/setup –
Office 2016 & Microsoft
office 365 setup

www.Office.com/setup – Available in 35 different
languages and is widely supported by Windows,
Mac and most of the Linux variants. Microsoft

Privacy & Cookies: This site uses cookies. By continuing to use this website,
you agree to their use
To find out more, including how to control cookies, see here: [Cookie Policy](#)

Close and accept

increase the productivity of offices, companies,

54 / 100 Speed

Should Fix:

Avoid landing page redirects

Your page has 2 redirects. Redirects introduce additional delays before the page can be loaded.

[Avoid landing page redirects](#) for the following chain of redirected URLs.

- <http://m-www-office.uk/>
- <https://m-www-office.uk/>
- <https://www.m-www-office.uk/>

Enable compression

Mobile

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 152.1KiB (75% reduction).

- Compressing <https://www.m-www-office.uk/wp-content/themes/event/style.css?ver=5.2.2> could save 60.3KiB (80% reduction).
- Compressing <https://www.m-www-office.uk/> could save 26.7KiB (73% reduction).
- Compressing <https://www.m-www-office.uk/wp-content/themes/event/assets/font-awesome/css/font-awesome.min.css?ver=5.2.2> could save 23.4KiB (77% reduction).
- Compressing <https://www.m-www-office.uk/wp-content/themes/event/js/jquery.flexslider.js?ver=5.2.2> could save 18.5KiB (71% reduction).
- Compressing <https://www.m-www-office.uk/wp-includes/js/wp-emoji-release.min.js?ver=5.2.2> could save 9KiB (66% reduction).
- Compressing <https://www.m-www-office.uk/wp-content/themes/event/css/responsive.css?ver=5.2.2> could save 8.4KiB (77% reduction).
- Compressing <https://www.m-www-office.uk/wp-content/themes/event/assets/sticky/jquery.sticky.min.js?ver=5.2.2> could save 2.8KiB (65% reduction).
- Compressing <https://www.m-www-office.uk/wp-content/themes/event/js/navigation.js?ver=5.2.2> could save 908B (58% reduction).
- Compressing https://www.m-www-office.uk/wp-content/plugins/wp-pipes/assets/js/call_pipe.js?ver=5.2.2 could save 904B (55% reduction).
- Compressing <https://www.m-www-office.uk/wp-content/themes/event/js/event-main.js?ver=5.2.2> could save 796B (61% reduction).
- Compressing <https://www.m-www-office.uk/wp-content/themes/event/js/event-flexslider-setting.js?ver=5.2.2> could save 435B (62% reduction).
- Compressing <https://www.m-www-office.uk/wp-content/themes/event/assets/sticky/sticky-settings.js?ver=5.2.2> could save 117B (38% reduction).

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 7 blocking script resources and 8 blocking CSS resources. This causes a delay in rendering your page.

Mobile

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- https://www.m-www-office.uk/wp-content/plugins/wp-pipes/assets/js/call_pipe.js?ver=5.2.2
- <https://c0.wp.com/c/5.2.2/wp-includes/js/jquery/jquery.js>
- <https://c0.wp.com/c/5.2.2/wp-includes/js/jquery/jquery-migrate.min.js>
- <https://www.m-www-office.uk/wp-content/themes/event/js/jquery.flexslider.js?ver=5.2.2>
- <https://www.m-www-office.uk/wp-content/themes/event/js/event-flexslider-setting.js?ver=5.2.2>
- https://c0.wp.com/p/jetpack/7.5.2/_inc/build/postmessage.min.js
- https://c0.wp.com/p/jetpack/7.5.2/_inc/build/jquery.jetpack-resize.min.js

[Optimize CSS Delivery](#) of the following:

- <https://c0.wp.com/c/5.2.2/wp-includes/css/dist/block-library/style.min.css>
- <https://www.m-www-office.uk/wp-content/themes/event/style.css?ver=5.2.2>
- <https://www.m-www-office.uk/wp-content/themes/event/assets/font-awesome/css/font-awesome.min.css?ver=5.2.2>
- <https://www.m-www-office.uk/wp-content/themes/event/css/responsive.css?ver=5.2.2>
- <https://fonts.googleapis.com/css?family=Roboto+Condensed%3A400%2C400italic%2C700%2C300&ver=5.2.2>
- <https://fonts.googleapis.com/css?family=Open+Sans%3A300italic%2C400italic%2C600italic%2C300%2C400%2C600&subset=latin%2Clatin-ext&ver=5.2.2>
- https://c0.wp.com/p/jetpack/7.5.2/_inc/social-logos/social-logos.min.css
- <https://c0.wp.com/p/jetpack/7.5.2/css/jetpack.css>



Consider Fixing:

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the

Mobile

browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <https://www.googletagmanager.com/gtag/js?id=UA-142330788-1> (15 minutes)
- <https://www.google-analytics.com/analytics.js> (2 hours)

Reduce server response time

In our test, your server responded in 0.22 seconds.

There are many factors that can slow down your server response time. [Please read our recommendations](#) to learn how you can monitor and measure where your server is spending the most time.

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 17.1KiB (21% reduction).

- Minifying <https://www.m-www-office.uk/wp-content/themes/event/style.css?ver=5.2.2> could save 14.9KiB (20% reduction).
- Minifying <https://www.m-www-office.uk/wp-content/themes/event/css/responsive.css?ver=5.2.2> could save 2.2KiB (21% reduction).

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

Mobile

[Minify JavaScript](#) for the following resources to reduce their size by 2.3KiB (24% reduction).

- Minifying <https://c0.wp.com/p/jetpack/7.5.2/modules/likes/queuehandler.js> could save 966B (29% reduction) after compression.
- Minifying https://c0.wp.com/p/jetpack/7.5.2/_inc/build/postmessage.min.js could save 747B (20% reduction) after compression.
- Minifying https://www.m-www-office.uk/wp-content/plugins/wp-pipes/assets/js/call_pipe.js?ver=5.2.2 could save 467B (29% reduction).
- Minifying https://c0.wp.com/p/jetpack/7.5.2/_inc/build/jquery.jetpack-resize.min.js could save 214B (20% reduction) after compression.



3 Passed Rules

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

Optimize images

Your images are optimized. Learn more about [optimizing images](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).

99 / 100 User Experience



Consider Fixing:

Mobile

Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider [making these tap targets larger](#) to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target `<button class="menu-toggle"></button>` is close to 1 other tap targets final.
- The tap target `Blogs` and 1 others are close to other tap targets.
- The tap target `Theme Freesia` is close to 1 other tap targets.



4 Passed Rules

Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

Configure the viewport

Your page specifies a viewport matching the device's size, which allows it to render properly on all devices. Learn more about [configuring viewports](#).

Size content to viewport

The contents of your page fit within the viewport. Learn more about [sizing content to the viewport](#).

Use legible font sizes

The text on your page is legible. Learn more about [using legible font sizes](#).

Mobile

Desktop



73 / 100 Speed

! Should Fix:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 152.1KiB (75% reduction).

- Compressing <https://www.m-www-office.uk/wp-content/themes/event/style.css?ver=5.2.2> could save 60.3KiB (80% reduction).
- Compressing <https://www.m-www-office.uk/> could save 26.7KiB (73% reduction).
- Compressing <https://www.m-www-office.uk/wp-content/themes/event/assets/font-awesome/css/font-awesome.min.css?ver=5.2.2> could save 23.4KiB (77% reduction).
- Compressing <https://www.m-www-office.uk/wp-content/themes/event/js/jquery.flexslider.js?ver=5.2.2> could save 18.5KiB (71% reduction).
- Compressing <https://www.m-www-office.uk/wp-includes/js/wp-emoji-release.min.js?ver=5.2.2> could save 9KiB (66% reduction).
- Compressing <https://www.m-www-office.uk/wp-content/themes/event/css/responsive.css?ver=5.2.2> could save 8.4KiB (77% reduction).
- Compressing <https://www.m-www-office.uk/wp-content/themes/event/assets/sticky/jquery.sticky.min.js?ver=5.2.2> could save 2.8KiB (65% reduction).

Desktop

reduction).

- Compressing <https://www.m-www-office.uk/wp-content/themes/event/js/navigation.js?ver=5.2.2> could save 908B (58% reduction).
- Compressing https://www.m-www-office.uk/wp-content/plugins/wp-pipes/assets/js/call_pipe.js?ver=5.2.2 could save 904B (55% reduction).
- Compressing <https://www.m-www-office.uk/wp-content/themes/event/js/event-main.js?ver=5.2.2> could save 796B (61% reduction).
- Compressing <https://www.m-www-office.uk/wp-content/themes/event/js/event-flexslider-setting.js?ver=5.2.2> could save 435B (62% reduction).
- Compressing <https://www.m-www-office.uk/wp-content/themes/event/assets/sticky/sticky-settings.js?ver=5.2.2> could save 117B (38% reduction).



Consider Fixing:

Avoid landing page redirects

Your page has 2 redirects. Redirects introduce additional delays before the page can be loaded.

[Avoid landing page redirects](#) for the following chain of redirected URLs.

- <http://m-www-office.uk/>
- <https://m-www-office.uk/>
- <https://www.m-www-office.uk/>

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

Desktop

- <https://www.googletagmanager.com/gtag/js?id=UA-142330788-1> (15 minutes)
- <https://www.google-analytics.com/analytics.js> (2 hours)

Reduce server response time

In our test, your server responded in 0.22 seconds.

There are many factors that can slow down your server response time. [Please read our recommendations](#) to learn how you can monitor and measure where your server is spending the most time.

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 17.1KiB (21% reduction).

- Minifying <https://www.m-www-office.uk/wp-content/themes/event/style.css?ver=5.2.2> could save 14.9KiB (20% reduction).
- Minifying <https://www.m-www-office.uk/wp-content/themes/event/css/responsive.css?ver=5.2.2> could save 2.2KiB (21% reduction).

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 2.3KiB (24% reduction).

- Minifying <https://c0.wp.com/p/jetpack/7.5.2/modules/likes/queuehandler.js> could save 966B

Desktop

(29% reduction) after compression.

- Minifying https://c0.wp.com/p/jetpack/7.5.2/_inc/build/postmessage.min.js could save 747B (20% reduction) after compression.
- Minifying https://www.m-www-office.uk/wp-content/plugins/wp-pipes/assets/js/call_pipe.js?ver=5.2.2 could save 467B (29% reduction).
- Minifying https://c0.wp.com/p/jetpack/7.5.2/_inc/build/jquery.jetpack-resize.min.js could save 214B (20% reduction) after compression.

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 1 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Optimize CSS Delivery](#) of the following:

- <https://c0.wp.com/c/5.2.2/wp-includes/css/dist/block-library/style.min.css>



3 Passed Rules

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

Optimize images

Your images are optimized. Learn more about [optimizing images](#).

Prioritize visible content

Desktop

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).