

Mobile



65 / 100 Speed

Should Fix:

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 19 blocking script resources and 2 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <http://manuel Frym432.angelfire.com/adm/common/js/prototype.js>
- <http://manuel Frym432.angelfire.com/adm/blog/js/blogtools.js>
- <http://scripts.lycos.com/catman/init.js>
- <http://scripts.lycos.com/catman3/code/angelfire.lycos.com/memberembedded.js>

Mobile

- http://manuelfrym432.angelfire.com/adm/common/js/tiny_mce/tiny_mce.js
- http://manuelfrym432.angelfire.com/adm/common/js/tiny_mce/themes/advanced/editor_template.js
- http://manuelfrym432.angelfire.com/adm/common/js/tiny_mce/themes/advanced/langs/en.js
- http://manuelfrym432.angelfire.com/adm/common/js/tiny_mce/langs/en.js
- http://manuelfrym432.angelfire.com/adm/common/js/tiny_mce/plugins/emotions/editor_plugin.js
- http://manuelfrym432.angelfire.com/adm/common/js/tiny_mce/plugins/emotions/langs/en.js
- http://manuelfrym432.angelfire.com/adm/common/js/tiny_mce/plugins/spellchecker/editor_plugin.js
- http://manuelfrym432.angelfire.com/adm/common/js/tiny_mce/plugins/spellchecker/langs/en.js
- http://manuelfrym432.angelfire.com/adm/common/js/tiny_mce/plugins/noneditable/editor_plugin.js
- http://manuelfrym432.angelfire.com/adm/common/js/tiny_mce/plugins/paste/editor_plugin.js
- http://manuelfrym432.angelfire.com/adm/common/js/tiny_mce/plugins/paste/langs/en.js
- http://manuelfrym432.angelfire.com/adm/common/js/tiny_mce/plugins/fullscreen/editor_plugin.js
- http://manuelfrym432.angelfire.com/adm/common/js/tiny_mce/plugins/fullscreen/langs/en.js
- http://manuelfrym432.angelfire.com/adm/common/js/tiny_mce/plugins/insertdatetime/editor_plugin.js
- http://manuelfrym432.angelfire.com/adm/common/js/tiny_mce/plugins/insertdatetime/langs/en.js

[Optimize CSS Delivery](#) of the following:

- <http://manuelfrym432.angelfire.com/style.css>
- http://manuelfrym432.angelfire.com/adm/common/js/tiny_mce/themes/advanced/css/editor_ui.css



Consider Fixing:

Enable compression

Mobile

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 17.1KiB (67% reduction).

- Compressing <http://manuefrym432.angelfire.com/> could save 16.6KiB (68% reduction).
- Compressing http://manuefrym432.angelfire.com/adm/common/js/tiny_mce/plugins/spellchecker/langs/en.js could save 173B (43% reduction).
- Compressing http://manuefrym432.angelfire.com/adm/common/js/tiny_mce/plugins/emotions/langs/en.js could save 171B (39% reduction).
- Compressing http://manuefrym432.angelfire.com/adm/common/js/tiny_mce/plugins/paste/langs/en.js could save 159B (43% reduction).

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <http://ly.lygo.com/ly/s.gif> (expiration not specified)
- http://ly.lygo.net/ly/tripod/lotto/Freelotto-300x250_1.jpg (expiration not specified)
- http://ly.lygo.net/ly/tripod/lotto/ground_1.jpg (expiration not specified)
- <http://ly.lygo.net/ly/tripod/lotto/pic1.jpg> (expiration not specified)
- <http://ly.lygo.net/ly/tripod/lotto/pic2.jpg> (expiration not specified)
- <http://manuefrym432.angelfire.com/adm/ad/angelfire-freeAd.jpg> (expiration not specified)
- <http://manuefrym432.angelfire.com/adm/ad/angelfire-freeAd2.jpg> (expiration not specified)
- http://sp-log.lycos.com/af_cm.gif (expiration not specified)
- <http://www.googletagservices.com/tag/js/gpt.js> (15 minutes)
- <https://s0.2mdn.net/ads/studio/Enabler.js> (15 minutes)
- <http://www.google-analytics.com/ga.js> (2 hours)

Mobile

- <https://i.ytimg.com/vi/NWHedf01JEQ/hqdefault.jpg> (2 hours)
- <http://scripts.lycos.com/catman/init.js> (6 hours)
- <http://scripts.lycos.com/catman3/code/angelfire.lycos.com/memberembedded.js> (6 hours)

Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

[Minify HTML](#) for the following resources to reduce their size by 4.3KiB (17% reduction).

- Minifying <http://manuelfrym432.angelfire.com/> could save 4.2KiB (18% reduction).
- Minifying <http://manuelfrym432.angelfire.com/adm/ad/footerAd.iframe.html> could save 137B (11% reduction) after compression.

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 16.1KiB (25% reduction).

- Minifying http://manuelfrym432.angelfire.com/adm/common/js/tiny_mce/tiny_mce.js could save 13KiB (26% reduction) after compression.
- Minifying <http://manuelfrym432.angelfire.com/adm/common/js/prototype.js> could save 2.1KiB (21% reduction) after compression.
- Minifying <http://manuelfrym432.angelfire.com/adm/common/js/dialog.js?cachebust=1579270926164&> could save 748B (33% reduction) after compression.
- Minifying <http://manuelfrym432.angelfire.com/adm/blog/js/blogtools.js> could save 275B (24% reduction) after compression.

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 95.5KiB (61% reduction).

- Compressing http://ly.lygo.net/ly/tripod/lotto/ground_1.jpg could save 56.1KiB (72% reduction).
- Compressing http://ly.lygo.net/ly/tripod/lotto/Freelotto-300x250_1.jpg could save 11.9KiB (52% reduction).
- Compressing <http://ly.lygo.net/ly/tripod/lotto/pic2.jpg> could save 11.1KiB (54% reduction).
- Compressing <http://ly.lygo.net/ly/tripod/lotto/pic1.jpg> could save 8.4KiB (51% reduction).
- Compressing <http://manuelfrym432.angelfire.com/adm/ad/angelfire-freeAd.jpg> could save 4.3KiB (40% reduction).
- Compressing <http://manuelfrym432.angelfire.com/adm/ad/angelfire-freeAd2.jpg> could save 3.6KiB (42% reduction).



4 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

Minify CSS

Your CSS is minified. Learn more about [minifying CSS](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).

64 / 100 User Experience

Should Fix:

Configure the viewport

Your page does not have a viewport specified. This causes mobile devices to render your page as it would appear on a desktop browser, scaling it down to fit on a mobile screen. Configure a viewport to allow your page to render properly on all devices.

[Configure a viewport](#) for this page.

Use legible font sizes

The following text on your page renders in a way that may be difficult for some of your visitors to read. [Use legible font sizes](#) to provide a better user experience.

The following text fragments have a small font size. Increase the font size to make them more legible.

- FREE DAILY SWEEPSTAKES - renders only 5 pixels tall (12 CSS pixels) final.
- CLICK TO PLAY renders only 5 pixels tall (12 CSS pixels) final.
- ! renders only 5 pixels tall (12 CSS pixels) final.
- \$11 MILLION renders only 7 pixels tall (19 CSS pixels) final.
- + renders only 7 pixels tall (19 CSS pixels) final.
- DAILY PRIZES renders only 7 pixels tall (19 CSS pixels) final.

Mobile

- undefined renders only 6 pixels tall (16 CSS pixels) final.
- « renders only 4 pixels tall (10 CSS pixels) final.
- January 2020 and 7 others render only 4 pixels tall (10 CSS pixels) final.
- » renders only 4 pixels tall (10 CSS pixels) final.
- 1 renders only 4 pixels tall (10 CSS pixels) final.
- 2 renders only 4 pixels tall (10 CSS pixels) final.
- 10 and 28 others render only 4 pixels tall (10 CSS pixels) final.
- Entries by Topic and 4 others render only 4 pixels tall (11 CSS pixels) final.
- <https://en.wik...ch=donne russe> and 14 others render only 4 pixels tall (11 CSS pixels) final.
- You are not logged in. renders only 4 pixels tall (11 CSS pixels) final.
- My new blog 8528 renders only 6 pixels tall (16 CSS pixels) final.
- Sunday, 27 October 2019 renders only 5 pixels tall (14 CSS pixels) final.
- The Anatomy of...ragazze russe renders only 4 pixels tall (11 CSS pixels) final.
- With the combi...ng and dating. and 18 others render only 4 pixels tall (11 CSS pixels) final.
- ragazze russe renders only 4 pixels tall (11 CSS pixels) final.
- Posted by manu...t 10:25 PM EDT and 2 others render only 3 pixels tall (9 CSS pixels) final.
- Share This Post and 2 others render only 3 pixels tall (9 CSS pixels) final.
- Newer | Latest | Older renders only 4 pixels tall (11 CSS pixels) final.
- FREE DAILY SWEEPSTAKES - renders only 5 pixels tall (13 CSS pixels).
- CLICK TO PLAY renders only 5 pixels tall (13 CSS pixels).
- ! renders only 5 pixels tall (13 CSS pixels).
- \$11MILLION renders only 8 pixels tall (20 CSS pixels).
- + renders only 8 pixels tall (20 CSS pixels).
- DAILY PRIZES renders only 8 pixels tall (20 CSS pixels).
- FREE DAILY SWEEPSTAKES - renders only 5 pixels tall (12 CSS pixels).
- CLICK TO PLAY renders only 5 pixels tall (12 CSS pixels).
- ! renders only 5 pixels tall (12 CSS pixels).
- \$11 MILLION renders only 7 pixels tall (19 CSS pixels).

Mobile

- + renders only 7 pixels tall (19 CSS pixels).
- DAILY PRIZES renders only 7 pixels tall (19 CSS pixels).

Consider Fixing:

Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider [making these tap targets larger](#) to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target `All topics` and 13 others are close to other tap targets final.
- The tap target `Permalink` is close to 2 other tap targets final.

2 Passed Rules

Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

Size content to viewport

The contents of your page fit within the viewport. Learn more about [sizing content to the viewport](#).

Desktop



77 / 100 Speed

! Consider Fixing:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 17.1KiB (67% reduction).

- Compressing <http://manuefrym432.angelfire.com/> could save 16.6KiB (68% reduction).
- Compressing http://manuefrym432.angelfire.com/adm/common/js/tiny_mce/plugins/spellchecker/langs/en.js could save 173B (43% reduction).
- Compressing http://manuefrym432.angelfire.com/adm/common/js/tiny_mce/plugins/emotions/langs/en.js could save 171B (39% reduction).
- Compressing http://manuefrym432.angelfire.com/adm/common/js/tiny_mce/plugins/paste/langs/en.js could save 159B (43% reduction).

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Desktop](#)

[Leverage browser caching](#) for the following cacheable resources:

- <http://ly.lygo.com/ly/s.gif> (expiration not specified)
- http://ly.lygo.net/ly/tripod/lotto/Freelotto-300x250_1.jpg (expiration not specified)
- http://ly.lygo.net/ly/tripod/lotto/ground_1.jpg (expiration not specified)
- <http://ly.lygo.net/ly/tripod/lotto/pic1.jpg> (expiration not specified)
- <http://ly.lygo.net/ly/tripod/lotto/pic2.jpg> (expiration not specified)
- <http://manuefrym432.angelfire.com/adm/ad/angelfire-freeAd.jpg> (expiration not specified)
- <http://manuefrym432.angelfire.com/adm/ad/angelfire-freeAd2.jpg> (expiration not specified)
- http://sp-log.lycos.com/af_cm.gif (expiration not specified)
- <http://www.googletagservices.com/tag/js/gpt.js> (15 minutes)
- <https://s0.2mdn.net/ads/studio/Enabler.js> (15 minutes)
- <http://www.google-analytics.com/ga.js> (2 hours)
- <https://i.ytimg.com/vi/NWHedf01JEQ/hqdefault.jpg> (2 hours)
- <http://scripts.lycos.com/catman/init.js> (6 hours)
- <http://scripts.lycos.com/catman3/code/angelfire.lycos.com/memberembedded.js> (6 hours)

Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

[Minify HTML](#) for the following resources to reduce their size by 4.3KiB (17% reduction).

- Minifying <http://manuefrym432.angelfire.com/> could save 4.2KiB (18% reduction).
- Minifying <http://manuefrym432.angelfire.com/adm/ad/footerAd.iframe.html> could save 138B (11% reduction) after compression.

Desktop

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 16.1KiB (25% reduction).

- Minifying http://manuelfrym432.angelfire.com/adm/common/js/tiny_mce/tiny_mce.js could save 13KiB (26% reduction) after compression.
- Minifying <http://manuelfrym432.angelfire.com/adm/common/js/prototype.js> could save 2.1KiB (21% reduction) after compression.
- Minifying <http://manuelfrym432.angelfire.com/adm/common/js/dialog.js?cachebust=1579270930310&> could save 748B (33% reduction) after compression.
- Minifying <http://manuelfrym432.angelfire.com/adm/blog/js/blogtools.js> could save 275B (24% reduction) after compression.

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 19 blocking script resources and 2 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <http://manuelfrym432.angelfire.com/adm/common/js/prototype.js>
- <http://manuelfrym432.angelfire.com/adm/blog/js/blogtools.js>
- <http://scripts.lycos.com/catman/init.js>
- <http://scripts.lycos.com/catman3/code/angelfire.lycos.com/memberembedded.js>
- http://manuelfrym432.angelfire.com/adm/common/js/tiny_mce/tiny_mce.js
- http://manuelfrym432.angelfire.com/adm/common/js/tiny_mce/themes/advanced/editor_template.js

Desktop

- http://manuelfrym432.angelfire.com/adm/common/js/tiny_mce/themes/advanced/langs/en.js
- http://manuelfrym432.angelfire.com/adm/common/js/tiny_mce/langs/en.js
- http://manuelfrym432.angelfire.com/adm/common/js/tiny_mce/plugins/emotions/editor_plugin.js
- http://manuelfrym432.angelfire.com/adm/common/js/tiny_mce/plugins/emotions/langs/en.js
- http://manuelfrym432.angelfire.com/adm/common/js/tiny_mce/plugins/spellchecker/editor_plugin.js
- http://manuelfrym432.angelfire.com/adm/common/js/tiny_mce/plugins/spellchecker/langs/en.js
- http://manuelfrym432.angelfire.com/adm/common/js/tiny_mce/plugins/noneditable/editor_plugin.js
- http://manuelfrym432.angelfire.com/adm/common/js/tiny_mce/plugins/paste/editor_plugin.js
- http://manuelfrym432.angelfire.com/adm/common/js/tiny_mce/plugins/paste/langs/en.js
- http://manuelfrym432.angelfire.com/adm/common/js/tiny_mce/plugins/fullscreen/editor_plugin.js
- http://manuelfrym432.angelfire.com/adm/common/js/tiny_mce/plugins/fullscreen/langs/en.js
- http://manuelfrym432.angelfire.com/adm/common/js/tiny_mce/plugins/insertdatetime/editor_plugin.js
- http://manuelfrym432.angelfire.com/adm/common/js/tiny_mce/plugins/insertdatetime/langs/en.js

[Optimize CSS Delivery](#) of the following:

- <http://manuelfrym432.angelfire.com/style.css>
- http://manuelfrym432.angelfire.com/adm/common/js/tiny_mce/themes/advanced/css/editor_ui.css

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 95.5KiB (61% reduction).

- Compressing http://ly.lygo.net/ly/tripod/lotto/ground_1.jpg could save 56.1KiB (72%)

Desktop

reduction).

- Compressing http://ly.lygo.net/ly/tripod/lotto/Freelotto-300x250_1.jpg could save 11.9KiB (52% reduction).
- Compressing <http://ly.lygo.net/ly/tripod/lotto/pic2.jpg> could save 11.1KiB (54% reduction).
- Compressing <http://ly.lygo.net/ly/tripod/lotto/pic1.jpg> could save 8.4KiB (51% reduction).
- Compressing <http://manuefrym432.angelfire.com/adm/ad/angelfire-freeAd.jpg> could save 4.3KiB (40% reduction).
- Compressing <http://manuefrym432.angelfire.com/adm/ad/angelfire-freeAd2.jpg> could save 3.6KiB (42% reduction).



4 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

Minify CSS

Your CSS is minified. Learn more about [minifying CSS](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).