

PageSpeed Insights

Mobile



79 / 100 Speed

Should Fix:

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 2 blocking script resources and 1 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <http://www.multitran.ru/adfox.asyn.code.ver3.js>
- <http://www.multitran.ru/script.js>

[Optimize CSS Delivery](#) of the following:

- <http://www.multitran.ru/style3.css>

Consider Fixing:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 9.5KiB (67% reduction).

- Compressing https://an.yandex.ru/meta/57304?redir-setuniq=1&target-ref=http%3A%2F%2Fwww.multitran.ru%2F&charset=utf-8&imp-id=15&enable-flat-highlight=1&flash-ver=0&grab=dNGB0LvQvtCy0LDRgNGMINCc0YPQu9GM0YLQuNGC0YDQsNC9Cg==&layout-config=%7B%22win_width%22%3A980%2C%22win_height%22%3A1741%2C%22width%22%3A0%2C%22height%22%3A0%2C%22left%22%3A885%2C%22top%22%3A181%2C%22visible%22%3A1%2C%22ad_no%22%3A0%2C%22req_no%22%3A0%7D&callback=Ya%5B1478858530945%5D could save 6.2KiB (69% reduction).
- Compressing [https://an.yandex.ru/meta/57304?target-ref=http%3A%2F%2Fwww.multitran.ru%2F&charset=utf-8&imp-id=2&enable-flat-highlight=1&flash-ver=0&skip-token=yabs.MjA3MDgyODYwOA%3D%3D&grab=dNGB0LvQvtCy0LDRgNGMINCc0YPQu9GM0YLQuNGC0YDQsNC9Cg==&layout-config=%7B%22win_width%22%3A980%2C%22win_height%22%3A1741%2C%22width%22%3A872%2C%22height%22%3A0%2C%22left%22%3A10%2C%22top%22%3A427%2C%22visible%22%3A1%2C%22ad_no%22%3A0%2C%22req_no%22%3A1%7D&callback=Ya\[1478858527141\]](https://an.yandex.ru/meta/57304?target-ref=http%3A%2F%2Fwww.multitran.ru%2F&charset=utf-8&imp-id=2&enable-flat-highlight=1&flash-ver=0&skip-token=yabs.MjA3MDgyODYwOA%3D%3D&grab=dNGB0LvQvtCy0LDRgNGMINCc0YPQu9GM0YLQuNGC0YDQsNC9Cg==&layout-config=%7B%22win_width%22%3A980%2C%22win_height%22%3A1741%2C%22width%22%3A872%2C%22height%22%3A0%2C%22left%22%3A10%2C%22top%22%3A427%2C%22visible%22%3A1%2C%22ad_no%22%3A0%2C%22req_no%22%3A1%7D&callback=Ya[1478858527141]) could save 3.2KiB (64% reduction).

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- http://s.luxupadva.com/t/common_403.js (expiration not specified)
- <http://www.multitran.ru/adfox.asyn.code.ver3.js> (expiration not specified)
- <http://www.multitran.ru/script.js> (expiration not specified)

Mobile

- <http://an.yandex.ru/system/context.js> (60 minutes)
- <http://pagead2.googlesyndication.com/pagead/js/adsbygoogle.js> (60 minutes)
- <https://mc.yandex.ru/metrika/watch.js> (60 minutes)
- <https://pagead2.googlesyndication.com/pagead/osd.js> (60 minutes)
- <http://www.google-analytics.com/ga.js> (2 hours)

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 24.1KiB (67% reduction).

- Compressing <https://tpc.googlesyndication.com/simgad/11057466446000935682> could save 7.7KiB (84% reduction).
- Compressing <https://tpc.googlesyndication.com/simgad/1971667844518848019> could save 7.6KiB (72% reduction).
- Compressing <https://tpc.googlesyndication.com/simgad/16292909291673193749> could save 7.5KiB (72% reduction).
- Compressing http://www.multitrans.ru/j/corner_tl.gif could save 700B (44% reduction).
- Compressing <http://www.multitrans.ru/j/logo.gif> could save 553B (14% reduction).



6 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Reduce server response time

Mobile

Your server responded quickly. Learn more about [server response time optimization](#).

Minify CSS

Your CSS is minified. Learn more about [minifying CSS](#).

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

Minify JavaScript

Your JavaScript content is minified. Learn more about [minifying JavaScript](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).

59 / 100 User Experience

Should Fix:

Configure the viewport

Your page does not have a viewport specified. This causes mobile devices to render your page as it would appear on a desktop browser, scaling it down to fit on a mobile screen. Configure a viewport to allow your page to render properly on all devices.

[Configure a viewport](#) for this page.

Mobile

Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider [making these tap targets larger](#) to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target `О словаре` and 49 others are close to other tap targets final.
- The tap target `<input type="submit">` is close to 1 other tap targets final.
- The tap target `<div id="abgcp" class="abgcp">Реклама отGoogle</div>` is close to 1 other tap targets final.
- The tap target `Нужны докумен...а английском?` is close to 1 other tap targets final.
- The tap target `russiangost.com` and 1 others are close to other tap targets final.
- The tap target `Перейти` is close to 1 other tap targets final.
- The tap target `<yatag class="yap-adtune yap...tune_big_false">Скрыть объявление</yatag>` is close to 1 other tap targets final.
- The tap target `Яндекс.Директ` is close to 1 other tap targets final.

Use legible font sizes

The following text on your page renders in a way that may be difficult for some of your visitors to read. [Use legible font sizes](#) to provide a better user experience.

The following text fragments have a small font size. Increase the font size to make them more legible.

- Нидерландско-р...ндский словарь and 27 others render only 6 pixels tall (16 CSS pixels) final.
- | and 4 others render only 6 pixels tall (16 CSS pixels) final.

Mobile

- 1.4 MILLION RA...IEWED LAWYERS. renders only 7 pixels tall (18 CSS pixels) final.
- Введите слово...у для перевода renders only 6 pixels tall (16 CSS pixels) final.
- Нужны документы на and 2 others render only 8 pixels tall (20 CSS pixels) final.
- 220000+ госуд...ревод. Купить! renders only 5 pixels tall (14 CSS pixels) final.
- Адрес и телефон and 1 others render only 5 pixels tall (14 CSS pixels) final.
- Яндекс.Директ and 1 others render only 4 pixels tall (11 CSS pixels) final.
- Перейти renders only 6 pixels tall (16 CSS pixels) final.
- «Real freedom...as ice cream». renders only 6 pixels tall (15 CSS pixels) final.
- look-at-english.com renders only 6 pixels tall (15 CSS pixels) final.
- Электронные словари renders only 6 pixels tall (16 CSS pixels) final.
- и and 2 others render only 6 pixels tall (16 CSS pixels) final.

Consider Fixing:

Size content to viewport

The page content is too wide for the viewport, forcing the user to scroll horizontally. [Size the page content to the viewport](#) to provide a better user experience.

The page content is 1,139 CSS pixels wide, but the viewport is only 980 CSS pixels wide. The following elements fall outside the viewport:

- The element `<iframe id="aswift_0" name="aswift_0">` falls outside the viewport.
- The element `` falls outside the viewport.
- The element `английском` falls outside the viewport.
- The element `<yatag class="yap-adv__body yap-body">220000+ госуд...ревод. Купить!</yatag>` falls outside the viewport.
- The element `russiangost.com` falls outside the viewport.
- The element `<a href="https://an.yan...4036413313025&" class="yap-address__link`

Mobile

yap-link">Адрес и телефон falls outside the viewport.

- The element <yatag class="yap-adv__row-e...y yap-adv__row"> falls outside the viewport.
- The element <polygon> falls outside the viewport.
- The element Яндекс.Директ falls outside the viewport.
- The element <p></p> falls outside the viewport.
- The element <tr>ПерейтиEnglish...Яндекс.Директ</tr> falls outside the viewport.
- The element <tr>Электронные сл...н для браузера</tr> falls outside the viewport.
- The element <td> falls outside the viewport.
- The element <td> falls outside the viewport.
- The element <td> falls outside the viewport.
- The element <td> falls outside the viewport.
- The element <td> falls outside the viewport.
- The element <td> falls outside the viewport.
- The element <td> falls outside the viewport.
- The element <tr></tr> falls outside the viewport.
- The element <td></td> falls outside the viewport.
- The element <td></td> falls outside the viewport.



1 Passed Rules

Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

Desktop

Desktop



83 / 100 Speed

! Should Fix:

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- http://s.luxupadva.com/t/common_403.js (expiration not specified)
- <http://www.multitrans.ru/adfox.async.code.ver3.js> (expiration not specified)
- <http://www.multitrans.ru/script.js> (expiration not specified)
- https://s3.amazonaws.com/playerfiles2/ios_high_oas_110316.js (expiration not specified)
- https://s3.amazonaws.com/playerfiles2/ios_ua.js (expiration not specified)
- <https://ssl.p.jwpcdn.com/player/v/7.7.4/jw-icons.woff> (expiration not specified)
- <https://ssl.p.jwpcdn.com/player/v/7.7.4/polyfills.promise.js> (expiration not specified)
- <https://ssl.p.jwpcdn.com/player/v/7.7.4/skins/stormtrooper.css> (expiration not specified)
- <https://content.jwplatform.com/libraries/o16FtOAn.js> (2.5 minutes)
- <https://c.betrad.com/a/n/322/4311.js> (10 minutes)
- <http://an.yandex.ru/system/context.js> (60 minutes)
- <http://pagead2.googlesyndication.com/pagead/js/adsbygoogle.js> (60 minutes)
- <https://c.betrad.com/a/4.gif> (60 minutes)

Desktop

- <https://c.betrad.com/geo/ba.js?d803588> (60 minutes)
- https://c.betrad.com/icon/box_19_top-right.png (60 minutes)
- <https://c.betrad.com/icon/ci.png> (60 minutes)
- https://c.betrad.com/surly.js?;ad_w=728;ad_h=90;coid=322;nid=4311;cps=1 (60 minutes)
- <https://mc.yandex.ru/metrika/watch.js> (60 minutes)
- <https://pagead2.googlesyndication.com/pagead/js/adsbygoogle.js> (60 minutes)
- <https://pagead2.googlesyndication.com/pagead/js/lidar.js> (60 minutes)
- <https://pagead2.googlesyndication.com/pagead/osd.js> (60 minutes)
- <http://www.google-analytics.com/ga.js> (2 hours)



Consider Fixing:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 31.5KiB (80% reduction).

- Compressing https://s3.amazonaws.com/playerfiles2/ios_ua.js could save 14.3KiB (94% reduction).
- Compressing https://s3.amazonaws.com/playerfiles2/ios_high_oas_110316.js could save 7.9KiB (78% reduction).
- Compressing https://an.yandex.ru/meta/57304?redir-setuniq=1&target-ref=http%3A%2F%2Fwww.multitrans.ru%2F&charset=utf-8&imp-id=15&enable-flat-highlight=1&flash-ver=0&grab=dNGB0LvQvtCy0LDRgNGMINCc0YPQu9GM0YLQuNGC0YDQsNC9Cg==&layout-config=%7B%22win_width%22%3A1024%2C%22win_height%22%3A768%2C%22width%22%3A0%2C%22height%22%3A0%2C%22left%22%3A885%2C%22top%22%3A181%2C%22visible%22%3A1%2C%22ad_no%22%3A0%2C%22req_no%22%3A0%7D&callback=Ya%5B1478858535410%5D could save 6.3KiB (69% reduction).
- Compressing https://an.yandex.ru/meta/57304?target-ref=http%3A%2F%2Fwww.multitrans.ru%2F&charset=utf-8&imp-id=2&enable-flat-highlight=1&flash-ver=0&skip-token=yabs.Mjg2MjkwODY1Ng%3D%3D&grab=dNGB0LvQvtCy0LDRgNGMINCc0YPQu9GM0YLQuNGC0YDQsNC9Cg==&layout-config=%7B%22win_width%22%3A1024%2C%22win_height%22%3A768%2C%22width%22%3A872%2C%22height%22%3A0%2C%22left%22%3A10%2C%22top%22%22 could save 6.3KiB (69% reduction).

Desktop

3A427%2C%22visible%22%3A1%2C%22ad_no%22%3A0%2C%22req_no%22%3A1%7D&callback=Ya[1478858534237] could save 3KiB (59% reduction).

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 1.2KiB (12% reduction).

- Minifying https://s3.amazonaws.com/playerfiles2/ios_high_oas_110316.js could save 1.2KiB (12% reduction).

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 2 blocking script resources and 1 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <http://www.multitrans.ru/adfox.asyn.code.ver3.js>
- <http://www.multitrans.ru/script.js>

[Optimize CSS Delivery](#) of the following:

- <http://www.multitrans.ru/style3.css>

Optimize images

Desktop

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 1.2KiB (22% reduction).

- Compressing http://www.multitrans.ru/j/corner_tl.gif could save 700B (44% reduction).
- Compressing <http://www.multitrans.ru/j/logo.gif> could save 553B (14% reduction).



5 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

Minify CSS

Your CSS is minified. Learn more about [minifying CSS](#).

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).