


PageSpeed Insights

Mobile



44 / 100 Speed

! Should Fix:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 500.6KiB (76% reduction).

- Compressing <https://okik.me/js/jquery-ui-1.9.1.custom.min.js> could save 170.8KiB (73% reduction).
- Compressing <https://okik.me/templates/ModernBlue/styles/bootstrap.min.css> could save 83.9KiB (83% reduction).
- Compressing <https://okik.me/templates/ModernBlue/css/uicons.css> could save 63.2KiB (88% reduction).
- Compressing <https://okik.me/js/jquery.min.js> could save 58.6KiB (64% reduction).
- Compressing <https://okik.me/templates/ModernBlue/css/global.css> could save 25.9KiB (80% reduction).

Mobile

reduction).

- Compressing <https://okik.me/templates/ModernBlue/css/evolutionscript/jquery-ui-1.9.2.custom.css> could save 25.3KiB (80% reduction).
- Compressing <https://okik.me/templates/ModernBlue/styles/bootstrap.min.js> could save 23.2KiB (75% reduction).
- Compressing <https://okik.me/> could save 18.4KiB (86% reduction).
- Compressing <https://okik.me/templates/ModernBlue/styles/custom.css> could save 17.9KiB (78% reduction).
- Compressing <https://okik.me/js/evolutionscript.js> could save 10.8KiB (73% reduction).
- Compressing <https://okik.me/js/l2blockit.js> could save 2.6KiB (67% reduction).

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <https://okik.me/images/advertise.jpg> (expiration not specified)
- <https://okik.me/images/blogs.jpg> (expiration not specified)
- <https://okik.me/images/community.jpg> (expiration not specified)
- <https://okik.me/images/contest.jpg> (expiration not specified)
- <https://okik.me/images/mail.jpg> (expiration not specified)
- <https://okik.me/images/money.jpg> (expiration not specified)
- <https://okik.me/images/okikgrid.jpg> (expiration not specified)
- <https://okik.me/images/referrals.jpg> (expiration not specified)
- <https://okik.me/js/evolutionscript.js> (expiration not specified)
- <https://okik.me/js/jquery-ui-1.9.1.custom.min.js> (expiration not specified)
- <https://okik.me/js/jquery.min.js> (expiration not specified)
- <https://okik.me/js/l2blockit.js> (expiration not specified)

Mobile

- <https://okik.me/templates/ModernBlue/css/evolutionscript/jquery-ui-1.9.2.custom.css> (expiration not specified)
- <https://okik.me/templates/ModernBlue/css/global.css> (expiration not specified)
- <https://okik.me/templates/ModernBlue/css/uicons.css> (expiration not specified)
- <https://okik.me/templates/ModernBlue/styles/bootstrap.min.css> (expiration not specified)
- <https://okik.me/templates/ModernBlue/styles/bootstrap.min.js> (expiration not specified)
- <https://okik.me/templates/ModernBlue/styles/custom.css> (expiration not specified)
- <https://okik.me/templates/ModernBlue/styles/images/homebanner2017.jpg> (expiration not specified)
- <https://okik.me/templates/ModernBlue/styles/images/logo.gif> (expiration not specified)

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 5 blocking script resources and 7 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <https://okik.me/js/jquery.min.js>
- <https://okik.me/js/jquery-ui-1.9.1.custom.min.js>
- <https://okik.me/templates/ModernBlue/styles/bootstrap.min.js>
- <https://okik.me/js/evolutionscript.js>
- <https://okik.me/js/l2blockit.js>

[Optimize CSS Delivery](#) of the following:

- <https://okik.me/templates/ModernBlue/css/global.css>
- <http://fonts.googleapis.com/css?family=Open+Sans:400,300,600,700>
- <https://okik.me/templates/ModernBlue/css/uicons.css>

Mobile

- <https://okik.me/templates/ModernBlue/styles/bootstrap.min.css>
- <https://okik.me/templates/ModernBlue/styles/custom.css>
- <https://maxcdn.bootstrapcdn.com/font-awesome/4.3.0/css/font-awesome.min.css>
- <https://okik.me/templates/ModernBlue/css/evolutionscript/jquery-ui-1.9.2.custom.css>

Consider Fixing:

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 9.1KiB (17% reduction).

- Minifying <https://okik.me/templates/ModernBlue/css/evolutionscript/jquery-ui-1.9.2.custom.css> could save 5.7KiB (19% reduction).
- Minifying <https://okik.me/templates/ModernBlue/styles/custom.css> could save 3.3KiB (15% reduction).

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 4.3KiB (23% reduction).

- Minifying <https://okik.me/js/evolutionscript.js> could save 2.5KiB (17% reduction).
- Minifying <https://okik.me/js/l2blockit.js> could save 1.8KiB (47% reduction).

Mobile

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 96.8KiB (33% reduction).

- Compressing <https://okik.me/templates/ModernBlue/styles/images/homebanner2017.jpg> could save 41KiB (35% reduction).
- Compressing <https://okik.me/images/advertise.jpg> could save 9.3KiB (34% reduction).
- Compressing <https://okik.me/images/mail.jpg> could save 7.4KiB (33% reduction).
- Compressing <https://okik.me/images/contest.jpg> could save 7.3KiB (30% reduction).
- Compressing <https://okik.me/images/community.jpg> could save 7KiB (31% reduction).
- Compressing <https://okik.me/images/money.jpg> could save 6.8KiB (31% reduction).
- Compressing <https://okik.me/images/okikgrid.jpg> could save 6.4KiB (34% reduction).
- Compressing <https://okik.me/images/referrals.jpg> could save 5.9KiB (29% reduction).
- Compressing <https://okik.me/images/blogs.jpg> could save 5.7KiB (28% reduction).

Prioritize visible content

Your page requires additional network round trips to render the above-the-fold content. For best performance, reduce the amount of HTML needed to render above-the-fold content.

The entire HTML response was not sufficient to render the above-the-fold content. This usually indicates that additional resources, loaded after HTML parsing, were required to render above-the-fold content. [Prioritize visible content](#) that is needed for rendering above-the-fold by including it directly in the HTML response.

- Only about 46% of the final above-the-fold content could be rendered with the full HTML response snapshot:13.



3 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

80 / 100 User Experience

Should Fix:

Configure the viewport

Your page does not have a viewport specified. This causes mobile devices to render your page as it would appear on a desktop browser, scaling it down to fit on a mobile screen. Configure a viewport to allow your page to render properly on all devices.

[Configure a viewport](#) for this page.

Consider Fixing:

Size content to viewport

The page content is too wide for the viewport, forcing the user to scroll horizontally. [Size the page content to the viewport](#) to provide a better user experience.

Mobile

The page content is 1,000 CSS pixels wide, but the viewport is only 980 CSS pixels wide. The following elements fall outside the viewport:

- The element `<div class="navbar-inner"></div>` falls outside the viewport.
- The element `<h3>Online Since 2014</h3>` falls outside the viewport.
- The element `<h3>Do not miss Ou...s Promotions!!</h3>` falls outside the viewport.
- The element `<h2>Join to an act...ses Okik Daily</h2>` falls outside the viewport.

Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider [making these tap targets larger](#) to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target `Login` and 1 others are close to other tap targets final.
- The tap target `FAQ` and 1 others are close to other tap targets final.

Use legible font sizes

The following text on your page renders in a way that may be difficult for some of your visitors to read. [Use legible font sizes](#) to provide a better user experience.

The following text fragments have a small font size. Increase the font size to make them more legible.

- Register Now and 2 others render only 7 pixels tall (18 CSS pixels) final.
- Multiple ways...ess expensive. and 7 others render only 5 pixels tall (14 CSS pixels) final.

Mobile

- Check Referrals and 7 others render only 5 pixels tall (13 CSS pixels) final.
- Copyright © 2014 - 2016 Okik. and 5 others render only 5 pixels tall (14 CSS pixels) final.

✔ 1 Passed Rules

Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

Desktop



55 / 100 Speed

! Should Fix:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 500.6KiB (76% reduction).

Desktop

- Compressing <https://okik.me/js/jquery-ui-1.9.1.custom.min.js> could save 170.8KiB (73% reduction).
- Compressing <https://okik.me/templates/ModernBlue/styles/bootstrap.min.css> could save 83.9KiB (83% reduction).
- Compressing <https://okik.me/templates/ModernBlue/css/uicons.css> could save 63.2KiB (88% reduction).
- Compressing <https://okik.me/js/jquery.min.js> could save 58.6KiB (64% reduction).
- Compressing <https://okik.me/templates/ModernBlue/css/global.css> could save 25.9KiB (80% reduction).
- Compressing <https://okik.me/templates/ModernBlue/css/evolutionscript/jquery-ui-1.9.2.custom.css> could save 25.3KiB (80% reduction).
- Compressing <https://okik.me/templates/ModernBlue/styles/bootstrap.min.js> could save 23.2KiB (75% reduction).
- Compressing <https://okik.me/> could save 18.4KiB (86% reduction).
- Compressing <https://okik.me/templates/ModernBlue/styles/custom.css> could save 17.9KiB (78% reduction).
- Compressing <https://okik.me/js/evolutionscript.js> could save 10.8KiB (73% reduction).
- Compressing <https://okik.me/js/l2blockit.js> could save 2.6KiB (67% reduction).

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <https://okik.me/images/advertise.jpg> (expiration not specified)
- <https://okik.me/images/blogs.jpg> (expiration not specified)
- <https://okik.me/images/community.jpg> (expiration not specified)
- <https://okik.me/images/contest.jpg> (expiration not specified)
- <https://okik.me/images/mail.jpg> (expiration not specified)
- <https://okik.me/images/money.jpg> (expiration not specified)

Desktop

- <https://okik.me/images/okikgrid.jpg> (expiration not specified)
- <https://okik.me/images/referrals.jpg> (expiration not specified)
- <https://okik.me/js/evolutionscript.js> (expiration not specified)
- <https://okik.me/js/jquery-ui-1.9.1.custom.min.js> (expiration not specified)
- <https://okik.me/js/jquery.min.js> (expiration not specified)
- <https://okik.me/js/l2blockit.js> (expiration not specified)
- <https://okik.me/templates/ModernBlue/css/evolutionscript/jquery-ui-1.9.2.custom.css> (expiration not specified)
- <https://okik.me/templates/ModernBlue/css/global.css> (expiration not specified)
- <https://okik.me/templates/ModernBlue/css/uicons.css> (expiration not specified)
- <https://okik.me/templates/ModernBlue/styles/bootstrap.min.css> (expiration not specified)
- <https://okik.me/templates/ModernBlue/styles/bootstrap.min.js> (expiration not specified)
- <https://okik.me/templates/ModernBlue/styles/custom.css> (expiration not specified)
- <https://okik.me/templates/ModernBlue/styles/images/homebanner2017.jpg> (expiration not specified)
- <https://okik.me/templates/ModernBlue/styles/images/logo.gif> (expiration not specified)

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 5 blocking script resources and 7 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <https://okik.me/js/jquery.min.js>
- <https://okik.me/js/jquery-ui-1.9.1.custom.min.js>
- <https://okik.me/templates/ModernBlue/styles/bootstrap.min.js>
- <https://okik.me/js/evolutionscript.js>

Desktop

- <https://okik.me/js/l2blockit.js>

[Optimize CSS Delivery](#) of the following:

- <https://okik.me/templates/ModernBlue/css/global.css>
- <http://fonts.googleapis.com/css?family=Open+Sans:400,300,600,700>
- <https://okik.me/templates/ModernBlue/css/uicons.css>
- <https://okik.me/templates/ModernBlue/styles/bootstrap.min.css>
- <https://okik.me/templates/ModernBlue/styles/custom.css>
- <https://maxcdn.bootstrapcdn.com/font-awesome/4.3.0/css/font-awesome.min.css>
- <https://okik.me/templates/ModernBlue/css/evolutionscript/jquery-ui-1.9.2.custom.css>



Consider Fixing:

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 9.1KiB (17% reduction).

- Minifying <https://okik.me/templates/ModernBlue/css/evolutionscript/jquery-ui-1.9.2.custom.css> could save 5.7KiB (19% reduction).
- Minifying <https://okik.me/templates/ModernBlue/styles/custom.css> could save 3.3KiB (15% reduction).

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Desktop](#)

[Minify JavaScript](#) for the following resources to reduce their size by 4.3KiB (23% reduction).

- Minifying <https://okik.me/js/evolutionscript.js> could save 2.5KiB (17% reduction).
- Minifying <https://okik.me/js/l2blockit.js> could save 1.8KiB (47% reduction).

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 96.8KiB (33% reduction).

- Compressing <https://okik.me/templates/ModernBlue/styles/images/homebanner2017.jpg> could save 41KiB (35% reduction).
- Compressing <https://okik.me/images/advertise.jpg> could save 9.3KiB (34% reduction).
- Compressing <https://okik.me/images/mail.jpg> could save 7.4KiB (33% reduction).
- Compressing <https://okik.me/images/contest.jpg> could save 7.3KiB (30% reduction).
- Compressing <https://okik.me/images/community.jpg> could save 7KiB (31% reduction).
- Compressing <https://okik.me/images/money.jpg> could save 6.8KiB (31% reduction).
- Compressing <https://okik.me/images/okikgrid.jpg> could save 6.4KiB (34% reduction).
- Compressing <https://okik.me/images/referrals.jpg> could save 5.9KiB (29% reduction).
- Compressing <https://okik.me/images/blogs.jpg> could save 5.7KiB (28% reduction).

Prioritize visible content

Your page requires additional network round trips to render the above-the-fold content. For best performance, reduce the amount of HTML needed to render above-the-fold content.

The entire HTML response was not sufficient to render the above-the-fold content. This usually indicates that additional resources, loaded after HTML parsing, were required to render above-the-fold content. [Prioritize visible content](#) that is needed for rendering above-the-fold by including it

Desktop

directly in the HTML response.

- Only about 25% of the final above-the-fold content could be rendered with the full HTML response snapshot:13.



3 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).