

# PageSpeed Insights

## Mobile



75 / 100 Speed

Should Fix:

### Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 187.5KiB (61% reduction).

- Compressing <https://xuongintemnhan.com/wp-content/uploads/2016/09/in-tem-decal-nhua-1-410x260.jpg> could save 72.3KiB (76% reduction).
- Compressing <https://xuongintemnhan.com/wp-content/uploads/2016/08/cropped-cropped-logo-xuongintemnhan-01-01-1-3.jpg> could save 33.4KiB (62% reduction).
- Compressing <https://xuongintemnhan.com/wp-content/uploads/2017/07/in-tem-dan-chai-serum-410x260.jpg> could save 25KiB (50% reduction).
- Compressing <https://xuongintemnhan.com/wp-content/uploads/2019/03/in-decal-vo-go-vap-410x260.jpg> could save 20.2KiB (52% reduction).
- Compressing <https://xuongintemnhan.com/wp-content/uploads/2019/03/in-tem-bao-hanh->

## Mobile

dan-nap-410x260.jpg could save 18.9KiB (55% reduction).

- Compressing <https://xuongintemnhan.com/wp-content/uploads/2018/10/in-tem-hop-quy-cr-hcm-410x260.jpg> could save 16.1KiB (50% reduction).
- Compressing [https://images.dmca.com/Badges/dmca\\_protected\\_sml\\_120n.png?ID=ce0f34cd-3a96-4b71-a65d-f12192da1170](https://images.dmca.com/Badges/dmca_protected_sml_120n.png?ID=ce0f34cd-3a96-4b71-a65d-f12192da1170) could save 586B (29% reduction).
- Compressing <https://static.xx.fbcdn.net/rsrc.php/v3/yS/r/vcc5m4dw3rZ.png> could save 518B (37% reduction).
- Compressing [https://scontent-mia3-1.xx.fbcdn.net/v/t1.0-1/p50x50/17264660\\_1814213268903809\\_5661510308697332768\\_n.jpg?\\_nc\\_cat=110&\\_nc\\_oc=AQltQ9RIQ-0p4M686bJIR3nY7-YCNOjCjOXFukK26nukUR8gkjd4o4I-8YD7SXgT9YQ&\\_nc\\_ht=scontent-mia3-1.xx&oh=8bd9d66f54a7a3e28113907b92d3256a&oe=5E652F26](https://scontent-mia3-1.xx.fbcdn.net/v/t1.0-1/p50x50/17264660_1814213268903809_5661510308697332768_n.jpg?_nc_cat=110&_nc_oc=AQltQ9RIQ-0p4M686bJIR3nY7-YCNOjCjOXFukK26nukUR8gkjd4o4I-8YD7SXgT9YQ&_nc_ht=scontent-mia3-1.xx&oh=8bd9d66f54a7a3e28113907b92d3256a&oe=5E652F26) could save 441B (22% reduction).



### Consider Fixing:

## Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 3.9KiB (58% reduction).

- Compressing <https://e.dtscout.com/e/?v=1a&pid=5200&site=1&l=https%3A%2F%2Fxuongintemnhan.com%2F&j=> could save 2.5KiB (61% reduction).
- Compressing <https://pd.sharethis.com/pd/dtscout> could save 617B (55% reduction).
- Compressing <https://xuongintemnhan.com/wp-content/plugins/so-widgets-bundle/widgets/button/css/style.css?ver=1.6.5> could save 512B (59% reduction).
- Compressing <https://xuongintemnhan.com/wp-content/plugins/yet-another-related-posts-plugin/style/widget.css?ver=4.5.19> could save 387B (50% reduction).

## Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the

## Mobile

browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <https://pd.sharethis.com/pd/dtscout> (expiration not specified)
- [https://s10.histats.com/js15\\_as.js](https://s10.histats.com/js15_as.js) (expiration not specified)
- [https://connect.facebook.net/vi\\_VN/all.js](https://connect.facebook.net/vi_VN/all.js) (20 minutes)
- <https://t.sharethis.com/1/d/t.dhj?cid=c010&cls=C&rnd=0.415887045674026&stid=ZGAABV24TXEAAAASfEQSAw%3D%3D> (60 minutes)

## Reduce server response time

In our test, your server responded in 0.32 seconds.

There are many factors that can slow down your server response time. [Please read our recommendations](#) to learn how you can monitor and measure where your server is spending the most time.

## Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 3.2KiB (21% reduction).

- Minifying <https://xuongintemnhan.com/wp-content/themes/easymag/style.css?ver=4.5.19> could save 2.2KiB (23% reduction) after compression.
- Minifying <https://xuongintemnhan.com/wp-content/plugins/easy-facebook-likebox/public/assets/css/public.css?ver=4.2.6> could save 439B (21% reduction) after compression.
- Minifying <https://xuongintemnhan.com/wp-content/plugins/easy-facebook-likebox/public/assets/popup/magnific-popup.css?ver=4.2.6> could save 253B (13% reduction) after compression.



## Mobile

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Optimize CSS Delivery](#) of the following:

- <https://xuongintemnhan.com/wp-content/plugins/yet-another-related-posts-plugin/style/widget.css?ver=4.5.19>



### 3 Passed Rules

#### Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

#### Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

#### Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).

## 89 / 100 User Experience



### Should Fix:

#### Size content to viewport

The page content is too wide for the viewport, forcing the user to scroll horizontally. [Size the page content to the viewport](#) to provide a better user experience.

## Mobile

The page content is 444 CSS pixels wide, but the viewport is only 412 CSS pixels wide. The following elements fall outside the viewport:

- The element `` falls outside the viewport.
- The element `` falls outside the viewport.
- The element `` falls outside the viewport.
- The element `` falls outside the viewport.
- The element `` falls outside the viewport.
- The element `` falls outside the viewport.
- The element `` falls outside the viewport.
- The element `` falls outside the viewport.
- The element `` falls outside the viewport.
- The element `` falls outside the viewport.

### Consider Fixing:

#### Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider [making these tap targets larger](#) to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target `<a id="back-to-top" class="transition35"></a>` is close to 1 other tap targets final.

## Mobile



### 3 Passed Rules

#### Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

#### Configure the viewport

Your page specifies a viewport matching the device's size, which allows it to render properly on all devices. Learn more about [configuring viewports](#).

#### Use legible font sizes

The text on your page is legible. Learn more about [using legible font sizes](#).

## Desktop



50 / 100 Speed



Should Fix:

# Desktop

## Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 1,002.4KiB (87% reduction).

- Compressing and resizing <https://xuongintemnhan.com/wp-content/uploads/2019/10/lien-he-moi.jpg> could save 780.2KiB (98% reduction).
- Compressing <https://xuongintemnhan.com/wp-content/uploads/2016/09/in-tem-decal-nhua-1-410x260.jpg> could save 72.3KiB (76% reduction).
- Compressing and resizing <https://xuongintemnhan.com/wp-content/uploads/2016/08/cropped-cropped-logo-xuongintemnhan-01-01-1-3.jpg> could save 46.6KiB (87% reduction).
- Compressing <https://xuongintemnhan.com/wp-content/uploads/2017/07/in-tem-dan-chai-serum-410x260.jpg> could save 25KiB (50% reduction).
- Compressing <https://xuongintemnhan.com/wp-content/uploads/2019/05/in-tem-cao-co-ma-QR-410x221.jpg> could save 21.6KiB (44% reduction).
- Compressing <https://xuongintemnhan.com/wp-content/uploads/2019/03/in-decal-vo-go-vap-410x260.jpg> could save 20.2KiB (52% reduction).
- Compressing <https://xuongintemnhan.com/wp-content/uploads/2019/03/in-tem-bao-hanh-dan-nap-410x260.jpg> could save 18.9KiB (55% reduction).
- Compressing <https://xuongintemnhan.com/wp-content/uploads/2018/10/in-tem-hop-quy-cr-hcm-410x260.jpg> could save 16.1KiB (50% reduction).
- Compressing [https://images.dmca.com/Badges/dmca\\_protected\\_sml\\_120n.png?ID=ce0f34cd-3a96-4b71-a65d-f12192da1170](https://images.dmca.com/Badges/dmca_protected_sml_120n.png?ID=ce0f34cd-3a96-4b71-a65d-f12192da1170) could save 586B (29% reduction).
- Compressing <https://static.xx.fbcdn.net/rsrc.php/v3/yS/r/vcc5m4dw3rZ.png> could save 518B (37% reduction).
- Compressing [https://scontent-mia3-1.xx.fbcdn.net/v/t1.0-1/p50x50/17264660\\_1814213268903809\\_5661510308697332768\\_n.jpg?\\_nc\\_cat=110&\\_nc\\_oc=AQltQ9RIQ-0p4M686bJIR3nY7-YCNOjCjOXFUKK26nukUR8gkjd4o4I-8YD7SXgT9YQ&\\_nc\\_ht=scontent-mia3-1.xx&oh=8bd9d66f54a7a3e28113907b92d3256a&oe=5E652F26](https://scontent-mia3-1.xx.fbcdn.net/v/t1.0-1/p50x50/17264660_1814213268903809_5661510308697332768_n.jpg?_nc_cat=110&_nc_oc=AQltQ9RIQ-0p4M686bJIR3nY7-YCNOjCjOXFUKK26nukUR8gkjd4o4I-8YD7SXgT9YQ&_nc_ht=scontent-mia3-1.xx&oh=8bd9d66f54a7a3e28113907b92d3256a&oe=5E652F26) could save 441B (22% reduction).



Consider Fixing:



# Desktop

## Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 3.6KiB (58% reduction).

- Compressing <https://e.dtscout.com/e/?v=1a&pid=5200&site=1&l=https%3A%2F%2Fvuongintemnhan.com%2F&j=> could save 2.1KiB (60% reduction).
- Compressing <https://pd.sharethis.com/pd/dtscout> could save 617B (55% reduction).
- Compressing <https://vuongintemnhan.com/wp-content/plugins/so-widgets-bundle/widgets/button/css/style.css?ver=1.6.5> could save 512B (59% reduction).
- Compressing <https://vuongintemnhan.com/wp-content/plugins/yet-another-related-posts-plugin/style/widget.css?ver=4.5.19> could save 387B (50% reduction).

## Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <https://pd.sharethis.com/pd/dtscout> (expiration not specified)
- [https://s10.histats.com/js15\\_as.js](https://s10.histats.com/js15_as.js) (expiration not specified)
- [https://connect.facebook.net/vi\\_VN/all.js](https://connect.facebook.net/vi_VN/all.js) (20 minutes)
- <https://t.sharethis.com/1/d/t.dhj?cid=c010&cls=C&rnd=0.415887045674026&stid=ZGQAAV24TXoAAAASDBgBAw%3D%3D> (60 minutes)

## Reduce server response time

In our test, your server responded in 0.34 seconds.

## Desktop

There are many factors that can slow down your server response time. [Please read our recommendations](#) to learn how you can monitor and measure where your server is spending the most time.

### Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 3.2KiB (21% reduction).

- Minifying <https://xuongintemnhan.com/wp-content/themes/easymag/style.css?ver=4.5.19> could save 2.2KiB (23% reduction) after compression.
- Minifying <https://xuongintemnhan.com/wp-content/plugins/easy-facebook-likebox/public/assets/css/public.css?ver=4.2.6> could save 439B (21% reduction) after compression.
- Minifying <https://xuongintemnhan.com/wp-content/plugins/easy-facebook-likebox/public/assets/popup/magnific-popup.css?ver=4.2.6> could save 253B (13% reduction) after compression.
- Minifying <https://xuongintemnhan.com/wp-content/plugins/yet-another-related-posts-plugin/style/widget.css?ver=4.5.19> could save 151B (20% reduction).
- Minifying <https://xuongintemnhan.com/wp-content/plugins/so-widgets-bundle/widgets/button/css/style.css?ver=1.6.5> could save 144B (17% reduction).

### Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 3.3KiB (26% reduction).

- Minifying <https://xuongintemnhan.com/wp-content/plugins/responsive-lightbox/js/front.js?ver=1.6.9> could save 848B (24% reduction) after compression.
- Minifying <https://e.dtscout.com/e/?v=1a&pid=5200&site=1&l=https%3A%2F%2Fxuonginte>

## Desktop

mnhan.com%2F&j= could save 715B (21% reduction).

- Minifying [https://connect.facebook.net/vi\\_VN/all.js](https://connect.facebook.net/vi_VN/all.js) could save 675B (39% reduction) after compression.
- Minifying <https://xuongintemnhan.com/wp-content/plugins/easy-facebook-likebox/public/assets/js/jquery.cookie.js?ver=4.2.6> could save 564B (42% reduction) after compression.
- Minifying <https://xuongintemnhan.com/wp-content/themes/easymag/js/custom.js?ver=4.5.19> could save 236B (22% reduction) after compression.
- Minifying <https://pd.sharethis.com/pd/dtscout> could save 209B (19% reduction).
- Minifying <https://xuongintemnhan.com/wp-content/plugins/easy-facebook-likebox/public/assets/js/public.js?ver=4.2.6> could save 141B (19% reduction) after compression.

## Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 1 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Optimize CSS Delivery](#) of the following:

- <https://xuongintemnhan.com/wp-content/plugins/yet-another-related-posts-plugin/style/widget.css?ver=4.5.19>



3 Passed Rules

## Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

# Desktop

## Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

## Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).